

# Product Information Sheet according to (EU) No

|   |                      |
|---|----------------------|
| Trade Mark  | AEG                  |
| Model   | CCE84751FB 949597960 |
| Annual Energy Consumption (kWh/year)  | 28.8                 |
| Energy Efficiency class   | A+                   |
| Fluid Dynamic Efficiency  | 32.4                 |
| Fluid Dynamic Efficiency class  | A                    |
| Lighting Efficiency (lux/W)   |                      |
| Lighting Efficiency class   |                      |
| Grease Filtering Efficiency   | 85.1                 |
| Grease Filtering Efficiency class   | B                    |
| Air flow at minimum and maximum speed in normal use (m <sup>3</sup> /h)                                 | 270/500              |
| Air flow at intensive or boost setting (m <sup>3</sup> /h)  | 630                  |
| Airborne acoustical A-weighted sound power emissions at minimum and maximum speed in normal use (dB(A)) | 49/64                |
| Airborne acoustical A-weighted sound power emissions at intensive or boost setting (dB(A))              | 70                   |
| Power consumption in standby mode (W)   | -                    |
| Power consumption in off mode (W)   | 0.49                 |

## Product information according to Commission regulation (EU) No 66/2014

| Attribute Name   | Position    | Symbol                         | Value                     | Unit  |
|--|-------------|--------------------------------|---------------------------|-------|
| Model Denomination   |             |                                | CCE84751FB<br>949597960   |       |
| Type of hob  |             |                                | Built-In Hob              |       |
| Number of electric cooking zones   |             |                                | 4                         |       |
| Number of electric cooking areas   |             |                                | 2                         |       |
| Heating technology (induction cooking zones and cooking areas, radiant cooking zones, solid plates) per electric cooking zone and/or area              |             |                                | Induction<br>ExtractorHob |       |
| For non-circular cooking zones or areas: length and width of useful surface area per electric heated cooking zone or area, rounded to the nearest 5 mm | Left Front  | L x W                          | 22.3 x 22,0               | cm    |
|  | Left Rear   | L x W                          | 22.3 x 22,0               | cm    |
|  | Right Front | L x W                          | 22.3 x 22,0               | cm    |
|  | Right Rear  | L x W                          | 22.3 x 22,0               | cm    |
| Energy consumption per cooking zone or area calculated per kg  | Left        | EC <sub>electric cooking</sub> | 179.6                     | Wh/kg |
|  | Left        | EC <sub>electric cooking</sub> | 189.1                     | Wh/kg |
|  | Right       | EC <sub>electric cooking</sub> | 187.3                     | Wh/kg |
|  | Right       | EC <sub>electric cooking</sub> | 189.1                     | Wh/kg |
| Energy consumption for the hob calculated per kg   |             | EC <sub>electric hob</sub>     | 186.3                     | Wh/kg |

### EN 60350-2 - Household electric cooking appliances -- Part 2: Hobs - Methods for measuring performance"

#### Suggestions for a correct use in order to reduce the environmental impact:

- When you heat up water, use only the amount you need.
- If it is possible, always put the lids on the cookware.
- Before you activate the cooking zone put the cookware on it.
- Put the smaller cookware on the smaller cooking zones.
- Put the cookware directly in the centre of the cooking zone.
- Use the residual heat to keep the food warm or to melt it."

## Product information according to Commission regulation (EU) No 66/2014

| Attribute Name   | Symbol              | Value                   | Unit              |
|--|---------------------|-------------------------|-------------------|
| Model Denomination   |                     | CCE84751FB<br>949597960 |                   |
| Annual Energy Consumption  | AEC <sub>hood</sub> | 28.8                    | kwh/a             |
| Time increase factor   | f                   | 0.8                     |                   |
| Fluid Dynamic Efficiency   | FDE <sub>hood</sub> | 32.4                    |                   |
| Energy Efficiency Index  | EEl <sub>hood</sub> | 41.4                    |                   |
| Measured air flow rate at best efficiency point                    | QBEP                | 259.2                   | m <sup>3</sup> /h |
| Measured air pressure at best efficiency point                     | PBEP                | 444                     | Pa                |
| Maximum air flow   | Q <sub>max</sub>    | 630.0                   | m <sup>3</sup> /h |
| Measured electric power input at best efficiency point             | WBEP                | 98.8                    | W                 |
| Nominal power of the lighting system                               | WL                  |                         | W                 |
| Average illumination of the lighting system on the cooking surface | E <sub>middle</sub> |                         | lux               |
| Measured power consumption in standby mode                         | P <sub>s</sub>      | -                       | W                 |
| Measured power consumption off mode                                | P <sub>o</sub>      | 0.49                    | W                 |
| Sound power level  | LWA                 | 64                      | dB                |

**EN 61591 - Household range hoods and other cooking fume extractors – Methods for measuring performance**

**EN 60704-2-13 - Household and similar electrical appliances – Test code for the determination of airborne acoustical noise – Part 2-13: Particular requirements for range hoods**

**EN 50564 - Electrical and electronic household and office equipment. Measurement of low power consumption**

**Suggestions for a correct use in order to reduce the environmental impact:**

- Switch ON the hood at minimum speed when you start cooking and kept it running for few minutes after cooking is finished.
- Increase the speed only in case of large amount of smoke and vapour and use boost speed(s) only in extreme situations.
- Replace the charcoal filter(s) when necessary to maintain a good odour reduction efficiency.
- Clean the grease filter(s) when necessary to maintain a good grease filter efficiency.
- Use the maximum diameter of the ducting system indicated in this manual to optimize efficiency and minimize noise.