

AEG

Premier Partner

INNOVATIVE,
CONNECTED,
RESPONSIVE.

Kitchen and Laundry range



INTRODUCTION		HOODS	110
Warranties	02		
AEG Live Events	03	DISHWASHERS	122
Why buy from an AEG Premier Partner	04	Fully Integrated Dishwashers	129
We are pioneers with a vision	06	Slimline Built-In Dishwashers	133
Flavour conducted your way	08		
REFRIGERATION	10	LAUNDRY	134
Integrated Fridge Freezers	17	Washing Machines	142
Integrated Fridges and Freezers	24	Tumble Dryers	148
Side by Sides	30	Washer Dryers	152
Wine Cooling	34		
Compact Refrigeration	36	MASTERY ACCESSORIES RANGE	154
Ovens	38	SPECIFICATION TABLES	182
Single Ovens	46		
Built-In Double Ovens	54	INSTALLATION DIAGRAMS	224
Built Under Double Ovens	55		
Compacts	58	ENERGY INFORMATION	244
Microwave Ovens	67		
Blackline Range	72		
HOBs	76		
Induction Hobs	84		
Combo Hobs	96		
Ceramic Hobs	97		
Gas Hobs	100		
Mixed Fuel Hobs	106		
CrystalLine	107		

WARRANTIES

All appliances featured in the AEG Premier Partner Core Range as featured in this brochure are covered by an extended five year parts and labour warranty. Your Premier Partner will register them on your behalf so you don't have to worry about a thing. During your warranty period you are protected against the cost of parts, call-out and labour charges. All work is carried out by our national network of approved AEG engineers.



To find out more visit www.aeg.co.uk
or call **0800 479 0775**



Choosing new appliances that are right for you takes careful consideration. At an **AEG Live** event we will showcase product features and benefits such as: **SteamBake™**, **True Fan**, **Steam**, **SousVide** and **Induction** by creating delicious and inspiring dishes that you could make at home.

Helping you choose...

Undecided on what level of steam you want or unsure if an induction hob is right for you? Our sessions encourage you to seek the answers to any questions you may have, with our Product Experts and staff on hand to guide you to the appliance or appliances which are right for your lifestyle and home.

aeg.co.uk/aeglive

PREMIER. A MINIMUM STANDARD FOR OUR PARTNERS.

When you step into a kitchen studio with approved **AEG Premier Partner** status, you know you're going to get the exceptional level of performance and service that you come to expect from AEG.

AEG Premier Partner – together, we're always an idea ahead

With AEG appliances comes over 125 years of innovation and with an AEG Premier Partner comes product knowledge combined with kitchen design expertise. Together, we will take your kitchen to the next level.

All the best appliances, in the right place

We want you to get excited about what your new kitchen is capable of. That's why we make sure that AEG Premier Partner studios are furnished with a range of exclusive AEG models. So your visit will be well worth it.

Take advantage of great in-store promotions too, including exclusive AEG Rewards for AEG Premier Partner studio customers.


Get inspired with AEG LIVE demonstrations

AEG Premier Partner studios are not only experts in cutting edge AEG tech, they also have the cooking skills to match. Contact your local studio to find out when they have their next live cooking demonstration. So you can take taste further with AEG technology.

5 Year Warranty Cover on all AEG Premier Partner models included in this brochure

You may be wondering about what the next five days may bring, never mind the next five years. So it's good to know that AEG Premier Partner studios can exclusively offer extended 5 year warranties on all appliances in-store. Peace of mind built in to every intelligent AEG appliance.

AEG
Premier Partner



WE ARE PIONEERS WITH A VISION.

We thrive upon innovation designed to give you the ultimate feeling of mastery in your home and laundry care. We see your needs of today. And foresee the ones of tomorrow. So that you can achieve results that don't just meet your standards, but exceed them.

We believe in intelligent technology and exceptional performance, helping you to take anything you do at home to the next level, every day.

We are proud of our distinctive engineering and responsive design, guaranteeing you the performance you expect and deserve.

We are a brand that people turn to for intelligent and exciting new ways to guarantee their outcome.

This has been our passion for over 125 years, and continues to be our passion today.

We are AEG. And together with you, we are always an idea ahead.



Lifts gentle to a new level

The world's first ComfortLift® dishwasher means less bending down, to make your life more comfortable.

AEG FSK93800P ComfortLift
Dishwasher awarded Which?
Best Buy status July 2017.



FLAVOUR CONDUCTED YOUR WAY.

The Mastery Range from AEG works with you in unique ways to take your cooking to the next level. Every appliance ready to play their part, working in harmony and instantly responding to your second-by-second commands.

Now, for the first time, you can even tell the oven how you want your dish cooked – using just the words you would in a restaurant – rare, medium, well done. Or a hob that allows you to cook Sous Vide, using its intelligent wireless food probe. It's time to expect more from the way you cook. Step into the world's most responsive cooking experience.

Maestro, your kitchen is waiting.



REFRIGERATION

Flavour is all about freshness and storing ingredients – the right humidity and temperature is vital. But how do you want your fridge arranged?

Our solution lets you decide. Everything and anything fits in perfectly for long-lasting flavour, while maintaining energy efficiency, protecting your environment and your budget.

Our Zero Degree compartments make it possible to create different chilling conditions in each part of your refrigerator. Adjust each drawer's temperature at a touch.

IN THIS SECTION

Integrated Fridge Freezers	17–23
Integrated Fridges and Freezers	24–30
Side by Sides	30–31
Wine Cooling	34–35
Compact Refrigeration	36–37



ENERGY EFFICIENT



CUSTOMFLEX®



TWINTeCH®

PRECISION CHILLING.




TwinTech®

Unlike conventional fridge freezers that use cold, ultra-dry air from the freezer and recirculate it to cool the fridge, TwinTech® units have two separate cooling systems. This provides the ideal humidity in each compartment, preventing food from drying out in the fridge and delivering frost-free storage in the freezer.



Energy efficient

Did you know that our appliances are leaders in energy performances, with the highest ratings of up to A+++ -20% energy saving?



DynamicAir

DynamicAir technology maintains the airflow inside the fridge, ensuring consistent temperature at every shelf so that your ingredients stay fresh.



LowFrost/NoFrost

Never defrost your freezer again. NoFrost freezers also offer efficient and effective freezing with quicker, more even freezing for better food preservation.



Zero Degree

Our Zero Degree compartments make it possible to create different chilling conditions in each part of your refrigerator. Adjust each drawer's temperature at a touch.



ADAPTABLE FOR EVERY TASTE.



CustomFlex®

Create your own perfectly organised fridge with the CustomFlex® storage system. This unique and practical inner door system allows you to arrange shelves, clips and compartments in all shapes and sizes in hundreds of different layouts, so there's always one that works best for you at any time.



LED Touch Display

Touch controls with new white LED digital display.



High Efficiency LED Lighting

High efficiency LED lighting ensures a good spread of light shines downwards in the fridge. An intelligent fan function prevents warm areas in the upper part of the fridge and creates an even temperature in all fridge levels.



Self-Closing Door

An elegant solution, with no risk of slamming. Automatically closes from an opening angle of 25–30 degrees.



A GUIDE TO REFRIGERATION ICONS

KEY FEATURES




TwinTech®

Pioneering TwinTech® technology for exceptional freshness. One cooling system chills the freezer, keeping it NoFrost. The other cools the fridge, ensuring that the fridge temperature is cold, stable and with the correct level of humidity, so as not to dry out your fruit and vegetables.



Frostmatic

Ideal for freezing fresh food quickly, preserving the flavour, colour, texture and nutritional value.



Multi Air Flow

The Multi Air Flow technology provides the precise temperature and humidity your ingredients need to stay fresh in your fridge, nutritious and full of flavour for even longer.




CustomFlex®

Keeping all your fresh ingredients to hand is key to creating fresh, delicious dishes. Now the CustomFlex® refrigerator from AEG lets you organise your fridge storage just the way you want.



LCD Touch Display

Sleek touch controls that are intuitive and ready to use.



Ice & Water

Dispenser through the door for water and ice cubes.



Temperature Alarm

Highlights an increase in the temperature in the freezer compartment.



NoFrost

Never defrost your freezer again. NoFrost freezers offer efficient and effective freezing with quicker, more even freezing for better food preservation.



LowFrost

Faster, more efficient defrosting. Time is of the essence when defrosting your freezer. This fridge freezer comes with efficient LowFrost technology, which makes the defrosting faster and less frequent than ever before.



LongFresh

The LongFresh feature is a Zero Degree compartment with adjustable temperature settings and separate humidity. The two Zero Degree compartments in the AEG refrigerator allow you to choose and adjust the humidity and temperature settings in each drawer.



Touch Control

Intuitive touch controls provide instant feedback, are easy to use and look sleek in the kitchen.



Soft Close Doors

Soft Close door hinges that automatically close from an angle of 23–30 degrees – providing an elegant solution to slamming doors.



LED Lighting

Premium and modern lighting system in the fridge thanks to the bright LED light with rise-on effect.



Coolmatic

Ideal for chilling fresh food quickly and regaining a stable temperature within the fridge once the door has been opened, maintaining food freshness.



DynamicAir

DynamicAir technology maintains the airflow inside the fridge, ensuring a consistent temperature at every shelf so that your ingredients stay fresh.



UltraFresh+

Automatic humidity control and antioxidant release filter inside the fridge compartment, keeping fruit and vegetables market fresh.



MultiSpace

No compromise between kitchen dimensions and your storage requirements. More storage capacity than a standard built-in model for improved organization and flexibility.



SpinView

The revolutionary solution for easy access to those hard to reach items. SpinView rotates with one touch in both directions, allowing full accessibility to the back of the shelf with minimum effort.



MultiSwitch

Fully convertible middle drawer ranging from -18 to +7 degrees. Provides optimal environment for any type of food.



Simple Touch Controls

Our simple to use electronic controls, with Frostmatic function, ensure that you can set the fridge freezer to your desired temperature.





REFRIGERATION

CUSTOMFLEX® FRIDGE FREEZERS



CustomFlex® Integrated NoFrost Fridge Freezer
SCE8186VTC

KEY FEATURES



FRIDGE FEATURES

Auto defrost
3 full width + flexi shelf
2 half width salad drawers
Dairy compartment with lid
1 half width sliding door shelf
Egg tray: 2 for 6 eggs

FREEZER FEATURES

Auto defrost
3 full width drawers
DOOR FEATURES
Door open alarm
Reversible doors (right as default)

Capacity

Fridge:
189 ltr (gross)
186 ltr (net)

Freezer:
76 ltr (gross)
61 ltr (net)

Combined:
265 ltr (gross)
247 ltr (net)

Energy Rating: A+++

Additional Information

Annual energy consumption: 120kw
Noise: 39dB
Power cut safe rising time: 23h
Holiday mode: Yes
Door fixing: BI DoD

Colour

White

Appliance Dimensions (HxWxD) in mm:
Combined: 1769 x 556 x 549
Built-in: 1780 x 560 x 550



CustomFlex® Integrated NoFrost Fridge Freezer
SCE8182VNC

KEY FEATURES



FRIDGE FEATURES

Auto defrost
3 full width + flexi shelf
2 half width salad drawers
Dairy compartment with lid
Egg tray: 2 for 6 eggs

FREEZER FEATURES

Auto defrost
3 full width drawers
DOOR FEATURES
Door open alarm
Reversible doors (right as default)

Capacity

Fridge:
189 ltr (gross)
186 ltr (net)

Freezer:
76 ltr (gross)
61 ltr (net)

Combined:
265 ltr (gross)
247 ltr (net)

Energy Rating: A++

Additional Information

Annual energy consumption: 226kw
Noise: 39dB
Power cut safe rising time: 23h
Holiday mode: Yes
Door fixing: BI DoD

Colour

White

Appliance Dimensions (HxWxD) in mm:
Combined: 1769 x 556 x 549
Built-in: 1780 x 560 x 550

REFRIGERATION

CUSTOMFLEX® FRIDGE FREEZERS



CustomFlex® Integrated NoFrost Fridge Freezer
SCE8182VTS

KEY FEATURES

TwinTech®

NoFrost

CustomFlex®

DynamicAir

Touch Control

LED Lighting

Coolmatic

Frostmatic

High Temperature Alarm

FRIDGE FEATURES	FREEZER FEATURES
Auto defrost	Auto defrost
3 full width + flexi shelf	3 full width drawers
2 half width salad drawers	DOOR FEATURES
Dairy compartment with lid	
Egg tray: 2 for 6 eggs	

Capacity Fridge: 197 ltr (gross) 192 ltr (net) Freezer: 76 ltr (gross) 61 ltr (net) Combined: 273 ltr (gross) 253 ltr (net)	Additional Information Annual energy consumption: 228kw Noise: 39dB Power cut safe rising time: 21h Holiday mode: Yes Door fixing: BI slide door Colour White
Energy Rating: A++	Appliance Dimensions (HxWxD) in mm: Combined: 1772 x 540 x 549 Built-in: 1780 x 560 x 550

EXTRA TALL FRIDGE FREEZERS



Extra Tall Integrated NoFrost Fridge Freezer
SCE8191VTS

KEY FEATURES

TwinTech®

NoFrost

DynamicAir

Simple Touch Controls

LED Lighting

Coolmatic

Frostmatic

High Temperature Alarm

FRIDGE FEATURES	FREEZER FEATURES
Auto defrost	Auto defrost
3 full width + flexi shelf	3 full width drawers
Fresh box	DOOR FEATURES
Dairy compartment with lid	
1 half width sliding door shelf	
Egg tray: 2 for 6 eggs	

Capacity Fridge: 223 ltr (gross) 219 ltr (net) Freezer: 73 ltr (gross) 64 ltr (net) Combined: 296 ltr (gross) 283 ltr (net)	Additional Information Annual energy consumption: 307kw Noise: 39dB Power cut safe rising time: 21h Holiday mode: Yes Door fixing: BI slide door Colour White
Energy Rating: A+	Appliance Dimensions (HxWxD) in mm: Combined: 1842 x 540 x 552 Built-in: 1850 x 560 x 560



Extra Tall MultiSpace Integrated Fridge Freezer with SpinView
SCE81928TS

KEY FEATURES

SpinView

MultiSpace

TwinTech®

NoFrost

CustomFlex®

LCD Touch Display

Coolmatic

Frostmatic

LED Lighting

FRIDGE FEATURES	FREEZER FEATURES
Auto defrost	Auto defrost
3 full width + flexi shelf	3 full width drawers
Fresh box	DOOR FEATURES
Dairy compartment with lid	
Egg tray: 1 for 10 eggs	

Capacity Fridge: 211 ltr (gross) 207 ltr (net) Freezer: 76 ltr (gross) 60 ltr (net) Combined: 287 ltr (gross) 267 ltr (net)	Additional Information Annual energy consumption: 233kw Noise: 39dB Power cut safe rising time: 21h Holiday mode: Yes Door fixing: BI slide door Colour White
Energy Rating: A++	Appliance Dimensions (HxWxD) in mm: Combined: 1884 x 540 x 549 Built-in: 1898 x 556 x 549

REFRIGERATION

INTEGRATED FRIDGE FREEZERS



Integrated NoFrost Fridge Freezer with Soft Close Doors
SCE8182XNC

KEY FEATURES

TwinTech®

No Frost

Soft Close Doors

Touch Control

LED Lighting

Coolmatic

Frostmatic

High Temperature Alarm



Integrated NoFrost Fridge Freezer
SCE8182XTS

KEY FEATURES

TwinTech®

No Frost

DynamicAir

Touch Control

LED Lighting

Coolmatic

Frostmatic

High Temperature Alarm



Integrated NoFrost Fridge Freezer
SCE8181VNS

KEY FEATURES

TwinTech®

No Frost

Touch Control

LED Lighting

Coolmatic

Frostmatic

High Temperature Alarm



Integrated NoFrost Fridge Freezer
SCE8181VTS

KEY FEATURES

TwinTech®

No Frost

DynamicAir

Touch Control

LED Lighting

Coolmatic

Frostmatic

High Temperature Alarm

FRIDGE FEATURES	FREEZER FEATURES
Auto defrost	Auto defrost
3 full width + flexi shelf	3 full width drawers
2 half width salad drawers	DOOR FEATURES
Dairy compartment with lid	Door open alarm
1 half width sliding door shelf	Reversible doors (right as default)
Egg tray: 2 for 6 eggs	
Capacity Fridge: 189 ltr (gross) 186 ltr (net) Freezer: 76 ltr (gross) 61 ltr (net) Combined: 265 ltr (gross) 247 ltr (net)	Additional Information Annual energy consumption: 226kw Noise: 39dB Power cut safe rising time: 23h Holiday mode: Yes Door fixing: BI DoD Colour White
Energy Rating: A++	Appliance Dimensions (HxWxD) in mm: Combined: 1769 x 556 x 549 Built-in: 1780 x 560 x 550

FRIDGE FEATURES	FREEZER FEATURES
Auto defrost	Auto defrost
2 full width + flexi shelf	4 full width drawers
2 half width salad drawers	DOOR FEATURES
Dairy compartment with lid	Door open alarm
1 half width sliding door shelf	Reversible doors (right as default)
Egg tray: 2 for 6 eggs	
Capacity Fridge: 157 ltr (gross) 152 ltr (net) Freezer: 107 ltr (gross) 87 ltr (net) Combined: 264 ltr (gross) 239 ltr (net)	Additional Information Annual energy consumption: 238kw Noise: 39dB Power cut safe rising time: 25h Holiday mode: Yes Door fixing: BI slide door Colour White
Energy Rating: A++	Appliance Dimensions (HxWxD) in mm: Combined: 1772 x 540 x 549 Built-in: 1780 x 560 x 550

FRIDGE FEATURES	FREEZER FEATURES
Auto defrost	Auto defrost
2 full width + flexi shelf	4 full width drawers
2 half width salad drawers	DOOR FEATURES
Dairy compartment with lid	Door open alarm
1 half width sliding door shelf	Reversible doors (right as default)
Egg tray: 2 for 6 eggs	
Capacity Fridge: 157 ltr (gross) 152 ltr (net) Freezer: 107 ltr (gross) 87 ltr (net) Combined: 264 ltr (gross) 239 ltr (net)	Additional Information Annual energy consumption: 303kw Noise: 39dB Power cut safe rising time: 24h Holiday mode: Yes Door fixing: BI slide door Colour White
Energy Rating: A+	Appliance Dimensions (HxWxD) in mm: Combined: 1772 x 540 x 549 Built-in: 1780 x 560 x 550

FRIDGE FEATURES	FREEZER FEATURES
Auto defrost	Auto defrost
3 full width + flexi shelf	3 full width drawers
2 half width salad drawers	DOOR FEATURES
Dairy compartment with lid	Door open alarm
1 half width sliding door shelf	Reversible doors (right as default)
Egg tray: 2 for 6 eggs	
Capacity Fridge: 197 ltr (gross) 192 ltr (net) Freezer: 76 ltr (gross) 61 ltr (net) Combined: 273 ltr (gross) 253 ltr (net)	Additional Information Annual energy consumption: 291kw Noise: 40dB Power cut safe rising time: 21h Holiday mode: Yes Door fixing: BI slide door Colour White
Energy Rating: A+	Appliance Dimensions (HxWxD) in mm: Combined: 1772 x 540 x 549 Built-in: 1780 x 560 x 550

REFRIGERATION

INTEGRATED FRIDGE FREEZERS



Integrated LowFrost Fridge Freezer
SCB6181XLS

KEY FEATURES

LowFrost

Simple Touch Controls

LED Lighting

Frostmatic



Integrated LowFrost Fridge Freezer
SCB6181VLS

KEY FEATURES

LowFrost

Simple Touch Controls

LED Lighting

Frostmatic



Integrated LowFrost Fridge Freezer
SCB5142VLS

KEY FEATURES

LowFrost

LED Lighting

FRIDGE FEATURES	FREEZER FEATURES
Auto defrost	Manual defrost
4 full width + flexi shelf	3 full width drawers
2 half width salad drawers	DOOR FEATURES
Dairy compartment with lid	Reversible doors (right as default)
Egg tray: 2 for 6 eggs	

FRIDGE FEATURES	FREEZER FEATURES
Auto defrost	Manual defrost
3 full width + flexi shelf	4 full width drawers
2 half width salad drawers	DOOR FEATURES
Dairy compartment with lid	Reversible doors (right as default)
1 half width sliding door shelf	
Egg tray: 2 for 6 eggs	

FRIDGE FEATURES	FREEZER FEATURES
Auto defrost	Manual defrost
3 full width + flexi shelf	2 full width drawers
2 half width salad drawers	DOOR FEATURES
Dairy compartment with lid	Reversible doors (right as default)
1 half width sliding door shelf	
Egg tray: 2 for 6 eggs	

Capacity	Additional Information
Fridge: 199 ltr (gross) 196 ltr (net)	Annual energy consumption: 291kw Noise: 36dB Power cut safe rising time: 22h
Freezer: 73 ltr (gross) 72 ltr (net)	Holiday mode: Yes Door fixing: BI slide door
Combined: 272 ltr (gross) 268 ltr (net)	Colour White
Energy Rating: A+	Appliance Dimensions (HxWxD) in mm: Combined: 1772 x 540 x 549 Built-in: 1780 x 560 x 550

Capacity	Additional Information
Fridge: 163 ltr (gross) 160 ltr (net)	Annual energy consumption: 293kw Noise: 36dB Power cut safe rising time: 22h
Freezer: 106 ltr (gross) 106 ltr (net)	Door fixing: BI slide door
Combined: 269 ltr (gross) 266 ltr (net)	Colour White
Energy Rating: A+	Appliance Dimensions (HxWxD) in mm: Combined: 1772 x 540 x 549 Built-in: 1780 x 560 x 550

Capacity	Additional Information
Fridge: 163 ltr (gross) 160 ltr (net)	Annual energy consumption: 204kw Noise: 35dB Power cut safe rising time: 20h
Freezer: 57 ltr (gross) 57 ltr (net)	Door fixing: BI slide door Mechanical control
Combined: 220 ltr (gross) 217 ltr (net)	Colour White
Energy Rating: A++	Appliance Dimensions (HxWxD) in mm: Combined: 1441 x 540 x 549 Built-in: 1446 x 560 x 540

REFRIGERATION

UNDER COUNTER FREEZERS



Integrated Under Counter NoFrost Freezer
ABE6821VNF

KEY FEATURES

NoFrost

Simple Touch Controls

Frostmatic

High Temperature Alarm

FREEZER FEATURES	DOOR FEATURES
Auto defrost	Door open alarm
3 full width drawers	Reversible doors (right as default)
Telescopic freezer drawers	

Capacity Freezer: 86 ltr (gross) 85 ltr (net)	Additional Information Annual energy consumption: 191kw Noise: 42dB Power cut safe rising time: 13h Door fixing: BI UC DoD
	Colour White
Energy Rating: A+	Appliance Dimensions (HxWxD) in mm: Unit: 815 x 596 x 550 Built-in: 820 x 600 x 550



Integrated Under Counter Freezer
ABE6822VAF

KEY FEATURES

Simple Touch Controls

Frostmatic

High Temperature Alarm

FREEZER FEATURES	DOOR FEATURES
Manual defrost	Door open alarm
3 full width drawers	Reversible doors (right as default)

Capacity Freezer: 105 ltr (gross) 95 ltr (net)	Additional Information Annual energy consumption: 147kw Noise: 40dB Power cut safe rising time: 29h Door fixing: BI UC DoD
	Colour White
Energy Rating: A++	Appliance Dimensions (HxWxD) in mm: Unit: 815 x 596 x 550 Built-in: 820 x 600 x 550



Integrated Under Counter Freezer
ABB6821VAF

KEY FEATURES

Simple Touch Controls

Frostmatic

High Temperature Alarm

FREEZER FEATURES	DOOR FEATURES
Manual defrost	Door open alarm
3 full width drawers	Reversible doors (right as default)

Capacity Freezer: 105 ltr (gross) 95 ltr (net)	Additional Information Annual energy consumption: 187kw Noise: 38dB Power cut safe rising time: 21h Door fixing: BI UC DoD
	Colour White
Energy Rating: A+	Appliance Dimensions (HxWxD) in mm: Unit: 815 x 596 x 550 Built-in: 820 x 600 x 550

UNDER COUNTER FRIDGES



Integrated Under Counter Fridge with 4-Star Freezer Compartment
SFB5821VAF

KEY FEATURES

LED Lighting

FRIDGE FEATURES	DOOR FEATURES
Auto defrost	Reversible doors (right as default)
2 full width glass shelves	
1 full width salad drawer	
Dairy compartment with lid	
1 half width sliding door shelf	
Egg tray: 1 for 6 eggs	

Capacity Fridge: 111 ltr (gross) 109 ltr (net)	Additional Information Annual energy consumption: 172kw Noise: 38dB Power cut safe rising time: 11h Door fixing: BI UC DoD Mechanical control
	Colour White
Energy Rating: A+	Appliance Dimensions (HxWxD) in mm: Unit: 815 x 596 x 550 Built-in: 820 x 600 x 550

REFRIGERATION

UNDER COUNTER FRIDGES



Integrated Under Counter Fridge with Ice Box
SFE5822VAF

KEY FEATURES

LED Lighting

FRIDGE FEATURES	DOOR FEATURES
Auto defrost	Reversible doors (right as default)
2 full width glass shelves	
1 full width salad drawer	
Dairy compartment with lid	
1 half width sliding door shelf	
Egg tray: 1 for 6 eggs	

Capacity Fridge: 111 ltr (gross) 109 ltr (net)	Additional Information Annual energy consumption: 139kw Noise: 37dB Door fixing: BI UC DoD Mechanical control
	Colour White

Energy Rating: A++	Appliance Dimensions (HxWxD) in mm: Unit: 815 x 596 x 550 Built-in: 820 x 600 x 550
---------------------------	--



Integrated Under Counter Larder Fridge
SKB5821VAF

KEY FEATURES

LED Lighting

FRIDGE FEATURES	DOOR FEATURES
Auto defrost	Reversible doors (right as default)
3 full width glass shelves	
1 full width salad drawer	
Dairy compartment with lid	
1 half width sliding door shelf	
Egg tray: 1 for 6 eggs	

Capacity Fridge: 136 ltr (gross) 133 ltr (net)	Additional Information Annual energy consumption: 118kw Noise: 37dB Door fixing: BI UC DoD Mechanical control
	Colour White

Energy Rating: A+	Appliance Dimensions (HxWxD) in mm: Unit: 815 x 596 x 550 Built-in: 820 x 600 x 550
--------------------------	--



Integrated Under Counter Larder Fridge
SKE5822VAF

KEY FEATURES

LED Lighting

FRIDGE FEATURES	DOOR FEATURES
Auto defrost	Reversible doors (right as default)
3 full width glass shelves	
1 full width salad drawer	
Dairy compartment with lid	
1 half width sliding door shelf	
Egg tray: 1 for 6 eggs	

Capacity Fridge: 136 ltr (gross) 133 ltr (net)	Additional Information Annual energy consumption: 91kw Noise: 37dB Door fixing: BI UC DoD Mechanical control
	Colour White

Energy Rating: A++	Appliance Dimensions (HxWxD) in mm: Unit: 815 x 596 x 550 Built-in: 820 x 600 x 550
---------------------------	--

INTEGRATED FREEZERS



Integrated NoFrost Freezer
ABK8182VNC

KEY FEATURES

No Frost

Soft Close Doors

Touch Control

Frostmatic

High Temperature Alarm

FREEZER FEATURES	DOOR FEATURES
Auto defrost	Door open alarm
5 full width drawers	
	Reversible doors (right as default)

Capacity Freezer: 216 ltr (gross) 204 ltr (net)	Additional Information Annual energy consumption: 238kw Noise: 39dB Power cut safe rising time: 24h Door fixing: BI DoD
	Colour White

Energy Rating: A++	Appliance Dimensions (HxWxD) in mm: Unit: 1769 x 556 x 549 Built-in: 1780 x 560 x 550
---------------------------	--


REFRIGERATION

INTEGRATED FREEZERS




Integrated NoFrost Freezer
ABE8122VNC


KEY FEATURES




No Frost




Soft Close Doors



Touch Controls



Frostmatic



High Temperature Alarm

FREEZER FEATURES	DOOR FEATURES
Auto defrost	Door open alarm
4 full width drawers	Reversible doors (right as default)

Capacity Freezer: 130 ltr (gross) 120 ltr (net)	Additional Information Annual energy consumption: 183kw Noise: 39dB Power cut safe rising time: 22h Door fixing: BI DoD Colour White
Energy Rating: A++	Appliance Dimensions (HxWxD) in mm: Unit: 1224 x 556 x 549 Built-in: 1225 x 556 x 550



LongFresh


The LongFresh feature is a Zero Degree compartment with adjustable temperature settings and separate humidity. To maintain the deep blushing crimson of a fillet of beef, to ensure the sweet freshness of a lobster tail, or to hold the ultimate flavour of fresh fruit they must be treated and chilled with precision. The two Zero Degree compartments in the AEG refrigerator allow you to choose and adjust the humidity and temperature settings in each drawer. Ensure that each element is at peak condition, by chilling them in unique conditions.

INTEGRATED FRIDGES




Integrated LongFresh Fridge with Soft Close Doors
SKK8182VZC


KEY FEATURES




LongFresh




Soft Close Doors



Touch Control



LED Lighting



Coolmatic


FRIDGE FEATURES	DOOR FEATURES
Auto defrost	Door open alarm
3 full width + flexi shelf	Reversible doors (right as default)
Dairy compartment with lid	
1 half width sliding door shelf	
Egg tray: 2 for 6 eggs	

Capacity Fridge: 298 ltr (gross) 275 ltr (net)	Additional Information Annual energy consumption: 130kw Noise: 37dB Door fixing: BI DoD Colour White
Energy Rating: A++	Appliance Dimensions (HxWxD) in mm: Unit: 1769 x 556 x 549 Built-in: 1780 x 560 x 550




Integrated Fridge with Soft Close Doors
SKK8182VDC


KEY FEATURES




Soft Close Doors




DynamicAir



Touch Control



LED Lighting



Coolmatic

FRIDGE FEATURES	DOOR FEATURES
Auto defrost	Door open alarm
4 full width + flexi shelf	Reversible doors (right as default)
1 drawer divider fresh box	
Dairy compartment with lid	
1 half width sliding door shelf	
Egg tray: 2 for 6 eggs	

Capacity Fridge: 314 ltr (gross) 310 ltr (net)	Additional Information Annual energy consumption: 114kw Noise: 35dB Holiday mode: Yes Door fixing: BI DoD Colour White
Energy Rating: A++	Appliance Dimensions (HxWxD) in mm: Unit: 1769 x 556 x 549 Built-in: 1780 x 560 x 550

REFRIGERATION

INTEGRATED FRIDGES



Integrated Fridge with Soft Close Doors
SKE8122VAC

KEY FEATURES

Soft Close Doors

Touch Control

LED Lighting

Coolmatic

FRIDGE FEATURES	DOOR FEATURES
Auto defrost	Door open alarm
3 full width + flexi shelf	Reversible doors (right as default)
2 half width salad drawers	
Dairy compartment with lid	
1 half width sliding door shelf	
Egg tray: 2 for 6 eggs	

Capacity Fridge: 205 ltr (gross) 202 ltr (net)	Additional Information Annual energy consumption: 103kw Noise: 35dB Holiday mode: Yes Door fixing: BI DoD
	Colour White
Energy Rating: A++	Appliance Dimensions (HxWxD) in mm: Unit: 1219 x 556 x 550 Built-in: 1225 x 560 x 550

AMERICAN SIDE BY SIDES



French Door Fridge Freezer with Multi Switch Drawer
RMB96716CX

KEY FEATURES

NoFrost

Multi Air Flow

TwinTech®

CustomFlex®

MultiSwitch

FRIDGE FEATURES	FREEZER FEATURES
Auto defrost	Auto defrost
1 full width + flexi shelf	2 full width drawers
2 half width salad drawers	DOOR FEATURES
Dairy compartment with lid	Door open alarm
1 half width sliding door shelf	Left & right door opening
Egg tray: 1 for 12 eggs	MultiSwitch drawer

Capacity Fridge: 413 ltr (gross) 363 ltr (net) Freezer: 267 ltr (gross) 178 ltr (net)	Additional Information Annual energy consumption: 448kw Noise: 42dB
	Colour Stainless steel
Energy Rating: A+	Appliance Dimensions (HxWxD) in mm: 1780 x 912 x 758



American Style Fridge Freezer
RMB76111NX

KEY FEATURES

NoFrost

Multi Air Flow

LCD Touch Display

LED Lighting

Coolmatic

Frostmatic

High Temperature Alarm

Ice and Water

FRIDGE FEATURES	FREEZER FEATURES
Auto defrost	Auto defrost
4 full width glass shelves	2 full width drawers
Fresh box	DOOR FEATURES
Large pull out salad drawer	Door open alarm
Dairy compartment with lid	Side by side door opening
Egg tray	2 shelves

Capacity Fridge: 380 ltr (gross) 370 ltr (net) Freezer: 228 ltr (gross) 179 ltr (net) Combined: 608 ltr (gross) 549 ltr (net)	Additional Information Annual energy consumption: 467kw Noise: 43dB Power cut safe rising time: 10h Holiday mode: Yes Colour Stainless steel
Energy Rating: A+	Appliance Dimensions (HxWxD) in mm: 1780 x 912 x 738



French Door Fridge Freezer
RMB76311NX

KEY FEATURES

NoFrost

LCD Touch Display

LED Lighting

Coolmatic

Frostmatic

High Temperature Alarm

Ice and Water

FRIDGE FEATURES	FREEZER FEATURES
Auto defrost	Auto defrost
2 full width glass shelves	2 full width trays + 1 drawer
2 half width salad drawers	2 half width trays + 1 drawer
Large pull out salad drawer	Telescopic freezer drawers
2 dairy compartments with lid	DOOR FEATURES
Wine rack	Left & right door opening

Capacity Fridge: 436 ltr (gross) 417 ltr (net) Freezer: 194 ltr (gross) 119 ltr (net) Combined: 630 ltr (gross) 536 ltr (net)	Additional Information Annual energy consumption: 410kw Noise: 43dB Power cut safe rising time: 12h Holiday mode: Yes Colour Stainless steel
Energy Rating: A+	Appliance Dimensions (HxWxD) in mm: 1776 x 912 x 765

WINE COOLING

Our Wine Cellar Range has dedicated technology for optimal wine storage, to store your wine bottles at the perfect temperature throughout the cooler.

Our wine cellars have a single temperature zone with a range of 5–20, providing the perfect environment for your wine. The UV protected glass door helps to protect your wine from light damage and our internal fan ensures a stable, consistent temperature.



WINE COOLING

WINE COOLERS



Undercounter 46 Bottle Wine Cooler
SWE66001DG

KEY FEATURES

Wine

Wine Temp

UV Glass

Simple Touch Controls

LED Lighting

FRIDGE FEATURES		DOOR FEATURES	
6 full width glass shelves		Reversible doors (right as default)	
Capacity 46 bottles		Additional Information Annual energy consumption: 149 Energy efficiency index: 54.7 Climate class: N-ST Noise: 39dB Freezing capacity: 0° Power cut safe rising time: 0h Minimum ambient temperature: 16° Holiday mode: No Door fixing: BI wide door	
Energy Rating: A		Appliance Dimensions (HxWxD) in mm: Unit: 820 x 595 x 565 Built-in: 822 x 600 x 550	



Undercounter 18 Bottle Wine Cooler
SWE63001DG

KEY FEATURES

Wine

Wine Temp

UV Glass

Simple Touch Controls

LED Lighting

FRIDGE FEATURES		DOOR FEATURES	
6 full width glass shelves		Reversible doors (right as default)	
Capacity 18 bottles		Additional Information Annual energy consumption: 140 Energy efficiency index: 54.6 Climate class: N-ST Noise: 41dB Freezing capacity: 0° Power cut safe rising time: 0h Minimum ambient temperature: 16° Holiday mode: No Door fixing: BI wide door	
Energy Rating: A		Appliance Dimensions (HxWxD) in mm: Unit: 820 x 294 x 571 Built-in: 822 x 300 x 550	



Undercounter 7 Bottle Wine Cooler
SWE61501DG

KEY FEATURES

Wine

Wine Temp

UV Glass

Simple Touch Controls

LED Lighting

FRIDGE FEATURES		DOOR FEATURES	
6 full width glass shelves		Right opening	
Capacity 7 bottles		Additional Information Annual energy consumption: 137 Energy efficiency index: 0 Climate class: N-ST Noise: 41dB Freezing capacity: 0° Power cut safe rising time: 0h Minimum ambient temperature: 16° Holiday mode: No Door fixing: BI wide door	
Energy Rating: A		Appliance Dimensions (HxWxD) in mm: Unit: 870 x 148 x 526 Built-in: 872 x 150 x 550	

COMPACT REFRIGERATION

Our compact wine cooler with dedicated technology for optimal wine storage, to store and serve wine bottles at the perfect temperature kept constant throughout the interior.

The single temperature zone, with a range of 5°–20°, provides the perfect environment for your wine and UV protected glass door to protect wine from light damage.

COMPACT WINE COOLER



Compact Wine Cooler
KWK884520M

KEY FEATURES

Wine

Wine Temp

UV Glass

LED Lighting

FEATURES

2 full width shelves

DOOR FEATURES

Drop down opening

Capacity

24 bottles

Additional Information

Annual energy consumption: 83kw
Energy efficiency index: 32.5
Climate class: NT
Noise: 39dB
Electronic control
Minimum ambient temperature: 16°
Door fixing: BI Drop down

Energy Rating: A++

Appliance Dimensions
(HxWxD) in mm:

Unit: 455 x 595 x 566
Built-in: 450 x 560 x 550

COMPACT BLAST CHILLER



Compact Blast Chiller
KBK994519M

KEY FEATURES

LED Lighting

FEATURES

2 full width shelves

DOOR FEATURES

Drop down opening

Capacity

Fridge:
31 ltr (gross)
28 ltr (net)

Additional Information

Electronic control
Door fixing: BI Drop down

Energy Rating: –

Appliance Dimensions
(HxWxD) in mm:

Unit: 450 x 520 x 542
Built-in: 450 x 560 x 550

Chill or freeze fresh and partly cooked food much faster than in an ordinary freezer, while maintaining the taste and texture. Food is chilled from 70°C to 3°C in just 90 minutes to help lock in flavour. The food looks and tastes as it was never frozen.

Freeze fresh ingredients and delicate dishes, while keeping their organic properties, texture, vitamins and flavour. Store food in the freezer for up to 6 months before regeneration. Smaller ice crystals makes it easier to create sorbets, ice creams and beautiful desserts whilst preserving taste and texture.

Chill and serve wine in just 20 minutes. Bottles are cooled to the optimal temperature - no more waiting, no more lukewarm wine. Expect the perfect temperature, every time.



Ovens

However you like to cook and whatever your favourite dishes, there’s an AEG oven that’s just right for you.

Featuring our intelligent technology, every oven makes it effortless and enjoyable to create great tasting food, exactly the way you like it.

IN THIS SECTION

Single Ovens	46–52
Built-In Double Ovens	54
Built Under Double Ovens	55
Compacts	58–66
Microwave Ovens	67–68
Blackline Range	72–75



COMMAND
WHEEL OVEN
CONTROL



STEAMPRO



SENSECOOK


RARE, MEDIUM, WELL DONE. AT YOUR COMMAND.



Command Wheel

An innovative Command Wheel removes the need for a busy dashboard and makes the cooking experience simple and streamlined for perfection on a plate, every time.

The latest furniture trends are becoming more linear and we have designed our products in line with that. We've also included more glass and less stainless steel for a seamless finish.



SenseCook

By precisely measuring the core temperature of your food, the Food Sensor lets you know when your rare, medium or well done meat is ready. It also allows you to cook fish, casseroles and vegetables just the way you like them.



SurroundCook®

Expect even, every time with SurroundCook®. Every part of your dish receives the exact consistent heat that it needs.



Pyrolytic Self Cleaning

A total self-cleaning function that automatically locks the oven door and heats up to 500°C, turning food residue to ash.



STEAM. YOUR NEW STANDARD FOR FLAVOUR.


For maximum flavour, add steam.

By adding steam to traditional heat, our range of ovens ensure your dishes are cooked to your exact preference.




Why steam?


- **Food stays moist**
Prevents food from drying out.
- **Preservation**
Preserves nutrients, vitamins and minerals.
- **Evenly cooked**
Cooks food more evenly from surface to core.
- **More efficient**
Delivers heat more efficiently to the food than dry, hot air, so the temperature can be lower.



SteamPro
SteamPro with SousVide means you can create tastier and healthier dishes. Cook with absolute purity, sealing in all the aromas, taste and nutrients under vacuum, then applying gentle steam heat to cook delicious dishes.



SteamBoost
Turn flavour up to full, whether you are baking, roasting, poaching or steaming with SteamBoost. The right amount of steam locks in the natural moisture to deliver juicy and succulent dishes.



SteamCrisp
By combining steam and traditional heat, food is cooked gently from the outside to the centre, enhancing food taste and achieving better results. Perfect for all your favourite roasting and baking recipes.



A GUIDE TO COOKING ICONS

KEY FEATURES



SteamPro

Our SteamPro multifunctional ovens provide you with the SousVide function, a powerful tool that has been used by professional chefs for many years. They also include all of the benefits of our SteamBoost and SteamCrisp models.



SteamBoost

The introduction of steam makes all the difference. Locking in the natural moisture to deliver a whole range of juicy and succulent dishes including meat, fish, casseroles and vegetables – even desserts. Our SteamBoost models have 3 levels of steam (humidity) , low, medium and high.



SteamCrisp

By combining steam (to produce low humidity) and traditional heat in the Quarter steam programme, food is cooked gently from the outside to the centre, enhancing food taste and achieving better results. Perfect for cooking the Sunday roast.



SteamBake™

Adds a bit of steam for the right colour and crust, improving all of your baking results.



SurroundCook®

Hot air fan that circulates the air more effectively than a conventional oven so that your food gets evenly cooked anywhere in the oven.



SenseCook

Food sensor that adapts to what you are cooking and helps you get the results you are aiming for. Just tell the oven how you want your dish cooked and the oven will let you know once your food has reached the right temperature.



Multifunction

Multifunction ovens have all of the familiar cooking functions, including our extra large hot air fan.



Dual Multifunction

Both oven cavities are multifunctional, which means they have all of the traditional cooking functions including True Fan.



Command Wheel

The Command Wheel gives you an intuitive way to operate all the cooking settings. It swiftly responds to your actions so that you always have control of every step of the cooking process.



ProSight Touch Controls

Full-touch electronic control panel – simple to operate and beautifully designed.



Retractable Controls

High quality finish stainless steel retractable knobs.



Pyrolytic

With our Pyrolysis function, this self cleaning oven heats up to 500°C and turns food residue to ash.



CataFan

The Fan Cover has a special cleaning coating, activated at high temperature to remove grease from this hard to access area.



Soft Motion

Ensures a smooth and soundless door closing delivering a good feeling time after time.



Catalytic Liners

The catalytic lining absorbs the grease from cooking and is activated by regular heating to 220°C. The grease residue is oxidised leaving the catalytic surface clean.



Enamel Liners

Ultra smooth enamel interior that results in easy cleaning.



XXL

All of our single ovens have an extra large capacity, allowing you to cook on all 5 levels simultaneously.



Telescopic Runners

Allows you to pull the shelves smoothly out of the oven. This enables you to efficiently and safely access the contents of your oven.



Fully Programmable

Precise timer that switches off the oven when you want. Ideal for dishes with a long cooking process.



3 Vacuum Settings

Seal your food under a range of air extraction levels, from 50% – 99% efficiency, ensuring that marinades don't leak from the bag and that no unnecessary air enters it.



Non-Vented Installation

Self ventilating microwaves, allows for more flexibility when installing.



800w Quartz Grill

Flexible cooking thanks to microwave functions and integrated quartz grill.

FUNCTIONS



SousVide Cooking

SousVide cooking is an old cooking technology used by professional chefs to cook vacuum packed food slowly at a low, accurately controlled temperature.



Full Steam

The SteamBoost oven with Full Steam function makes more of the flavours within your food. Combining all of traditional oven functions with the added benefit of steam.



Humidity High

The function is suitable for cooking delicate dishes like custards, flans, terrines and fish.



Humidity Medium

The function is suitable for cooking stewed and braised meat as well as bread and sweet yeast dough. Due to the combination of steam and heat the meat gets a juicy and tender texture and yeast dough bakes get a crispy and shiny surface.



Humidity Low

The function is suitable for meat, poultry, oven dishes and casseroles. Thanks to the combination of 25% steam and 75% heat, meat gets a tender and juicy texture along with a crusty surface.



True Fan Cooking

Our true fan cooking system gently circulates hot air through the oven cavity. As the oven heats up faster, lower temperatures and shorter cooking times are used to achieve delicious results.



Conventional Cooking

Top and bottom elements heat the oven, providing traditional cooking on one shelf position, which is ideal for baking breads or fruitcakes.



Au Gratin

For dishes such as lasagne or potato gratin.



Bottom Heat

Oven is heated by the bottom element only. Food is gently reheated, ideal for pies and pastries, as it keeps the pastry crisp.



Turbo Grilling

Heat from the top element is circulated by the fan, sealing and crisping the food.



Grilling

Fully controllable powerful grill, ideal for family-sized portions of food.



Steam Assisted Fan Cooking

An improved version of the traditional True Fan cooking, combining steam with an extra large hot air fan.



Pizza Setting

Designed to ensure pastry bases, quiches and pizzas are cooked to your taste.



Moist Fan Baking

Retains moisture within the ovens, thus achieving light fluffy results whilst using the oven in an energy efficient way.



Slow Cooking

Two slow cook options, dependent on the quantity of food being cooked. Low temperature combined with patience will guarantee a good result.



Defrost

Defrost your frozen food gently in half the usual time. Hot air is quickly circulated inside the oven cavity.



Fast Grilling

Combining grill, fan and bottom heat to efficiently produce delicious dishes. Excellent on semi-processed food such as chips and spring rolls.



Bread Baking

Optimum temperature and environment for baking yeast mixtures. Using radiant heat and steam to bake a variety of loaves to your taste.



Dough Proving

Creates the perfect environment to assist bread baking by proving your yeast mixture correctly.



Eco Roasting

Economical setting for roasting large joints or poultry. Simply select the appropriate cooking time depending on the weight of the food, and the oven automatically switches off once the cooking is complete.



Pyrolysis

A total self-cleaning function that heats up to 500°C and turns food residue to ash.



Quarter Steam & Heat

25% steam and 75% heat locks in moisture and browns the outside for irresistible flavours.



Microwave & Grill

Combines traditional microwave and grill functions.



Defrost by Weight

Take the guesswork away and defrost your food by weighing it during the process.



Auto Favourite

The Auto favourite function has 3 pre-set functions, these are Soften Butter, Melt Chocolate and Mug Cake. You can overwrite these with your favourite recipes.



Child Lock

Setting the child lock function will prevent your little ones from switching on the oven.

SINGLE OVENS

SteamPro, with SousVide allows you to create tastier and healthier dishes. Cook with absolute purity, sealing in all the aromas, taste and nutrients under vacuum, then applying gentle steam heat to cook delicious dishes.

Vac Sealer

The AEG vacuum sealer drawer helps you to be a SousVide pro chef at home, by sealing in the flavour, moisture and nutrients of ingredients allowing you to cook them to perfection.



STEAM OVENS



SousVide Multifunction Oven with Command Wheel Control
BSK892330M

KEY FEATURES

OVEN FUNCTIONS

SousVide Cooking	Bottom Heat
Full Steam	Pizza Setting
Humidity High	Moist Fan Baking
Humidity Medium	Slow Cooking
Humidity Low	Defrost
True Fan Cooking	Au Gratin
Conventional Cooking	Bread Baking
Turbo Grilling	Dough Proving
Grilling	

Model Features

Steam cleaning	Quadruple door glazing
Enamel liners	Telescopic runners
Fully programmable timer	XXL baking tray
TFT display	Steam set
70 ltr oven capacity	Patisserie tray
Fast heat up	Humidity sensor
Double halogen lighting	30°C – 230°C

Energy Rating: A++	Appliance/Built-in Dimensions (HxWxD) in mm: 594 x 595 x 567 / 590 x 560 x 550
---------------------------	--



SousVide Multifunction Oven
BSK792320M

KEY FEATURES

OVEN FUNCTIONS

SousVide Cooking	Bottom Heat
Full Steam	Pizza Setting
Humidity High	Moist Fan Baking
Humidity Medium	Slow Cooking
Humidity Low	Defrost
True Fan Cooking	Au Gratin
Conventional Cooking	Bread Baking
Turbo Grilling	Dough Proving
Grilling	

Model Features

Steam cleaning	Quadruple door glazing
Enamel liners	Telescopic runners
Fully programmable timer	XXL baking tray
White Touch Control Display	XXL meat/grill pan
70 ltr oven capacity	Steam set
Fast heat up	30°C – 230°C
Double halogen lighting	

Energy Rating: A+	Appliance/Built-in Dimensions (HxWxD) in mm: 594 x 595 x 567 / 590 x 560 x 550
--------------------------	--



Full Steam Oven with Command Wheel Control
BSK882320M

KEY FEATURES

OVEN FUNCTIONS

Full Steam	Moist Fan Baking
Humidity High	Slow Cooking
Humidity Low	Defrost
True Fan Cooking	Au Gratin
Conventional Cooking	Bread Baking
Turbo Grilling	Dough Proving
Grilling	
Bottom Heat	
Pizza Setting	

Model Features

Steam cleaning	Quadruple door glazing
Enamel liners	Telescopic runners
Fully programmable timer	XXL baking tray
TFT display	Steam set
70 ltr oven capacity	Patisserie tray
Fast heat up	30°C – 230°C
Double halogen lighting	

Energy Rating: A+	Appliance/Built-in Dimensions (HxWxD) in mm: 594 x 595 x 567 / 590 x 560 x 550
--------------------------	--






SINGLE OVENS

STEAM OVEN

















Multifunction Steam Oven
BSK782320M

KEY FEATURES



SteamBoostProSight Touch ControlsSenseCookSurroundCook®Soft MotionMultifunction

OVEN FUNCTIONS

 Full Steam	 Moist Fan Baking
 Humidity High	 Slow Cooking
 Humidity Low	 Defrost
 True Fan Cooking	 Bread Baking
 Conventional Cooking	 Dough Proving
 Turbo Grilling	
 Grilling	
 Bottom Heat	
 Pizza Setting	

Model Features	
Steam cleaning	Quadruple door glazing
Enamel liners	2 pairs of telescopic runners
Fully programmable timer	XXL baking tray
White Touch Control Display	XXL meat/grill pan
70 ltr oven capacity	Steam set
Fast heat up	30°C – 230°C
Double halogen lighting	
Two shelves	







Energy Rating: A+	Appliance/Built-in Dimensions (HxWxD) in mm: 594 x 595 x 567 / 590 x 560 x 550
-------------------	---

QUARTER STEAM OVENS





Quarter Steam Oven with Pyrolytic Self Cleaning
BSK774320M

KEY FEATURES



PyrolyticSteamCrisp 25%SenseCookSurroundCook®Soft MotionMultifunction

OVEN FUNCTIONS

 True Fan Cooking	 Dough Proving
 Conventional Cooking	 Au Gratin
 Turbo Grilling	 Humidity Low
 Grilling	 Slow Cooking
 Bottom Heat	 Pyrolysis
 Pizza Setting	
 Moist Fan Baking	
 Defrost	
 Bread Baking	

Model Features	
Fully programmable timer	XXL meat/grill pan
White LED display	30°C – 300°C
71 ltr oven capacity	Telescopic runners
Fast heat up	Touch Control
Double halogen lighting	
Quadruple door glazing	
XXL baking tray	







Energy Rating: A+	Appliance/Built-in Dimensions (HxWxD) in mm: 594 x 595 x 567 / 590 x 560 x 550
-------------------	---

PYROLYTIC SELF CLEANING OVENS






Pyrolytic Self Cleaning Multifunction Oven
BPK842720M

KEY FEATURES



PyrolyticCommand WheelSenseCookSurroundCook®Soft MotionMultifunction

OVEN FUNCTIONS

 True Fan Cooking	 Dough Proving
 Conventional Cooking	 Au Gratin
 Turbo Grilling	 Bread Baking
 Grilling	 Pyrolysis
 Bottom Heat	
 Pizza Setting	
 Moist Fan Baking	
 Defrost	
 Slow Cooking	







Model Features	
Fully programmable timer	XXL baking tray
TFT display	XXL meat/grill pan
71 ltr oven capacity	30°C – 300°C
Fast heat up	
Lighting	
Telescopic runners	
Quadruple door glazing	

Energy Rating: A+	Appliance/Built-in Dimensions (HxWxD) in mm: 594 x 595 x 567 / 590 x 560 x 550
-------------------	---




Pyrolytic Self Cleaning Multifunction Oven
BPK742320M

KEY FEATURES



PyrolyticProSight Touch ControlsSenseCookSurroundCook®Soft MotionMultifunction

OVEN FUNCTIONS

 True Fan Cooking	 Dough Proving
 Conventional Cooking	 Au Gratin
 Turbo Grilling	 Bread Baking
 Grilling	 Pyrolysis
 Bottom Heat	
 Pizza Setting	
 Moist Fan Baking	
 Defrost	
 Slow Cooking	

Model Features	
Fully programmable timer	XXL baking tray
White LED display	XXL meat/grill pan
71 ltr oven capacity	30°C – 300°C
Fast heat up	Telescopic runners
Double halogen lighting	
Quadruple door glazing	

Energy Rating: A+	Appliance/Built-in Dimensions (HxWxD) in mm: 594 x 595 x 567 / 590 x 560 x 550
-------------------	---


SINGLE OVENS


PYROLYTIC SELF CLEANING OVEN





Side Hinged Multifunction Oven with Pyrolytic Self Cleaning
BPK744L21M


KEY FEATURES



Pyrolytic


ProSight
Touch Controls


Side Hinged


SenseCook


SurroundCook®


Multifunction

OVEN FUNCTIONS

 True Fan Cooking	 Dough Proving
 Conventional Cooking	 Au Gratin
 Turbo Grilling	 Bread Baking
 Grilling	 Eco Roasting
 Bottom Heat	 Pyrolysis
 Pizza Setting	
 Moist Fan Baking	
 Defrost	
 Slow Cooking	

Model Features

Fully programmable timer	XXL meat/grill pan
White LED display	30°C – 300°C
71 ltr oven capacity	Telescopic runners
Fast heat up	
Double halogen lighting	
Quadruple door glazing	
XXL baking tray	

Energy Rating: A+	Appliance/Built-in Dimensions (HxWxD) in mm: 594 x 594 x 568 / 600 x 560 x 550
--------------------------	--


Also available: BPK744R21M – Right side hinges


PYROLYTIC STEAMBAKE™ OVENS





SteamBake™ Oven with Pyrolytic Self Cleaning
BPK55632PM


KEY FEATURES



Pyrolytic


SteamBake™











SenseCook


SurroundCook®


Soft Motion


Multifunction


OVEN FUNCTIONS

 True Fan Cooking
 Conventional Cooking
 Turbo Grilling
 Grilling
 Bottom Heat
 Pizza Setting
 Moist Fan Baking
 Defrost
 Pyrolysis

Model Features


Touch control fully programmable timer	
White LED display	XXL meat/grill pan
71 ltr oven capacity	30°C – 300°C
Fast heat up	
Single halogen lighting	
Quadruple door glazing	
XXL baking tray	

Energy Rating: A+	Appliance/Built-in Dimensions (HxWxD) in mm: 594 x 595 x 567 / 590 x 560 x 550
--------------------------	--



SteamBake™

The SteamBake™ function adds the right amount of humidity at the start of the cooking process, allowing for better dough texture, greater rise and the perfect crust – resulting in great tasting baking results every time.



SINGLE OVENS



SteamBake™ Oven with Pyrolytic Self Cleaning
BPK351020M

KEY FEATURES


Pyrolytic


SteamBake™


SurroundCook®


Multifunction

OVEN FUNCTIONS

-  True Fan Cooking
-  Conventional Cooking
-  Turbo Grilling
-  Grilling
-  Bottom Heat
-  Pizza Setting
-  Moist Fan Baking
-  Defrost
-  Pyrolysis

Model Features	
Fully programmable timer	30°C – 300°C
White LED display	
71 ltr oven capacity	
Single halogen lighting	
Quadruple door glazing	
XXL baking tray	
XXL meat/grill pan	


Energy Rating: A+	Appliance/Built-in Dimensions (HxWxD) in mm: 594 x 595 x 567 / 590 x 560 x 550
-------------------	---





Premier Partner
EXCLUSIVE


SteamBake™ Oven with CataFan
BCK45631PM


KEY FEATURES


SteamBake™


CataFan


SenseCook


SurroundCook®


Multifunction

OVEN FUNCTIONS

-  True Fan Cooking
-  Conventional Cooking
-  Turbo Grilling
-  Grilling
-  Bottom Heat
-  Pizza Setting
-  Moist Fan Baking
-  Defrost

Model Features	
Touch control fully programmable timer	
White LED display	50°C – 275°C
71 ltr oven capacity	Telescopic runners
Single halogen lighting	Touch buttons on timer
Triple door glazing	
XXL baking tray	
XXL meat/grill pan	

Energy Rating: A	Appliance/Built-in Dimensions (HxWxD) in mm: 594 x 595 x 567 / 590 x 560 x 550
------------------	---



BUILT-IN DOUBLE OVENS

SURROUNDcook® MULTIFUNCTION OVENS



SurroundCook® Multifunction with Prosight Touch Controls
DCK731110M

KEY FEATURES

SurroundCook®

ProSight Touch Controls

Catalytic Liners

Dual Multifunction

TOP OVEN FUNCTIONS

True Fan Cooking	Pizza Setting
Turbo Grilling	Slow Cooking
Grilling	Defrost
Bottom Heat	

MAIN OVEN FUNCTIONS

Bottom Heat	Pizza Setting
Conventional Cooking	Slow Cooking
Defrost	True Fan Cooking
Grilling	Turbo Grilling

Model Features

Fully programmable timer	4/4 shelf positions
White LED display	XXL baking tray
39 ltr top oven capacity	XXL meat/grill pan
61 ltr bottom oven capacity	Telescopic runners
Single oven lights	30°C – 300°C
Triple door glazing	

Energy Rating: A/A	Appliance/Built-in Dimensions (HxWxD) in mm: 888 x 594 x 568 / 875 x 560 x 550
--------------------	---

BUILT UNDER DOUBLE OVENS

SURROUNDcook® MULTIFUNCTION OVENS



SurroundCook® Multifunction with Prosight Touch Controls
DUK731110M

KEY FEATURES

SurroundCook®

ProSight Touch Controls

Catalytic Liners

Dual Multifunction

TOP OVEN FUNCTIONS

True Fan Cooking	Pizza Setting
Turbo Grilling	Slow Cooking
Grilling	Defrost
Bottom Heat	

MAIN OVEN FUNCTIONS

Bottom Heat	Pizza Setting
Conventional Cooking	Slow Cooking
Defrost	True Fan Cooking
Grilling	Turbo Grilling

Model Features

Fully programmable timer	4/4 shelf positions
ProSight Touch Controls	XXL baking tray
39 ltr top oven capacity	XXL meat/grill pan
45 ltr bottom oven capacity	50°C – 275°C
Single oven lights	
Triple door glazing	

Energy Rating: A/A	Appliance/Built-in Dimensions (HxWxD) in mm: 715 x 594 x 568 / 720 x 600 x 550
--------------------	---

COMPACT RANGE

With our widest range of high performance appliances, you can mix and match everything you want – the way you want – and it all aligns beautifully with a single, stylish design.

The Compact range also fits perfectly with our full size appliances.



Square Alignment Compacts

Create your ideal kitchen in a combination to suit your needs. By grouping your compact appliances in a cluster, a column or a sleek horizontal run you create your own, individual look.



Horizontal Alignment Oven and Compacts

Compact Appliance, Warming Draw or Vac sealer and an AEG Single Oven.



Horizontal Alignment Compacts

Two compact appliances with two warming drawers or vacuum sealers.



Vertical Alignment Oven and Compact

Compact above an AEG single oven.



COMPACTS

However you like to create in the kitchen, we have a Compact appliance to suit your needs.

Whether you want to roast, bake, grill, microwave or cook with steam, our high performance ovens and vacuum sealer drawers ensure you can serve great tasting dishes every time.

The combination of drawers with our Compact range match those of our full-size ovens, so you don't need to compromise.

COMPACT OVENS WITH MICROWAVE



Compact Multifunction Oven with Microwave
KMK861000M

KEY FEATURES

Command Wheel

Microwave

Multifunction

SurroundCook®

OVEN FUNCTIONS

True Fan Cooking	Bread Baking
Conventional Cooking	Au Gratin
Turbo Grilling	Dough Proving
Grilling	Eco Roasting
Bottom Heat	Slow Cooking
Pizza Setting	
Defrost	
Fast Grilling	
Microwave Function	

Model Features

Fully programmable timer	30°C – 230°C
White LED display	1000W microwave
43 ltr oven capacity	
Single halogen lighting	
Quadruple door glazing	
XXL baking tray	
XXL meat/grill pan	

Energy Rating: –	Appliance/Built-in Dimensions (HxWxD) in mm: 455 x 595 x 567 / 450 x 560 x 550
------------------	---



Compact Multifunction Oven with Microwave
KMK761000M

KEY FEATURES

ProSight Touch Controls

Microwave

Multifunction

SurroundCook®

OVEN FUNCTIONS

True Fan Cooking	Bread Baking
Conventional Cooking	Au Gratin
Turbo Grilling	Dough Proving
Grilling	Eco Roasting
Bottom Heat	Slow Cooking
Pizza Setting	
Defrost	
Fast Grilling	
Microwave Function	

Model Features

Fully programmable timer	30°C – 230°C
White LED display	1000W microwave
43 ltr oven capacity	
Single halogen lighting	
Quadruple door glazing	
XXL baking tray	
XXL meat/grill pan	

Energy Rating: –	Appliance/Built-in Dimensions (HxWxD) in mm: 455 x 595 x 567 / 450 x 560 x 550
------------------	---



Premier Partner
EXCLUSIVE

Compact Multifunction Oven with Microwave
KMK565000M

KEY FEATURES

Microwave

Multifunction

Retractable Controls

SurroundCook®

OVEN FUNCTIONS

True Fan Cooking
Conventional Cooking
Turbo Grilling
Grilling
Bottom Heat
Pizza Setting
Defrost
Fast Grilling
Microwave Function

Model Features

Fully programmable timer	Touch buttons on timer
White LED display	1000W microwave
43 ltr oven capacity	
Single halogen lighting	
Quadruple door glazing	
XXL baking tray	
30°C – 230°C	

Energy Rating: –	Appliance/Built-in Dimensions (HxWxD) in mm: 455 x 595 x 567 / 450 x 560 x 550
------------------	---

COMPACTS

COMPACT MICROWAVE OVENS



Compact Microwave Oven with Grill
KMK721000M

KEY FEATURES

ProSight Touch Controls

Microwave

OVEN FUNCTIONS

- Microwave Function
- Grill

Model Features	
Fully programmable timer	
White LED display	
43 ltr oven capacity	
Single halogen lighting	
Quadruple door glazing	
30°C – 230°C	
1000W microwave	
Energy Rating: –	Appliance/Built-in Dimensions (HxWxD) in mm: 455 x 595 x 567 / 450 x 560 x 550

COMPACT OVENS



Compact Full Steam Oven
KSK882220M

KEY FEATURES

SteamBoost

Command Wheel

SenseCook

SurroundCook®

Soft Motion

Multifunction

OVEN FUNCTIONS

- Full Steam
- True Fan Cooking
- Conventional Cooking
- Turbo Grilling
- Grilling
- Bottom Heat
- Pizza Setting
- Moist Fan Baking
- Slow Cooking
- Defrost
- Au Gratin
- Bread Baking
- Dough Proving
- Fast Grilling
- Quarter Steam & Heat

Model Features	
Steam cleaning	XXL baking tray
Fully programmable timer	XXL meat/grill pan
TFT display	30°C – 230°C
43 ltr oven capacity	Steam set
Fast heat up	Enamel liners
Single halogen lighting	
Quadruple door glazing	
Energy Rating: A+	Appliance/Built-in Dimensions (HxWxD) in mm: 455 x 595 x 567 / 450 x 560 x 550



Compact Full Steam Oven
KSK782220M

KEY FEATURES

SteamBoost

ProSight Touch Controls

SenseCook

SurroundCook®

Soft Motion

Multifunction

OVEN FUNCTIONS

- Full Steam
- True Fan Cooking
- Conventional Cooking
- Turbo Grilling
- Grilling
- Bottom Heat
- Pizza Setting
- Moist Fan Baking
- Slow Cooking
- Defrost
- Au Gratin
- Bread Baking
- Dough Proving
- Fast Grilling
- Quarter Steam & Heat

Model Features	
Steam cleaning	XXL baking tray
Fully programmable timer	XXL meat/grill pan
White LED display	Steam set
43 ltr oven capacity	30°C – 230°C
Fast heat up	Enamel liners
Single halogen lighting	
Quadruple door glazing	
Energy Rating: A+	Appliance/Built-in Dimensions (HxWxD) in mm: 455 x 595 x 567 / 450 x 560 x 550



Compact SousVide Oven with Command Wheel Control
KSK892220M

KEY FEATURES

SteamPro

Command Wheel

SenseCook

SurroundCook®

Soft Motion

Multifunction

OVEN FUNCTIONS

- SousVide Cooking
- Full Steam
- Humidity High
- Humidity Medium
- Humidity Low
- True Fan Cooking
- Conventional Cooking
- Turbo Grilling
- Grilling
- Bottom Heat
- Pizza Setting
- Moist Fan Baking
- Slow Cooking
- Defrost
- Au Gratin
- Bread Baking
- Dough Proving

Model Features	
Steam cleaning	Quadruple door glazing
Enamel liners	XXL baking tray
Fully programmable timer	XXL meat/grill pan
TFT display	Patisserie tray
43 ltr oven capacity	Steam set
Fast heat up	Humidity sensor
Single halogen lighting	30°C – 230°C
Energy Rating: A+	Appliance/Built-in Dimensions (HxWxD) in mm: 455 x 595 x 567 / 450 x 560 x 550

COMPACTS

COMPACT OVENS



Compact Multifunction Oven with Pyrolytic Self Cleaning
KPK742220M

KEY FEATURES

OVEN FUNCTIONS

True Fan Cooking	Dough Proving
Conventional Cooking	Eco Roasting
Turbo Grilling	Fast Grilling
Grilling	Pyrolysis
Bottom Heat	
Pizza Setting	
Moist Fan Baking	
Defrost	
Au Gratin	

Model Features	
Fully programmable timer	XXL meat/grill pan
White LED display	30°C – 300°C
43 ltr oven capacity	
Fast heat up	
Single halogen lighting	
Quadruple door glazing	
XXL baking tray	

Energy Rating: A+	Appliance/Built-in Dimensions (HxWxD) in mm: 455 x 595 x 567 / 450 x 560 x 550
-------------------	---

COMPACT PYROLYTIC OVEN



Compact Multifunction Oven with Pyrolytic Self Cleaning
KPK842220M

KEY FEATURES

OVEN FUNCTIONS

Full Steam	Dough Proving
True Fan Cooking	Eco Roasting
Conventional Cooking	Fast Grilling
Turbo Grilling	Slow Cooking
Grilling	Bread Baking
Bottom Heat	Pyrolysis
Pizza Setting	
Moist Fan Baking	
Au Gratin	

Model Features	
Fully programmable timer	XXL meat/grill pan
TFT display	30°C – 300°C
43 ltr oven capacity	1 quick, 1 normal and 1 intense self cleaning function
Fast heat up	
Single halogen lighting	
Quadruple door glazing	
XXL baking tray	

Energy Rating: A+	Appliance/Built-in Dimensions (HxWxD) in mm: 455 x 595 x 567 / 450 x 560 x 550
-------------------	---

COFFEE MACHINES



Coffee Machine with Command Wheel Control
KKK994500M

KEY FEATURES

FUNCTIONS

Espresso	Latte Macchiato
Cappuccino	Long Coffee
Cappuccino Plus	Warm Milk
Caffè Latte	Ristretto
Caffè Macchiato	Steamer
Espresso Lungo	Jug Function
Espresso Macchiato	Two Cups
Flat White	
Tea Water	

Model Features	
Coffee jug	2.4 ltr water tank
Thermal milk container	400 gr grinder capacity
Descaler	Quadruple LED lighting
Cleaning brush	
Coffee powder spoon	
Telescopic runners + soft closing	
Water softener	

Energy Rating: –	Appliance/Built-in Dimensions (HxWxD) in mm: 455 x 595 x 361 / 450 x 560 x 550
------------------	---



Coffee Machine with Touch Control
KKK884500M

KEY FEATURES

FUNCTIONS

Espresso
Cappuccino
Tea Water
Two Cups
Jug Function
Steamer

Model Features	
Coffee jug	
Milk container	
Descaler	
1.8 ltr water tank	
200 gr grinder capacity	
Dual LED lighting	

Energy Rating: –	Appliance/Built-in Dimensions (HxWxD) in mm: 455 x 595 x 567 / 450 x 560 x 550
------------------	---

COMPACTS

WARMING DRAWERS



29cm Warming Drawer
KDK912924M

KEY FEATURES

↑
29 CM
↓

29cm

12
PLACE

12 Place
Settings

30-
80°C

30-80°C
Temp Range

FUNCTIONS

Cups and Glass Warming (45°C)	Dough Proving (30°C)
Plate Warming (60°C)	Keep warm (70°C)
Food Reheating (60°C – 80°C Max)	Defrosting (30°C Max)

Model Features

Variable temperature control	Rotary control knob
On/off LED	Heating element
Anti-slip mat	Fan air circulation

Appliance Dimensions (HxWxD) in mm:	Built-in Dimensions (HxWxD) in mm:
295 x 595 x 535	295 x 560 x 550



29cm Warming Drawer
KDE912924M

KEY FEATURES

↑
29 CM
↓

29cm

12
PLACE

12 Place
Settings

30-
80°C

30-80°C
Temp Range


FUNCTIONS

Cups and Glass Warming (45°C)	Dough Proving (30°C)
Plate Warming (60°C)	Keep warm (70°C)
Food Reheating (60°C – 80°C Max)	Defrosting (30°C Max)

Model Features

Variable temperature control	Rotary control knob
On/off LED	Heating element
Anti-slip mat	Fan air circulation

Appliance Dimensions (HxWxD) in mm:	Built-in Dimensions (HxWxD) in mm:
295 x 595 x 535	295 x 560 x 550



14cm Warming Drawer
KDK911424M

KEY FEATURES

↑
14 CM
↓

14cm

6
PLACE

6 Place
Settings

30-
80°C

30-80°C
Temp Range


FUNCTIONS

Cups and Glass Warming (45°C)	Dough Proving (30°C)
Plate Warming (60°C)	Keep warm (70°C)
Food Reheating (60°C – 80°C Max)	Defrosting (30°C Max)

Model Features

Variable temperature control	Rotary control knob
On/off LED	Heating element
Anti-slip mat	Fan air circulation

Appliance Dimensions (HxWxD) in mm:	Built-in Dimensions (HxWxD) in mm:
140 x 595 x 535	141 x 560 x 550



14cm Warming Drawer
KDE911424M

KEY FEATURES

↑
14 CM
↓

14cm

6
PLACE

6 Place
Settings

30-
80°C

30-80°C
Temp Range

FUNCTIONS

Cups and Glass Warming (45°C)	Dough Proving (30°C)
Plate Warming (60°C)	Keep warm (70°C)
Food Reheating (60°C – 80°C Max)	Defrosting (30°C Max)

Model Features

Variable temperature control	Rotary control knob
On/off LED	Heating element
Anti-slip mat	Fan air circulation

Appliance Dimensions (HxWxD) in mm:	Built-in Dimensions (HxWxD) in mm:
140 x 595 x 535	141 x 560 x 550

COMPACTS

SOUSVIDE VACUUM SEALERS



14cm Vacuum Sealer
KDK911423M

KEY FEATURES

Touch Control

White LEDs

3 Vacuum Settings

FUNCTIONS

Marinating/Infusion	Min. Vacuum Setting
Max. Vacuum Setting	Sealing Time Displayed
Med. Vacuum Setting	

Appliance Dimensions (HxWxD) in mm:	Built-in Dimensions (HxWxD) in mm:
131 x 595 x 510	139 x 560 x 550

MICROWAVE OVENS

AEG microwave ovens are fully built-in with a design alignment with our ovens. They have an intuitive touchscreen control panel that features a simple wipe-clean surface. The touch sensitive panel lets you change functions and timings in seconds too.



Solo Microwave
MBE2658SEM

KEY FEATURES

900w Microwave

Touch Control

Non-Vented Installation

FUNCTIONS

Microwave	Child Lock
Defrost by Weight	
Auto Favourite	

Additional Features

26 ltr capacity	White LED display
32.5cm turntable	90min timer
LED lighting	

Colour: Stainless Steel fascia panel

Appliance Dimensions (HxWxD) in mm:	Built-in Dimensions (HxWxD) in mm:
459 x 596 x 404	450 x 562 x 500

MICROWAVE OVENS



Solo Microwave
MBB1756SEM

KEY FEATURES

800w Microwave

Touch Control

Non-Vented Installation

FUNCTIONS

Microwave

Child Lock

Defrost by Weight

Auto Favourite

Additional Features

17 ltr Capacity

White LED display

27cm turntable

90min timer

LED lighting

Colour: Stainless Steel fascia panel

Appliance Dimensions (HxWxD) in mm:	Built-in Dimensions (HxWxD) in mm:
371 x 594 x 316	360 x 562 x 300



Solo Microwave
MBB1755SEM

KEY FEATURES

800w Microwave

Touch Control

Non-Vented Installation

FUNCTIONS

Microwave

Child Lock

Defrost by Weight

Auto Favourite

Additional Features

17 ltr capacity

White LED display

27cm turntable

90min timer

LED lighting

Colour: Stainless Steel fascia panel

Appliance Dimensions (HxWxD) in mm:	Built-in Dimensions (HxWxD) in mm:
371 x 494 x 316	360 x 462 x 300

All AEG microwave ovens can be installed in all cabinetry, whether it be non-ventilated or ventilated kitchen cabinets, making them perfect for kitchen upgrades or replacements.



INTRODUCING THE AEG BLACKLINE RANGE.



BLACKLINE RANGE



SousVide BlackLine Oven
BSE792320B

KEY FEATURES

SteamPro

BlackLine Design

SenseCook

SurroundCook®

Soft Motion

Multifunction

OVEN FUNCTIONS

SousVide Cooking	Bottom Heat
Full Steam	Pizza Setting
Humidity High	Moist Fan Baking
Humidity Medium	Slow Cooking
Humidity Low	Defrost
True Fan Cooking	Au Gratin
Conventional Cooking	Bread Baking
Turbo Grilling	Dough Proving
Grilling	

Model Features

Steam cleaning	Telescopic runners
Enamel liners	XXL baking tray
Fully programmable timer	Grill pan/trivet
70 ltr oven capacity	Patisserie tray
Fast heat up	Steam set
Double halogen lighting	Dripping pan
Quadruple door glazing	30°C – 230°C

Energy Rating: A+	Appliance/Built-in Dimensions (HxWxD) in mm: 594 x 595 x 567 / 590 x 560 x 550
-------------------	---



Pyrolytic Self Cleaning Multifunction Oven
BPK742320B

KEY FEATURES

Pyrolytic

ProSight Touch Controls

SenseCook

SurroundCook®

Soft Motion

Multifunction

OVEN FUNCTIONS

True Fan Cooking	Dough Proving
Conventional Cooking	Au Gratin
Turbo Grilling	Bread Baking
Grilling	Pyrolysis
Bottom Heat	
Pizza Setting	
Moist Fan Baking	
Defrost	
Slow Cooking	

Model Features

Fully programmable timer	Grill pan/trivet
White LED display	Dripping pan
71 ltr oven capacity	30°C – 300°C
Fast heat up	Telescopic runners
Double halogen lighting	
Quadruple door glazing	
XXL baking tray	

Energy Rating: A+	Appliance/Built-in Dimensions (HxWxD) in mm: 594 x 595 x 567 / 590 x 560 x 550
-------------------	---



Compact BlackLine Multifunction Oven with Microwave
KME761000B

KEY FEATURES

ProSight Touch Controls

Microwave

BlackLine Design

Multifunction

SurroundCook®

OVEN FUNCTIONS

True Fan Cooking	Bread Baking
Conventional Cooking	Au Gratin
Turbo Grilling	Dough Proving
Grilling	Eco Roasting
Bottom Heat	Slow Cooking
Pizza Setting	
Defrost	
Fast Grilling	
Microwave Function	

Model Features

Fully programmable timer	30°C – 230°C
White LED display	
43 ltr oven capacity	
Single halogen lighting	
Quadruple door glazing	
XXL baking tray	
Dripping pan	

Energy Rating: –	Appliance/Built-in Dimensions (HxWxD) in mm: 455 x 595 x 567 / 450 x 560 x 550
------------------	---

BLACKLINE RANGE



BlackLine Coffee Machine with Touch Control
KKE884500B

KEY FEATURES

ProSight Touch Controls

Authentic Italian Coffee

Fully Automatic

Uses Fresh Coffee Beans

BlackLine Design

FUNCTIONS

Espresso	Two Cups
Cappuccino	Jug Function
Tea Water	Steamer

Model Features

- Coffee jug
- Milk container
- Descaler
- 1.8 ltr water tank
- 200 gr grinder capacity
- Dual LED lighting

Energy Rating: –	Appliance/Built-in Dimensions (HxWxD) in mm: 455 x 595 x 361 / 450 x 560 x 550
------------------	---

14cm Warming Drawer
KDE911424B

KEY FEATURES

14 CM
14cm

6 PLACE
6 Place Settings

30-80°C
30-80°C Temp Range

FUNCTIONS

Cups and Glass Warming (40°C)	Food Warming (80°C Max)
Plate Warming (60°C)	Defrosting (30°C Max)

Model Features

- Variable temperature control
- Rotary control knob
- On/off LED
- Heating element
- Anti-slip mat
- Fan air circulation

Appliance Dimensions (HxWxD) in mm: 131 x 595 x 500	Built-in Dimensions (HxWxD) in mm: 139 x 560 x 550
--	---

14cm Vacuum Sealer
KDE911423B

KEY FEATURES

ProSight Touch Controls

White LEDs

3X VAC
3 Vacuum Settings

FUNCTIONS

Marinating/Infusion	Min. Vacuum Setting
Max. Vacuum Setting	Sealing Time Displayed
Med. Vacuum Setting	

Appliance Dimensions (HxWxD) in mm: 131 x 595 x 510	Built-in Dimensions (HxWxD) in mm: 139 x 560 x 550
--	---

HOBS

At AEG we believe that a hob should look as good as it performs. Which is why all our induction hobs are designed not just to bring out the best in your cooking, but also to give you the flexibility you need while cooking and to look fantastic in your kitchen.

IN THIS SECTION

Induction Hobs	84–95
Combo Hobs	96
Ceramic Hobs	97
Gas Hobs	100–105
Mixed Fuel Hobs	106
CrystalLine Hobs	107–109



TFT Touch control



SenseFry®



MaxiSense®



Slim Installation

TAKE THE GUESS WORK OUT OF FRYING.



SenseFry®
The most advanced induction hob with sensor technology, equipped with the world's first wireless Food Sensor enables you to cook with accuracy on your hob. That same accuracy also allows you to SousVide cook on your hob.



Pure Black Design
Aligns perfectly with every kitchen style to match the clean design of your kitchen. This hob has a unique, pure black surface – with absolutely no markings apart from a subtle on/off button.



Hob²Hood
The AEG Hob²Hood adapts to your cooking to keep your kitchen free of steam and vapours automatically.



Slim Installation
The slim, space-saving design embeds into worktops as shallow as 12mm, even with a drawer below.

PLACE IT WHEREVER YOU WANT.

The ComboHob combines an induction hob and an integrated hood into one single product. So you can place the hob wherever you want without having to install a hood above it, giving you many creative options for individual kitchen design.



Easy Installation

Our Optifix™ spring system is self-installing and self centering. Simply place the hob into your cut out for it to secure into place.



Easy Cleaning and Maintenance

The circular grid in the centre of the hob can be rotated and removed. Meaning ease of access for cleaning the aluminium grease filter and the effortless maintenance of the high-efficiency odour filter inside. Ensuring ongoing, pristine performance.



DirekTouch Slider

This hob's direct-access heat controls enable you to switch directly to exactly the right temperature with one touch. Simply touch the correct level on the slide control.



A GUIDE TO HOB ICONS

KEY FEATURES



ActiveTouch

The user interface is not visible until a pan is placed on the hob. The user interface contains DirekTouch for instant heat control with one touch, minute minder and auto bridge.



SenseFry®

Use the intelligent touchscreen on the SenseFry® induction hob to select the food and desired result. Rare, medium or well-done.



Touch Control

Efficient touch controls enable you to set the hob's heat level precisely, while its flat surface is easy to clean.



TFT Touch Display

A single, full colour touchscreen provides complete control over the hob. Monitor live feedback for each zone and adjust the settings accordingly.



DirekTouch Slider

This hob's direct-access heat controls enable you to switch directly to exactly the right temperature with one touch. Simply touch the correct level on the slide control.



SenseBoil™

When water is boiled a special sensor under the glass automatically reduces the heat to keep water simmering until you are ready to add your ingredients to the pan.



SensePro®

The most advanced induction hob with sensor technology, equipped with a wireless food probe that enables precision cooking.



Rotary

Classic rotary control knobs.



MaxiSense®

The MaxiSense® induction hob has self-sizing cooking zones. Each zone detects the size and shape of the pan you're using, however large or small.



FlexiBridge

A multi-purpose zone that allows you to customize your own cooking area, combining up to 4 segments with a consistent and even heat distribution.



Double Bridge

Two zones can be paired at the touch of a button, providing a single bridge for cooking. It's optimised for using large pots and pans by automatically aligning to share both temperature and time settings.



PowerSlide

From boiling to simmering to keeping warm. When you need repeated quick heat changes to create a dish, simply slide your pan from heat to heat.



Hob²Hood

Hob²Hood automatically turns on your cooker hood and lights when you start using the hob. The cooker hood will adjust according to the cooking levels on the induction zones.



Pure Black Design

Unique hob with pure black design. The hob controls and cooking zones are visible only when needed. When not in use, the surface is clean black, nothing to disturb the kitchen design.



Cast Iron Supports

Cast iron pan supports provide a robust and durable cooking support with professional design. Safe, long lasting and easy to clean.



Extendable Zone

Extendable zone, optimised for cooking with a wide range of pot sizes.



Slim Installation

AEG induction hobs have the slimmest platform on the market, allowing a worktop as thin as 28mm with an oven beneath the hob.



Easy Installation

Our Optifix™ spring system is self-installing and self-centering. Simply place the hob into your cut out.

KEY FEATURES



Easy Clean

Because the surface around the pans stays cool as you cook, you can get rid of spills as you go along. Nothing gets burnt on and there's nowhere for dirt to hide.



Minute Minder

Perfect cooking results guaranteed by setting the cooking time length and the acoustic signal lets you know it has finished.



Auto Ignition

Total control of the ignition through a single-handed operation of turning the knob to automatically light the hob.



Flush Burner

Flush Burners are easy to remove and dishwasher safe, ensuring that cleaning the hob is as simple as possible.



Vertical Flame

Vertical Flame ensures the heat is evenly distributed on the bottom of the pan, making it 20% more efficient than standard burners.



Single Bridge

Two zones can be paired at the touch of a button, providing a single bridge for cooking. By automatically aligning to share both temperature and time settings, it's optimised for using large pots and pans at once.

FUNCTIONS



Cook Assist

An innovative assisted cooking function. Select the dish and the desired result – rare, medium, well-done – to ensure consistent frying.



Count-Up Timer

Set a reminder or use the count-up timer to keep in control of your cooking.



Minute Minder

Each induction cooking zone has an independent 99 minute timer. The timer will switch the zone off after the time has elapsed.



Eco Timer

Energy saving timer that switches off the zone and uses residual heat to complete the last few minutes of cooking.



Zone Booster

Power booster function to reach high temperatures extra fast.



AutoMax

The hob will apply full output of heat at the beginning, before automatically dropping to the required setting.



SousVide Cooking

Cook to perfection with SousVide, a professional approach to cooking. Applies low temperature and stable temperature to vacuum packed food.



Pan Detection

The user interface is not visible until a pan is placed on the hob.



Auto Off

Safety mechanism that turns off the hob after a given time, depending on the selected heat setting.



Melting

A gentle melting function, perfect for chocolate or butter.



Burners

Number of burners.



Wok Burner

Extra large burner designed for a large wok.



Stop & Go

A function that reduces all zones in operation to a 'keep warm' setting.



TripleZone

Triple extendable zone, optimized for cooking with a wide range of pot sizes.

HOBS

The SensePro® Induction Hob delivers accurate and consistent cooking results every time.

It uses an integrated intelligent touchscreen, allowing you to select the food and desired level of cooking.

The wireless food probe accurately measures temperatures at a 1° interval, allowing you to SousVide cook on the hob.

Plancha Grill

Turn your hob to a barbecue in an instant and get perfect grill taste all year round with the Plancha Grill. Heat is distributed fast and consistently across the plate, ensuring all ingredients are grilled evenly wherever you place them. Now you can grill steaks to perfection!

Discover more about the Mastery Collection: aeg.co.uk/taste/discover/the-mastery-collection/





INDUCTION HOBS




80cm SensePro® Hob
IAE84881FB


KEY FEATURES


TFT Touch Control Display


SensePro®



Slim Installation


MaxiSense®


FlexiBridge


PowerSlide

FUNCTIONS

 Cook Assist	 Stop & Go
 Count Up Timer	 Auto Off
 Minute Minder	 Melting
 Eco Timer	 SenseFry® assistance
 Zone Booster	 SousVide

Additional Features

Residual heat indicators	Bevelled 4 sides
Child lock	Electricity loading 7350W
Red LEDs	Food probe


Energy Rating: N/A


Appliance Dimensions (HxWxD) in mm:	Built-in Dimensions (HxW) in mm:
44 x 810 x 520	780 x 490





80cm SenseFry® Hob
IAE84851FB

KEY FEATURES



TFT Touch Control Display


SenseFry®


Slim Installation


MaxiSense®


FlexiBridge


PowerSlide

FUNCTIONS

 Cook Assist	 Stop & Go
 Count Up Timer	 Auto Off
 Minute Minder	 Melting
 Eco Timer	 Hob²Hood
 Zone Booster	

Additional Features

Residual heat indicators	Bevelled 4 sides
Child lock	Electricity loading 7350W
Red LEDs	


Energy Rating: N/A


Appliance Dimensions (HxWxD) in mm:	Built-in Dimensions (HxW) in mm:
44 x 810 x 520	780 x 490





80cm ActiveTouch Hob
IKE85651FB


KEY FEATURES


ActiveTouch









Slim Installation


MaxiSense®


Double Bridge


Hob²Hood

FUNCTIONS

 Pan Detection	 Stop & Go
 Count Up Timer	 Auto Off
 Minute Minder	
 Eco Timer	
 Zone Booster	

Additional Features

Residual heat indicators	Bevelled 4 sides
Child lock	Electricity loading 7350W
Red and White LEDs	

Energy Rating: N/A

Appliance Dimensions (HxWxD) in mm:	Built-in Dimensions (HxW) in mm:
44 x 810 x 520	780 x 490

HOBs

INDUCTION HOBs



80cm PURE2 Induction Hob
IPE84571FB

KEY FEATURES

Rotary DirekTouch

FlexiBridge

Pure Black Design

MaxiSense®

PowerSlide

Hob²Hood

FUNCTIONS

AutoMax	Zone Booster
Count Up Timer	Stop & Go
Minute Minder	Auto Off
Eco Timer	

Additional Features	
Residual heat indicators	Bevelled 4 sides
Child lock	Electricity loading 7400W
Red LEDs	

Energy Rating: N/A

Appliance Dimensions (HxWxD) in mm:	Built-in Dimensions (HxW) in mm:
44 x 780 x 520	750 x 490

80cm PURE1 Induction Hob
IPE84531FB

KEY FEATURES

Rotary DirekTouch

Single Bridge

Pure Black Design

MaxiSense®

Hob²Hood

FUNCTIONS

AutoMax	Zone Booster
Pan Detection	Stop & Go
Count Up Timer	Auto Off
Minute Minder	
Eco Timer	

Additional Features	
Residual heat indicators	Bevelled 4 sides
Child lock	Electricity loading 7400W
Red LEDs	

Energy Rating: N/A

Appliance Dimensions (HxWxD) in mm:	Built-in Dimensions (HxW) in mm:
44 x 780 x 520	750 x 490

80cm MaxiSense® Induction Hob
IKE84471FB

KEY FEATURES

DirekTouch Slider

Slim Installation

Hob²Hood

FlexiBridge

PowerSlide

MaxiSense®

FUNCTIONS

AutoMax	Zone Booster
Count Up Timer	Stop & Go
Minute Minder	Auto Off
Eco Timer	

Additional Features	
Residual heat indicators	Bevelled 4 sides
Child lock	Electricity loading 7350W
Red LEDs	

Energy Rating: N/A

Appliance Dimensions (HxWxD) in mm:	Built-in Dimensions (HxW) in mm:
44 x 780 x 520	750 x 490

80cm MaxiSense® Induction Hob
IKE85431FB

KEY FEATURES

DirekTouch Slider

Slim Installation

Hob²Hood

MaxiSense®

5 ZONES

FUNCTIONS

AutoMax	Zone Booster
Count Up Timer	Stop & Go
Minute Minder	Auto Off
Eco Timer	

Additional Features	
Residual heat indicators	Bevelled 4 sides
Child lock	Electricity loading 7350W
Red LEDs	

Energy Rating: N/A

Appliance Dimensions (HxWxD) in mm:	Built-in Dimensions (HxW) in mm:
44 x 780 x 520	750 x 490

HOBs

INDUCTION HOBs



80cm SenseBoil® Induction Hob
IAE84411FB

KEY FEATURES

SenseBoil™

DirekTouch Slider

Slim Installation

Hob²Hood

MaxiSense®

80cm MaxiSense® Induction Hob
IKB84401FB

KEY FEATURES

DirekTouch Slider

Slim Installation

Hob²Hood

MaxiSense®

70cm MaxiSense® Induction Hob
IKE74451FB

KEY FEATURES

DirekTouch Slider

Slim Installation

Hob²Hood

Double Bridge

MaxiSense®

60cm SenseFry® Hob
IAE64851FB

KEY FEATURES

TFT Touch Control Display

SenseFry®

Hob²Hood

MaxiSense®

FlexiBridge

PowerSlide

FUNCTIONS

AutoMax	Zone Booster
Count Up Timer	Stop & Go
Minute Minder	Auto Off
Eco Timer	

FUNCTIONS

AutoMax	Zone Booster
Count Up Timer	Stop & Go
Minute Minder	Auto Off
Eco Timer	

Additional Features

Residual heat indicators	Bevelled 4 sides
Child lock	Electricity loading 7350W
Red LEDs	

Additional Features

Residual heat indicators	Bevelled 4 sides
Child lock	Electricity loading 7350W
Red LEDs	

Additional Features

Residual heat indicators	Bevelled 4 sides
Child lock	Electricity loading 7350W
Red LEDs	

Additional Features

Residual heat indicators	Bevelled 4 sides
Child lock	Electricity loading 7350W
Red LEDs	

Energy Rating: N/A

Energy Rating: N/A

Energy Rating: N/A

Energy Rating: N/A

Appliance Dimensions
(HxWxD) in mm:
44 x 780 x 520

Built-in Dimensions
(HxW) in mm:
750 x 490

Appliance Dimensions
(HxWxD) in mm:
44 x 910 x 410

Built-in Dimensions
(HxW) in mm:
750 x 490

Appliance Dimensions
(HxWxD) in mm:
44 x 710 x 520

Built-in Dimensions
(HxW) in mm:
680 x 490


Appliance Dimensions
(HxWxD) in mm:
44 x 590 x 520

Built-in Dimensions
(HxW) in mm:
560 x 490

Dimensions (HxWxD) in mm: 46 x 696 x 516
Built-in Dimensions (HxW) in mm: 680 x 490

HOBS

INDUCTION HOBS



60cm ActiveTouch Hob
IKE64651FB

KEY FEATURES

ActiveTouch

Slim Installation

MaxiSense®

Double Bridge

Hob²Hood

FUNCTIONS

Pan Detection	Stop & Go
Count Up Timer	Auto Off
Minute Minder	
Eco Timer	
Zone Booster	

Additional Features	
Residual heat indicators	Bevelled 4 sides
Child lock	Electricity loading 7350W
Red and White LEDs	

Energy Rating: N/A

Appliance Dimensions (HxWxD) in mm:	Built-in Dimensions (HxW) in mm:
44 x 590 x 520	560 x 490



60cm PURE2 Induction Hob
IPE64571FB

KEY FEATURES

Rotary DirekTouch

FlexiBridge

Pure Black Design

MaxiSense®

PowerSlide

Hob²Hood

FUNCTIONS

AutoMax	Zone Booster
Count Up Timer	Stop & Go
Minute Minder	Auto Off
Eco Timer	

Additional Features	
Residual heat indicators	Red LEDs
Child lock	Electricity loading 7350W

Energy Rating: N/A

Appliance Dimensions (HxWxD) in mm:	Built-in Dimensions (HxW) in mm:
44 x 620 x 520	590 x 490



60cm PURE1 Induction Hob
IPE64551FB

KEY FEATURES

Rotary DirekTouch

Single Bridge

Pure Black Design

MaxiSense®

Hob²Hood

FUNCTIONS

AutoMax	Zone Booster
Count Up Timer	Stop & Go
Minute Minder	Auto Off
Eco Timer	

Additional Features	
Residual heat indicators	Bevelled 4 sides
Child lock	Electricity loading 7400W
Red LEDs	

Energy Rating: N/A

Appliance Dimensions (HxWxD) in mm:	Built-in Dimensions (HxW) in mm:
44 x 590 x 520	560 x 490



60cm MaxiSense® Induction Hob
IKE64471FB

KEY FEATURES

DirekTouch Slider

Slim Installation

Hob²Hood

MaxiSense®

FlexiBridge

PowerSlide

FUNCTIONS

AutoMax	Zone Booster
Count Up Timer	Stop & Go
Minute Minder	Auto Off
Eco Timer	

Additional Features	
Residual heat indicators	Bevelled 4 sides
Child lock	Electricity loading 7350W
Red LEDs	

Energy Rating: N/A

Appliance Dimensions (HxWxD) in mm:	Built-in Dimensions (HxW) in mm:
44 x 590 x 520	560 x 490

HOBs

INDUCTION HOBs



60cm MaxiSense® Induction Hob
IKE64450XB

KEY FEATURES

DirekTouch Slider

Slim Installation

Double Bridge

MaxiSense®

FUNCTIONS

AutoMax	Zone Booster
Count Up Timer	Stop & Go
Minute Minder	Auto Off
Eco Timer	

Additional Features	
Residual heat indicators	Steel frame
Child lock	Electricity loading 7350W
Red LEDs	

Energy Rating: N/A

Appliance Dimensions (HxWxD) in mm:	Built-in Dimensions (HxW) in mm:
46 x 576 x 516	560 x 490

Also available: IKE64450FB – Bevelled
Dimensions (HxWxD) in mm: 46 x 590 x 520
Built-in Dimensions (HxW) in mm: 560 x 490



60cm SenseBoil™ Induction Hob
IAE64411FB

KEY FEATURES

DirekTouch Slider

Slim Installation

Hob²Hood

MaxiSense®

SenseBoil™

FUNCTIONS

AutoMax	Zone Booster
Count Up Timer	Stop & Go
Minute Minder	Auto Off
Eco Timer	

Additional Features	
Residual heat indicators	Bevelled 4 sides
Child lock	Electricity loading 7350W
Red LEDs	

Energy Rating: N/A

Appliance Dimensions (HxWxD) in mm:	Built-in Dimensions (HxW) in mm:
44 x 590 x 520	560 x 490



60cm Induction Hob
IKB64401FB

KEY FEATURES

DirekTouch Slider

Slim Installation

Hob²Hood

FUNCTIONS

AutoMax	Zone Booster
Count Up Timer	Stop & Go
Minute Minder	Auto Off
Eco Timer	

Additional Features	
Residual heat indicators	Bevelled 4 sides
Child lock	Electricity loading 7350W
Red LEDs	

Energy Rating: N/A

Appliance Dimensions (HxWxD) in mm:	Built-in Dimensions (HxW) in mm:
44 x 590 x 520	560 x 490

Also available: IKB64401XB – Steel frame
Dimensions (HxWxD) in mm: 46 x 576 x 516
Built-in Dimensions (HxW) in mm: 560 x 490



60cm Plug and Play Induction Hob
HK604200IB

KEY FEATURES

Touch Control

FUNCTIONS

Zone Booster	Auto Off
--------------	----------

Additional Features	
Residual heat indicators	Frameless
Child lock	13 amp plug
Red LEDs	

Energy Rating: N/A

Appliance Dimensions (HxWxD) in mm:	Built-in Dimensions (HxW) in mm:
60 x 590 x 520	560 x 490


HOBS

INDUCTION HOBS




90cm MaxiSense® Induction Hob
IKE95471FB


KEY FEATURES




DirekTouch Slider




Slim Installation




FlexiBridge



PowerSlide










Hob²Hood



MaxiSense®

FUNCTIONS

 AutoMax	 Zone Booster
 Count Up Timer	 Stop & Go
 Minute Minder	 Auto Off
 Eco Timer	

Additional Features	
Residual heat indicators	Bevelled 4 sides
Child lock	Electricity loading 7350W
Red LEDs	


Energy Rating: N/A

Appliance Dimensions (HxWxD) in mm:	Built-in Dimensions (HxW) in mm:
44 x 910 x 520	880 x 490




90cm MaxiSense® Slim Depth Hob
IKK93431FB


KEY FEATURES



DirekTouch Slider



Slim Installation



MaxiSense®

FUNCTIONS

 AutoMax	 Zone Booster
 Count Up Timer	 Stop & Go
 Minute Minder	 Auto Off
 Eco Timer	

Additional Features	
Residual heat indicators	Bevelled 4 sides
Child lock	Electricity loading 6900W
Red LEDs	

Energy Rating: N/A

Appliance Dimensions (HxWxD) in mm:	Built-in Dimensions (HxW) in mm:
44 x 910 x 410	880 x 380



HOBBS

COMBO HOBBS



80cm Hob Hood Integrated Hob

IDK84451IB - Recirculation model
IDK84452IB - External ducted model

KEY FEATURES

DirekTouch Slider

Easy Installation

Easy Clean

Hob²Hood

Dual Bridge

MaxiSense®

FUNCTIONS

AutoMax	Auto Off
Count Up Timer	Zone Booster
Minute Minder	
Eco Timer	
Stop & Go	

Additional Features	
Residual heat indicators	Recirculation max 400 m3/h
Child lock	Recirculation intensive 420 m3/h
Red LEDs	Max noise 71dB(A)
Electricity loading 7400W	

Energy Rating: A+

Appliance Dimensions (HxWxD) in mm:	Built-in Dimensions (HxW) in mm:
210 x 830 x 510	805 x 490

80cm Hob Hood Integrated Hob

IDE84241IB - Recirculation model
IDE84242IB - External ducted model

KEY FEATURES

Touch Control

Easy Installation

Easy Clean

Hob²Hood

Single Bridge

MaxiSense®

FUNCTIONS

Minute Minder
Auto Off
Zone Booster

Additional Features	
Residual heat indicators	Recirculation max 400 m3/h
Child lock	Recirculation intensive 420 m3/h
Red LEDs	Max noise 71dB(A)
Electricity loading 7400W	

Energy Rating: A+

Appliance Dimensions (HxWxD) in mm:	Built-in Dimensions (HxW) in mm:
210 x 830 x 510	805 x 490

CERAMIC HOBBS



60cm Ceramic Hob

HK634060XB

KEY FEATURES

Touch Control

DoubleZone

Extendable Zone

FUNCTIONS

AutoMax	Stop & Go
Count Up Timer	Auto Off
Minute Minder	
Eco Timer	

Additional Features	
Residual heat indicators	Steel frame
Child lock	Electricity loading 7000W
Red LEDs	

Energy Rating: N/A

Appliance Dimensions (HxWxD) in mm:	Built-in Dimensions (HxW) in mm:
38 x 576 x 516	560 x 490

GAS COOKING WITH ABSOLUTE ASSURANCE.



TouchSure Hob

The advanced TouchSure hob from AEG comes with a range of reassuring safety features that provide absolute confidence in – and absolute command over – gas cooking. It's a traditional method harnessed with our responsive technology, instilling confidence to turn up the heat.



FlameLight

FlameLight LED indicators tell you if a burner is turned on or off. And residual heat indicators show whether pan supports are still hot after use.



Vertical Flame

The unique design of the Flush Vertical flame burners makes it possible to integrate them into the glass hob top, so you have a smooth hob surface that is stylish, as well as very easy to clean.



Hob²Hood

The AEG Hob²Hood adapts to your cooking to keep your kitchen free of steam and vapours without you even having to touch it.



HOB

GAS HOB



90cm TouchSure Gas on Glass Hob
HVB95450IB

KEY FEATURES

Touch Control

Hob2Hood

Minute Minder

Stop & Go

Cast Iron Pan Supports

Auto Ignition

FUNCTIONS

Wok Burner

1 Aux. Burner

3 Semi-rapid Burners

Additional Features

- Thermocouple
- Residual heat indicators
- Child lock

Energy Rating: N/A

Appliance Dimensions (HxWxD) in mm:	Built-in Dimensions (HxW) in mm:
52 x 880 x 510	850 x 490

90cm FlameLight Gas on Glass Hob
HKB95540NB

KEY FEATURES

Rotary Controls

Red LED Indicators

Hob2Hood

Minute Minder

Cast Iron Pan Supports

Auto Ignition

FUNCTIONS

Wok Burner

1 Aux. Burner

3 Semi-rapid Burners

Additional Features

- Thermocouple
- Residual heat indicators

Energy Rating: N/A

Appliance Dimensions (HxWxD) in mm:	Built-in Dimensions (HxW) in mm:
40 x 880 x 510	830 x 480

90cm Gas Hob with 5 Burners
HGB95520YM

KEY FEATURES

Rotary Controls

Cast Iron Pan Supports

Auto Ignition

FUNCTIONS

Wok Burner

2 Aux. Burners

2 Semi-rapid Burners

1 Rapid Burner

Additional Features

- Thermocouple

Energy Rating: N/A

Appliance Dimensions (HxWxD) in mm:	Built-in Dimensions (HxW) in mm:
60 x 858 x 821	830 x 480

75cm TouchSure Gas on Glass Hob
HVB75450IB

KEY FEATURES

Touch Control

Hob2Hood

Minute Minder

Stop & Go

Cast Iron Pan Supports

Auto Ignition

FUNCTIONS

Wok Burner

1 Aux. Burner

3 Semi-rapid Burners

Additional Features

- Thermocouple
- Residual heat indicators
- Child lock

Energy Rating: N/A

Appliance Dimensions (HxWxD) in mm:	Built-in Dimensions (HxW) in mm:
52 x 750 x 510	720 x 490

HOBS

GAS HOBS



75cm FlameLight Gas on Glass Hob
HKB75540NB

KEY FEATURES

Rotary Controls

Red LED Indicators

Hob'hood

Minute Minder

Cast Iron Pan Supports

Auto Ignition

FUNCTIONS

Wok Burner

1 Aux. Burner

3 Semi-rapid Burners

Additional Features

Thermocouple
Residual heat indicators

Energy Rating: N/A

Appliance Dimensions (HxWxD) in mm:	Built-in Dimensions (HxW) in mm:
40 x 740 x 510	560 x 480

75cm Ultraflat Hob
HGB75301UM

KEY FEATURES

Rotary Controls

Cast Iron Pan Supports

Auto Ignition

Efficient Burners

FUNCTIONS

Wok Burner

1 Aux. Burner

3 Semi-rapid Burners

Additional Features

Thermocouple

Energy Rating: N/A

Appliance Dimensions (HxWxD) in mm:	Built-in Dimensions (HxW) in mm:
45 x 745 x 515	560 x 480

75cm Gas Hob with Central Wok Burner
HG755450SY

KEY FEATURES

Rotary Controls

Cast Iron Pan Supports

Auto Ignition

Efficient Burners

FUNCTIONS

Wok Burner

1 Aux. Burner

2 Semi-rapid Burners

1 Rapid Burner

Additional Features

Thermocouple

Energy Rating: N/A

Appliance Dimensions (HxWxD) in mm:	Built-in Dimensions (HxW) in mm:
40 x 744 x 510	560 x 480

HOBs

GAS HOBs



60cm Flush Vertical Flame Gas on Glass Hob
HG694840NB

KEY FEATURES

Rotary Controls

Cast Iron Pan Supports

Gas on Glass

LED Indicators

Auto Ignition

VERTI-CAL

FUNCTIONS

1 Rapid Burner

1 Aux. Burner

2 Semi-rapid Burners

Flush Burner

Additional Features

Thermocouple

Energy Rating: N/A

Appliance Dimensions (HxWxD) in mm:
45 x 590 x 520

Built-in Dimensions (HxW) in mm:
560 x 490

60cm FlameLight Gas on Glass Hob
HKB64540NB

KEY FEATURES

Rotary Controls

Cast Iron Pan Supports

Auto Ignition

Hob²Hood

Minute Minder

FUNCTIONS

Wok Burner

1 Aux. Burner

2 Semi-rapid Burners

Additional Features

Thermocouple
Residual heat indicators

Energy Rating: N/A

Appliance Dimensions (HxWxD) in mm:
40 x 590 x 520

Built-in Dimensions (HxW) in mm:
560 x 480

60cm Ultraflat Hob
HGB64301UM

KEY FEATURES

Rotary Controls

Cast Iron Pan Supports

Auto Ignition

EFFICIENT
Efficient Burners

FUNCTIONS

Wok Burner

1 Aux. Burner

2 Semi-rapid Burners

Additional Features

Thermocouple

Energy Rating: N/A

Appliance Dimensions (HxWxD) in mm:
41 x 595 x 525

Built-in Dimensions (HxW) in mm:
560 x 480

60cm Gas Hob with Wok Burner
HG654550SY

KEY FEATURES

Rotary Controls

Cast Iron Pan Supports

Auto Ignition

EFFICIENT
Efficient Burners

FUNCTIONS

Wok Burner

1 Aux. Burner

2 Semi-rapid Burners

Additional Features

Thermocouple

Energy Rating: N/A

Appliance Dimensions (HxWxD) in mm:
40 x 595 x 510

Built-in Dimensions (HxW) in mm:
560 x 495

HOBS

MIXED FUEL HOBS



90cm Mixed Fuel Hob
HD955100NB

KEY FEATURES

DirekTouch Slider

Cast Iron Pan Supports

Auto Ignition

FUNCTIONS

Wok Burner

4 Induction Zones

Stop & Go

Additional Features

Thermocouple

Energy Rating: N/A

Appliance Dimensions (HxWxD) in mm:	Built-in Dimensions (HxW) in mm:
47 x 880 x 520	830 x 490

60cm Mixed Fuel Hob
HD634170NB

KEY FEATURES

Rotary and Touch Controls

Cast Iron Pan Supports

Auto Ignition

FUNCTIONS

1 Rapid Burner

2 Induction Zones

1 Semi-rapid Burner

Stop & Go

Additional Features

Thermocouple

Energy Rating: N/A

Appliance Dimensions (HxWxD) in mm:	Built-in Dimensions (HxW) in mm:
50 x 590 x 520	560 x 490

CRYSTALLINE HOBS



MaxiSense® 2 Zone Induction Hob
HC452401EB

KEY FEATURES

DirekTouch Slider

MaxiSense®

Bridge Function

FUNCTIONS

AutoMax

Count Up Timer

Minute Minder

Eco Timer

Zone Booster

Stop & Go

Auto Off

Additional Features

Residual heat indicators
Child lock

Red LEDs
Electricity loading 3700W

Energy Rating: N/A

Appliance Dimensions (HxWxD) in mm:	Built-in Dimensions (HxW) in mm:
55 x 360 x 520	340 x 490

Teppanyaki with DirekTouch
HC452601EB

KEY FEATURES

DirekTouch Slider

FUNCTIONS

Count Up Timer

Minute Minder

Eco Timer

Zone Booster

Auto Off

Additional Features

Residual heat indicators
Child lock

Red LEDs
Electricity loading 3200W

Energy Rating: N/A

Appliance Dimensions (HxWxD) in mm:	Built-in Dimensions (HxW) in mm:
125 x 360 x 520	340 x 490

HOBs

CRYSTALLINE HOBS



Induction Hob with Compatible Wok
HC451501EB

KEY FEATURES

DirekTouch Slider

MaxiSense®

Compatible Wok

FUNCTIONS

Count Up Timer

Minute Minder

Eco Timer

Zone Booster

Stop & Go

Auto Off

Additional Features	
Residual heat indicators	Red LEDs
Child lock	Electricity loading 3200W

Energy Rating: N/A

Appliance Dimensions (HxWxD) in mm:	Built-in Dimensions (HxW) in mm:
55 x 360 x 520	340 x 490



Double Gas Hob
HC412001GB

KEY FEATURES

Cast Iron Support

Auto Ignition

FUNCTIONS

1 Aux. Burner

1 Rapid Burner

Additional Features
Thermocouple

Energy Rating: N/A

Appliance Dimensions (HxWxD) in mm:	Built-in Dimensions (HxW) in mm:
60 x 360 x 520	340 x 490



Gas Wok Burner
HC411521GB

KEY FEATURES

Cast Iron Support

Auto Ignition

FUNCTIONS

Wok Burner

Additional Features
Thermocouple

Energy Rating: N/A

Appliance Dimensions (HxWxD) in mm:	Built-in Dimensions (HxW) in mm:
60 x 360 x 520	340 x 490



Ceramic Hob with DirekTouch
HC452021EB

KEY FEATURES

DirekTouch Slider

Extendable Zone

FUNCTIONS

Count Up Timer

Minute Minder

Eco Timer

Stop & Go

Auto Off

Additional Features	
Residual heat indicators	Red LEDs
Child lock	Electricity loading 3500W

Energy Rating: N/A

Appliance Dimensions (HxWxD) in mm:	Built-in Dimensions (HxW) in mm:
38 x 360 x 520	340 x 490

HOODS

Our cooking environments need to be fresh, bright and peaceful, enriching the time that we spend there. We use advanced technology to ensure that the design and build of our cooker hoods give you the optimum combination of high-end design and powerful functionality.




A FRESHER KITCHEN, HANDS FREE.



Hob²Hood

The AEG Hob²Hood adapts to your cooking to keep your kitchen free of steam and vapours without you even having to touch it.

As you cook, the hood activates automatically, monitoring the fluctuating heat and steam of every simmer and boil, effortlessly maintaining the freshness of your kitchen. Your attention stays, as it should, on preparing, finessing and enjoying your dish.



SilenceTech

Our advanced hood technology allows Cooker Hoods to extract at a low 54dB, allowing you to enjoy the full cooking experience without loud sounds from your appliance.



Breeze Function

The breeze function quietly refreshes the air in your kitchen to create a more enjoyable atmosphere to relax or entertain. This function will automatically switch off for your convenience.



LED Lighting

Provides the possibility to adjust the intensity of the light according to your needs, creating the perfect ambient illumination in your kitchen.



A GUIDE TO HOOD ICONS

KEY FEATURES



Hob²Hood

A wireless function that when paired with suitable hobs, it automatically activates and regulates the cooker hood according to your cooking activities. It provides a fresher kitchen environment so you can focus on achieving great taste.



Touch on Glass Controls

Smooth and precise control of all your hood's functions with a simple touch on glass – easy to use and easy to clean.



Push Button Controls

Precise control of the setting levels allowed through the squared push buttons.



Designer Filter Cover

High filter efficiency combined with perfect stainless steel designed filter covers – the perfect look and easy to clean in the dishwasher.



LED Lighting

LED lighting enables excellent visibility the entire cooking process provide ambient lighting in the kitchen.



Dimmable LED Lighting

Crisp bright illumination, or a gentle glow? Dimmer-controlled LED lighting means you can adjust the effect at the touch of a fingertip.



Black Glass

Beautiful design with unique black glass.



Stainless Steel

The anti fingerprint stainless steel finishing protects the surface of your cooker hood from fingerprints.



Stainless Steel with Glass

Perfect combination of stainless steel and glass to create a unique and professional style in your kitchen.

FUNCTIONS



Fan Speeds

Number of fan speeds, allowing you to adjust the power, noise and energy consumption.



SilenceTech

Reduces the noise level down to our lowest number of decibels so that you can cook powerfully and enjoy all your favourite food without annoying sounds from the appliance.



Breeze Function

Refreshes the air in your kitchen after cooking at a very low noise level so that you have a more enjoyable and quiet atmosphere to relax or entertain.



Remote Control Included

Easy and fast control of all the hood's functions thanks to the remote control.

HOODS

Aligned across our range, your choice of hood will integrate seamlessly with any of our hob models. Our top line models feature our signature flow line for design harmony, together with a sophisticated white LED display on layered glass and metal.



90cm Designer Island Hood
DLE0970M



65cm Designer Island Hood
DLE0630B

KEY FEATURES

Stainless Steel with Glass

LED Lighting

Push Button Controls

FUNCTIONS

- 3+ Intensive Fan Speeds
- Remote Control

Additional Features

Recirculation Model Only Noise: 42dB - 72dB
Motor speed: 660 m³/h

Energy Rating: N/A

Dimensions (HxWxD) in mm: (850-1250) x 900 x 440

KEY FEATURES

LED Lighting

Push Button Controls

FUNCTIONS

- 3+ Intensive Fan Speeds
- Remote Control

Additional Features

Recirculation Model Only Noise: 44dB - 70dB
Motor speed: 330 m³/h

Energy Rating: N/A

Dimensions (HxWxD) in mm: (850-1250) x 655 x 655

Also available: DLE0630W - White

HOODS



50cm Designer Island Hood
DLE0431W

KEY FEATURES





LED Lighting



Push Button Controls

FUNCTIONS

-  3+ Intensive Fan Speeds
-  Remote Control

Additional Features

Recirculation Model Only Noise: 44dB - 70dB
Motor speed: 330 m3/h


Energy Rating: N/A
Dimensions (HxWxD) in mm: (850-1250) x 500 x 500

Also available: DLE0431B - Black / DLE0431M - Stainless Steel




100cm Island Hood
DIE6180HM


KEY FEATURES




Stainless Steel



Touch on Glass Controls



Hob²Hood



Dimmable LED Lighting

FUNCTIONS

-  5 Fan Speeds
-  SilenceTech
-  Breeze Function

Additional Features


Charcoal filter included Noise: 71dB – 52dB
Motor speed: 710 m3/h

Energy Rating: A+
Dimensions (HxWxD) in mm: (1160–870) 60 x 998 x 696




90cm Downdraft Hood
DDE5980G


KEY FEATURES



Stainless Steel With Black Glass



Touch on Glass Controls



LED Strip Lighting

FUNCTIONS

-  5 Fan Speeds
-  SilenceTech
-  Breeze Function

Additional Features

Charcoal filter included Noise: 70dB – 40dB
Motor speed: 700 m3/h

Energy Rating: A
Dimensions (HxWxD) in mm: 407 x 880 x 95



120cm Ceiling Hood
DCK6290HG

KEY FEATURES



Stainless Steel With White Glass



Push Button Controls





Dimmable LED Strip Lighting



Hob²Hood

FUNCTIONS

-  4 Fan Speeds
-  Remote Control Included

Additional Features

Charcoal filter EFF62 (accessory) Noise: 70dB – 45dB
Motor speed: 870 m3/h

Energy Rating: A+
Dimensions (HxWxD) in mm: 311 x 1199 x 499

HOODS



90cm / 60cm Designer Screen Hood
DVK6980HB / DVK6680HB

KEY FEATURES

Stainless Steel with Black Glass

Touch on Glass Controls

Hob²Hood

Dimmable LED Lighting

FUNCTIONS

5 Fan Speeds

SilenceTech

Breeze Function

Additional Features

Charcoal filter included Noise: 68dB – 52dB

Motor speed: 720 m3/h

Energy Rating: A+

Dimensions (HxWxD) in mm:
DVK6980HB 90cm – (1445–1095) 465 x 898 x 396
DVK6680HB 60cm – (1445–1095) 465 x 598 x 396



80cm Designer Screen Hood
DVB4850B

KEY FEATURES

Black Glass

Push Button Controls

LED Spotlights

FUNCTIONS

3 Fan Speeds

Additional Features

Charcoal filter included Noise: 67dB

Motor speed: 647 m3/h

Energy Rating: B

Dimensions (HxWxD) in mm:
DVB4850B 80cm – 477 x 800 x 335



90cm / 70cm / 60cm T Shape Chimney Hood
DBE6980HM / DBE6780HM / DBE6680HM

KEY FEATURES

Stainless Steel

Touch on Glass Controls

Hob²Hood

Dimmable LED Strip Lighting

FUNCTIONS

5 Fan Speeds

SilenceTech

Breeze Function

Additional Features

Charcoal filter included Noise: 71dB – 52dB

Motor speed: 710 m3/h

Energy Rating: A+

Dimensions (HxWxD) in mm:
DBE6980HM 90cm – (890–740) 60 x 898 x 470
DBE6780HM 70cm – (890–740) 60 x 698 x 470
DBE6680HM 60cm – (890–740) 60 x 598 x 470



90cm / 60cm Chimney Hood
DKB4950M / DKB4650M

KEY FEATURES

Stainless Steel

Push Button Controls

LED Lighting

FUNCTIONS

3 Fan Speeds

Additional Features

Charcoal filter included Noise: 69dB – 46dB

Motor speed: 603 m3/h

Energy Rating: B

Dimensions (HxWxD) in mm:
DKB4950M 90cm – (1090–665) 40 x 898 x 500
DKB4650M 60cm – (1090–665) 40 x 598 x 500

HOODS



60cm Pull Out Hood
DPB3631S

KEY FEATURES



Silver




Push Button Controls



LED Lighting

FUNCTIONS



3 Fan Speeds

Additional Features

Charcoal filter included Noise: 68dB – 48dB

Motor speed: 370 m3/h


Energy Rating: C

Dimensions (HxWxD) in mm:
DPB3631S 60cm – (179) 40 x 598 x 284




70cm Canopy Hood
DGB3850M


KEY FEATURES



Stainless Steel




Push Button Controls



LED Lighting

FUNCTIONS



4 Fan Speeds

Additional Features

Charcoal filter included Noise: 63dB – 49dB

Motor speed: 600 m3/h


Energy Rating: C

Dimensions (HxWxD) in mm: 245 x 700 x 285




60cm Integrated Hood
DEB2631S


KEY FEATURES



Silver




Slider Control



LED Lighting

FUNCTIONS



2 Fan Speeds

Additional Features

Charcoal filter included Noise: 62dB – 47dB

Motor speed: 352 m3/h

Energy Rating: D

Dimensions (HxWxD) in mm: 400 x 598 x 270

DISHWASHERS

It's not just about the food – the style of cutlery and plates affect our perceptions of what we eat. A dark chocolate dish looks best when served on an angular plate, while a round plate is better for cheesecake. So you need a range of tableware that complements your food presentation and can be cared for in the most efficient way.

IN THIS SECTION

Fully Integrated Dishwashers
Slimline Built-In Dishwashers

129–132
133



COMFORTLIFT®



AIRDRY TECHNOLOGY

LIFTS GENTLE TO A NEW LEVEL.




ComfortLift®

The ComfortLift® dishwasher is the first of its kind to gently slide the lower basket up for easy, ergonomic loading and unloading. That means less bending down, to make your life more comfortable.




QuickSelect

An intuitive slider lets you control your dishwasher on your own terms. Simple, premium control that adapts the wash according to your lifestyle, allowing you to select when you want your dishes clean. The machine does the rest.



AirDry Technology

Uses natural airflow to finish the drying. By automatically opening the door by 10cm in the last part of the cycle, you will get maximum drying performance while effectively reducing your energy costs – leaving your dishes spotless.



Sliding Hinges

Allows you to install the dishwasher with any door length without the need to cut the kitchen plinth. This is also suitable for plinthless kitchens. The best solution on the market – patented by AEG.



SUPERIOR CLEANING AND FULL COVERAGE.

With our ProClean range of dishwashers we deliver superior cleaning and drying, ensuring that you can clean more at the same time and get a great cleaning result with superb drying.



Satellite Spray Arms

The multiple double rotation of the Satellite Spray Arm sprays from continuously varying angles, leaving your dishes and cookware gleaming.



Standard spray arm coverage


versus



Satellite spray arm coverage

5 Spray Levels

Multi level spray reaches every item anywhere, giving you our most efficient spray coverage.



Glass Care Programme

Special 45°C glass programme ensures perfect washing results while protecting your most precious glass, crystal and china.



XXL Interiors

The XXL interior of this dishwasher gives you an additional 10 litres of space – more capacity for those irregular shaped items.



Removable Cutlery Tray

Take your tray with you to the kitchen cutlery drawer for easy unloading. Best in class solutions for easy loading and unloading.

	Standard Models	ProClean	Benefits
Internal Space	Suitable for plate sizes up to 31cm diameter	Suitable for plate sizes up to 33cm diameter	Fit more in!
Spray Levels	2 – 3	5	More spray levels for better cleaning.
Satellite Spray Arm	Selected models	Included as standard	Sprays from continuously varying angles and covers a lot more area compared to a standard spray arm.
Ceiling Spray Arm	Selected models	Included as standard	More spray levels for better cleaning
GlassCare Package	Selected models (SoftSpikes only)	Full package included as standard	Protects delicate glasses with soft grips, soft spikes and a dedicated glass programme. No more hand washing old and fragile glass.



A GUIDE TO DISHWASHER ICONS

KEY FEATURES




ComfortLift®

The ComfortLift® basket rises on special hinges, ensuring less bending when loading and unloading dishes.



QuickSelect

Simple, premium control that adapts the wash according to your needs, allowing you to select when you want your dishes clean.




TimeBeam

Keeps you informed on the progress of the programme by projecting the remaining time on the floor.




XXL Interior

The XXL interior of this dishwasher gives you an additional 10 litres of space, more capacity for those irregular shaped items and plates up to 33cm in diameter.




Light Beam

This dishwasher is so quiet it projects a tiny red or green beam on to the floor to tell you when it's running and when it's finished.



Double Fulcrum Hinge

For ease of installation, the hinge on this model rises over the plinth level when the door is opened, so no need to cut the plinth.



SprayZone

Heavily soiled items, such as lasagne or crumble dishes, can be washed with a normal load by selecting the SprayZone option.



GlassCare Package

Delicate wine glasses are protected with our soft spikes, soft grips and dedicated GlassCare 45°C programme.



InteriorLight

Locate items at a glance thanks to the bright internal light.



TimeSaver Function

50% less time thanks to increased power speed and water pressure.




AirDry

Uses natural airflow to finish the drying. By automatically opening the door by 10cm in the last part of the cycle, you will get maximum drying performance leaving your dishes spotless.



Deluxe Interior

Selected models have a higher level of internal finish, including stainless steel drawer handles and knife supports in the cutlery drawer.




Removable Cutlery Drawer

Take your tray with you to the kitchen cutlery drawer for easy unloading. Best in class solutions for easy loading and unloading.




ProClean

Our ProClean models have a larger usable internal space, combined with five spray levels, satellite and ceiling spray arm plus GlassCare package.



24 Hour Time Delay

Run your dishwasher when it suits you, thanks to the up to 24 hour delay start function.



Sliding Hinge

With this dishwasher you can choose to install it normally above a plinth. Alternatively, the sliding hinge is perfect for plinthless kitchens or for installation above a small cupboard.



FlexiSpray

The combination of four spray levels and lower satellite spray arm ensures superior cleaning levels.

DISHWASHERS


The AEG range of dishwashers is designed to meet the frustrations and needs of dishwasher users. The models are designed to give a better quality wash and superb drying results, combined with a larger capacity and useful features such as our glasscare package which looks after your best wine glasses.

BUILT-IN DISHWASHERS




Fully Integrated ComfortLift® Dishwasher with ComfortRails and Internal Light
FSK93807P


KEY FEATURES




ComfortLift®




Removable Cutlery Drawer




TimeBeam




InteriorLight




ProClean




AirDry




XXL Interior



QuickSelect



GlassCare Package



Sliding Hinge

PROGRAMMES – 7

160mins	Machine Care
90mins	30min 60°
60mins	
Auto 45° – 70°	
Eco	

Additional Features

Auto load adjust: Sensor logic	Xtra power option
24 hour delay	XtraDry
Glass care option	Soft spikes and soft grips
Extra silent option	Anti-flood protection

Place Settings: 13	Water Usage: 11 ltr
Noise Level: 39dB	Appliance Dimensions (HxWxD) in mm:
Energy Rating: A+++	818 x 596 x 550

ComfortLift®

The AEG ComfortLift® dishwasher is equipped with a special lower rack lifting mechanism, ensuring less bending when unloading the dishes to make your life more comfortable.



DISHWASHERS

BUILT-IN DISHWASHERS



Fully Integrated ComfortLift® Dishwasher

FSK63807P

KEY FEATURES

ComfortLift®

Removable Cutlery Drawer

ProClean

AirDry

XXL Interior

QuickSelect

GlassCare Package

Sliding Hinge

Light Beam

24 Hour Time Delay



Fully Integrated ProClean 15 Place Setting Dishwasher with Superior Cleaning and Drying

FSK63737P

KEY FEATURES

Removable Cutlery Drawer

ProClean

AirDry

XXL Interior

QuickSelect

24 Hour Time Delay

GlassCare Package

Sliding Hinge

Light Beam



Fully integrated 14 Place Setting Dishwasher with Cutlery Drawer

FSK5290PZ

KEY FEATURES

Removable Cutlery Drawer

QuickSelect

AirDry

FlexiSpray

24 Hour Time Delay

Light Beam

Sliding Hinge

GlassCare Package



Fully Integrated Dishwasher with Lower Basket Glass Holder

FSK52617Z

KEY FEATURES

QuickSelect

AirDry

GlassCare Package

24 Hour Time Delay

Light Beam

Sliding Hinge

PROGRAMMES – 7

160mins	Machine Care
90mins	30min 60°
60mins	
Auto 45° – 70°	
Eco	

Additional Features

Auto load adjust: Sensor logic	Flexible basket
Xtra power option	XtraDry
Glass care option	Soft spikes and soft grips
Extra silent option	Anti-flood protection

Place Settings: 13	Water Usage: 11 ltr
Noise Level: 44dB	Appliance Dimensions (HxWxD) in mm:
Energy Rating: A+++	818 x 596 x 550

PROGRAMMES – 7

160mins	Machine Care
90mins	30min 60°
60mins	
Auto 45° – 70°	
Eco	

Additional Features

Auto load adjust: Sensor logic	Lower basket glass holder
Xtra power option	XtraDry
Glass care option	Soft spikes and soft grips
Extra silent option	Anti-flood protection

Place Settings: 15	Water Usage: 11 ltr
Noise Level: 44dB	Appliance Dimensions (HxWxD) in mm:
Energy Rating: A+++	818 x 596 x 550

PROGRAMMES – 7

160mins	Machine Care
90mins	30min 60°
60mins	
Auto 45° – 70°	
Eco	

Additional Features

Auto load adjust: Sensor logic	Flexible basket
Auto off	XtraDry
Glass care option	Anti-flood protection
Xtra power option	

Place Settings: 14	Water Usage: 10.5 ltr
Noise Level: 46dB	Appliance Dimensions (HxWxD) in mm:
Energy Rating: A++	818 x 596 x 550

PROGRAMMES – 7

160mins	Machine Care
90mins	30min 60°
60mins	
Auto 45° – 70°	
Eco	

Additional Features

Auto load adjust: Sensor logic	Flexible basket
Xtra power option	XtraDry
Glass care option	Anti-flood protection
Soft spikes	Lower basket glass holder

Place Settings: 13	Water Usage: 9.9 ltr
Noise Level: 44dB	Appliance Dimensions (HxWxD) in mm:
Energy Rating: A++	818 x 596 x 550

DISHWASHERS

BUILT-IN DISHWASHERS



Fully Integrated Dishwasher with AirDry Technology
FSB42607Z

KEY FEATURES

QuickSelect

AirDry

24 Hour Time Delay

Light Beam

Sliding Hinge

PROGRAMMES – 5

90mins
Auto 45° – 70°
Eco
Machine Care
30min 60°

Additional Features

- Auto load adjust: Sensor logic
- Anti-flood protection
- Xtra power option
- Flexible basket
- XtraDry

Place Settings: 13	Water Usage: 9.9 ltr
Noise Level: 46dB	Appliance Dimensions (HxWxD) in mm:
Energy Rating: A++	818 x 596 x 550

SLIMLINE BUILT-IN DISHWASHERS



Fully Integrated Slimline Dishwasher with Superior Cleaning and Drying
FSK73400P

KEY FEATURES

FlexiSpray

AirDry

TimeBeam

GlassCare Package

Sliding Hinge

TimeSaver Function

24 Hour Time Delay

PROGRAMMES – 7

Auto 45° – 70°	ProZone 50° – 65°
Glass 45°	Extra Silent 50°
Eco	
Intensive 70°	
30min 60°	

Additional Features

- Auto load adjust: Sensor logic
- Flexible basket
- Auto off
- XtraDry
- Glass care
- Anti-flood protection
- Soft spikes

Place Settings: 9	Water Usage: 9.9 ltr
Noise Level: 44dB	Appliance Dimensions (HxWxD) in mm:
Energy Rating: A+++	818 x 446 x 550

LAUNDRY

Imagine putting your precious sweater in the washer. Imagine trusting a dryer with a silk dress.

We’ve not only imagined it, we’ve done it. Washed the black dress time after time. Dried a soft wool sweater over and over. Every time they emerge without shrinking or fading, still vibrant and soft. Because AEG has redefined what a washer and dryer are. Protectors of fabric. Defenders of colour. Guardians of fibres.

Unprecedented care for the life of your clothes. Imagine that.

IN THIS SECTION

Washing Machines	142–144
Tumble Dryers	148–149
Washer Dryers	152–153



DESIGNED WITH CARE.

Our unique, innovative design is more than a pretty face. It also conveys superior quality and technical advancement. For our new range, we increased the size of the door and porthole for ease of use and a modern look, and reinvented the control panel.



Premium Design

Inspired by the electric turbines manufactured at the AEG Turbine Factory in Berlin. The positioning of the door handle at 2 o'clock makes it easy to open.



Easy to Use Control Panel

A simplified programme choice with only your 10 favourite and most often used programmes.
















Complementary Design

AEG Tumble dryers are designed to complement our washing machines and are available with stacking kits.

OUR WASHING MACHINE RANGE

Our washing machine range is structured into 3 series levels. As you go up the series levels, our washing machines step up in the level of fabric care, and include all the technologies from the series below.



	7000 SERIES	8000 SERIES	9000 SERIES
 SoftWater Technology			
 ÖKOMix Technology			
 ProSteam® Technology			
 ProSense® Technology			

NO FADING, WASH AFTER WASH.*



SoftWater Technology

Thanks to its SoftWater technology, the 9000 series AEG washing machine is kinder to your clothes, keeping fabrics feeling soft and in-shape whilst also preserving colours and preventing fading.


All mains water contains minerals that can be harsh on fabrics. These AEG washing machines are the first in the world with SoftWater Technology to remove these impurities.

Available on 9000 series washing machines.

*Even after 50 washes, colours will keep their intensity and black won't fade to grey. Test for colourfastness performed on black polyester after 50 washing cycles at 30°C.



The blue colour visualises the distribution of fabric softener on the garment.



Competitor
Fibres show more wear and tear due to unnecessary over-washing.

6000 Series with ProSense®
An optimised wash cycle results in less over-washing and less wear and tear.



ÖKOMix Technology

Unique pre-mixing of detergent, softener and water to reach every fibre.



ProSteam® Technology

Using the PlusSteam® option to end a washing cycle with steam, reduces creasing by up to 30%. You can also refresh clothes with a separate steam programme to remove unwanted odours from garments.



ProSense® Technology

Adjusts time, water and energy consumption to the size of the load, even if it is just a single shirt or your entire weekly wash. This is thanks to specific sensors that will intelligently control the cycle settings and take care that your clothes are only washed for the exact amount of time needed.



WASHING MACHINES


While conventional washing machines need high temperatures to activate detergents and clean properly, the SoftWater Technology in AEG 9000 Series washing machines purifies and softens water before it enters the drum.

9000 SERIES



9000 Series Washing Machine
L9FEC946R

TECHNOLOGY



Specifications

Drum: 9kg	Energy rating: A+++
Speed: 1400rpm	

Programmes

Cottons	Steam
Synthetics	ÖKOPower
ColourPro	Anti-Allergy
Delicates	Quick 20min 3kg
Wool/Silk	Outdoor

Additional Features

Soft Plus	Start/Pause
PlusSteam®	Stains/Prewash
Time save	Rinse
Delay start	Extra rinse
Temperature selection	Economy
Spin selection	Child lock

Colour: Stainless steel fascia panel


Appliance Dimensions (HxWxD) in mm: 850 x 600 x 660

8000 SERIES



8000 Series Washing Machine
L8FEC866R

TECHNOLOGY



Specifications

Drum: 8kg	Energy rating: A+++
Speed: 1600rpm	

Programmes

Cottons	ÖKOPower
Synthetics	Anti-Allergy
Delicates	Quick 20min 3kg
Wool/Silk	Outdoor
Steam	Duvet

Additional Features

Soft Plus	Start/Pause
PlusSteam®	Stains/Prewash
Time save	Rinse
Delay start	Extra rinse
Temperature selection	Economy
Spin selection	Child lock

Colour: Stainless steel fascia panel

Appliance Dimensions (HxWxD) in mm: 850 x 600 x 660

7000 SERIES



7000 Series Washing Machine
L7FEE845R

TECHNOLOGY



Specifications

Drum: 8kg	Energy rating: A+++
Speed: 1400rpm	

Programmes

Cottons	Anti-Allergy
Synthetics	Quick 20min 3kg
Delicates	Outdoor
Wool/Silk	Duvet
Steam	Sport

Additional Features

Soft Plus	Start/Pause
PlusSteam®	Stains/Prewash
Time save	Rinse
Delay start	Extra rinse
Temperature selection	Economy
Spin selection	Child lock

Colour: Silver fascia panel

Appliance Dimensions (HxWxD) in mm: 850 x 600 x 660

Softer water, kinder to clothes

Because our advanced SoftWater Technology purifies and softens water before it enters the drum, detergents can work much more effectively at low temperatures, delivering 60°C cleaning performance at only 30°C. So colours will keep their intensity wash after wash, and black won't fade to grey.



NEW DRESS AFTER 50 WASHES

WASHING MACHINES



Built-In Washing Machine
L7FC8432BI

TECHNOLOGY



Specifications

Drum: 8kg	Energy rating: A+++
Speed: 1400rpm	

Programmes

Cottons	Wool/Silk
Cotton Eco	Denim
Synthetics	Sport
Delicates	Quick 20min – 3kg
OKOPower	Duvet
Steam	Anti-Allergy
Spin/Drain	Rinse

Additional Features

Soft Plus	Stains/Prewash
PlusSteam®	Extra Rinse
Time save	Delay start
Temperature selection	Start/Pause
Spin selection	Child lock

Colour: Silver fascia panel

Appliance Dimensions (HxWxD) in mm: 820 x 596 x 555

Tips

Fully integrated machine to fit seamlessly into your kitchen.

AWARD WINNING QUALITY.



Woolmark

The Woolmark Apparel Care programme helps consumers identify quality laundry appliances that are approved by The Woolmark Company for use on woollen fabrics.

Woolmark Blue

It is the Woolmark Apparel Care certification of wool cycles that identifies a machine as safe in which to wash handwash only woollen fabrics.

Woolmark Green

The gentleness required is exactly the same as for Woolmark Blue, but the programme uses less energy and water, hence the symbolic green labelling.



Ariel and Lenor certified

Our washing machine range is certified by Ariel and Lenor for their efficient use of liquid detergent and fabric softener. Any machine with ÖKOMix technology has received the premium certification by Ariel and Lenor. The certification guarantees that 90% of fabrics in a washing load are evenly covered with liquid fabric softener. AEG, Ariel and Lenor have partnered to provide you with their combined unique care expertise for fabrics.



Quiet Mark

Quiet Mark is the international approval award programme that encourages companies worldwide to prioritise noise reduction within the design of everyday machines and appliances, and find solutions to noise problems.

“AEG gives consumers the confidence to put woollen garments into a machine, which has been lacking for the last 30–40 years.”




PETER ACKROYD
The Woolmark Company



OUR TUMBLE DRYER RANGE

Our tumble dryer range is structured into 2 series levels. As you go up the series levels, our tumble dryers step up the level of fabric care, and include all the technologies from the series below.



	7000 SERIES	8000 SERIES
 AbsoluteCare® System		✓
 SensiDry® Technology	✓	✓
 ProSense® Technology	✓	✓

TUMBLE DRYERS

Never dared to tumble dry wool, silk or outdoor garments before? Now you can tumble dry everything you wash with the AbsoluteCare® System. The tailored programming precisely controls the movement and temperature of the drying drum, so silks keep their shape and wrinkles are reduced.

8000 SERIES



8000 Series Tumble Dryer
T8DEC846R

7000 SERIES



7000 Series Tumble Dryer
T7DEE835R

TECHNOLOGY


AbsoluteCare®


SensiDry®


ProSense®

Specifications

Drum: 8kg	Energy rating: A++
-----------	--------------------

Programmes

Cottons	Synthetics
Bedlinen	Outdoor
Easy Iron	Wool
Mixed	Duvet
Silk	Sports

Additional Features

Refresh	Delay start
Anti-crease	Time drying
Dryness level	Start/Pause
Quiet mode	Child lock

Colour: Stainless steel fascia panel

Appliance Dimensions (HxWxD) in mm: 850 x 600 x 665

TECHNOLOGY


SensiDry®


ProSense®

Specifications

Drum: 8kg	Energy rating: A+
-----------	-------------------

Programmes

Cottons	Synthetics
Bedlinen	Wool
Easy Iron	Duvet
Mixed	Active Wear
Silk	Sports

Additional Features

Anti-crease	Start/Pause
Dryness level	Child lock
Delay start	
Time drying	

Colour: Silver fascia panel

Appliance Dimensions (HxWxD) in mm: 850 x 600 x 665



AbsoluteCare®

DualSense® Technology tailors the temperature and motion of the drum to different fabrics. Everything from textured jackets to soft jumpers can be carefully washed, dried and cared for in one go.



SensiDry®

SensiDry® Technology reduces the drying temperature by almost half (compared to a condenser washer dryer) – reducing damage and wear, and maintaining the texture of your fabrics.



ProSense®

Automatically adjusts the time, water and energy consumption to suit any load size.

Refresh programme

Add the refresh option to your cottons and synthetics dry cycle to reduce creases and folds.

OUR WASHER DRYER RANGE

We've taken the best technologies of our washing machines and tumble dryers and incorporated them into one solution so you can wash and dry in one go.



WASHER DRYERS

With the same performance and technologies as two separate machines, you can wash and dry in one go.

We offer complete care for your woollens throughout the wash and dry cycle.

7000 SERIES



7000 Series Washer Dryer
L7WEE965R

TECHNOLOGY



Specifications

Drum: 9/6kg	Energy rating: A
Speed: 1600rpm	

Programmes

Cottons	Outdoor
Cotton Eco	Anti-Allergy
Synthetics	Non Stop 60min
Delicates	Steam
Wool/Handwash	Rinse

Additional Features

Quick wash	Start/Pause
Temperature selection	Child lock
Stains/Prewash	Spin selection
Delay start	
Wash/Dry	
Time drying	

Colour: Silver fascia panel

Appliance Dimensions (HxWxD) in mm: 850 x 600 x 660



7000 Series Washer Dryer
L7WBG741R

TECHNOLOGY



Specifications

Drum: 7/4kg	Energy rating: A
Speed: 1400rpm	

Programmes

Cottons	Outdoor
Cotton Eco	Spin/Drain
Synthetics	Non Stop 60min
Delicates	Steam
Wool/Handwash	Rinse

Additional Features

Temperature selection	Start/Pause
Stains/Prewash	Spin selection
Delay start	Auto drying
Quick wash	Child lock
Wash/Dry	
Time drying	

Colour: White fascia panel

Appliance Dimensions (HxWxD) in mm: 850 x 600 x 576



Built-In Washer Dryer
L7WC8632BI

TECHNOLOGY



Specifications

Drum: 7/4kg	Energy rating: A
Speed: 1600rpm	

Programmes

Cottons	Non Stop 60min
Cotton Eco	Denim
Synthetics	Outdoor
Delicates	Sportswear
Wool	Anti-Allergy
Steam	Machine Clean
Spin/Drain	Rinse

Additional Features

Anti crease	Prewash/extra rinse
Temperature selection	Auto drying
Spin selection	Time drying
Time save	Start/Pause
Delay start	Child lock
Wash/Dry	

Colour: Silver fascia panel

Appliance Dimensions (HxWxD) in mm: 820 x 596 x 555

DualSense®

DualSense® Technology tailors the temperature and motion of the drum to different fabrics. Everything from textured jackets to soft jumpers can be carefully washed, dried and cared for in one go.

MASTERY ACCESSORIES RANGE

Welcome to the AEG Mastery Accessories range. Each product has been especially designed to harness the power of AEG technology, bringing out the best in any ingredient so you can create great tasting dishes.

IN THIS SECTION

HOB ACCESSORIES

Plancha Grill	156
Teppanyaki Grill Plate	157
Salt Block	158
Roasting Pot	159
Stock Pot 9L	160
Pasta Strainer	161
Casserole 3L	162
Saucepan 1.7L	163
Conical Sauté 2L	164
Low Casserole 4.5L	165
Fusion Wok	166
Frying Pan	167
Non-stick Frying Pan Set	168
Cookware Set	169

OVEN ACCESSORIES

Bakery Tray	170
Steam Set	171
Large Steam Tray Set	172
SousVide Bags	173
Pizza Set	174
Cake Baking Tray	175
Roasting and Baking Tray	176

JOSEPH JOSEPH
MICROWAVE ACCESSORIES

Rice and Grain Cooker 2L	177
Omelette Maker	178
Cooking Set 2L	179

REFRIGERATOR ACCESSORIES

SpinView Shelf	180
Extendable Shelf	181



PLANCHA GRILL | A9HL33

INDOOR BARBECUE

Instantly turn your hob into a barbecue and get perfect outdoor grill taste all year round with the Plancha Grill.



Heat is distributed quickly and evenly across the plate, ensuring all ingredients are grilled to perfection no matter where you place them.

The non-stick coating reduces the need for oil, giving you healthier dishes without compromising on taste or texture.

Works perfectly with your induction hob and can be used on all other hob types too.

Dimensions 22cm x 43.2cm x 1.8cm

TEPPANYAKI GRILL PLATE | A9KL1

AUTHENTIC ASIAN COOKING

Create authentic Asian recipes with the Teppanyaki Grill Plate.



The five-layered design has been carefully crafted from materials that distribute heat quickly and evenly across the full surface, making it ideal for Asian cooking. Whether you're creating sweet chilli chicken with sizzling vegetables, soy-glazed beef or garlic king prawns, you can release the flavours from the Far East whenever you want.

Works perfectly with your induction hob and can be used on all other hob types too.

Dimensions 25.5cm x 47cm x 2.5cm

SALT BLOCK | A2SLT

HIMALAYAN SALT BLOCK

The Salt Block provides a platform for seasoning and serving food naturally and healthily.



Sourced from pink rock salt in the Himalayas, the block can be heated in the oven, on the hob, or chilled in the fridge or freezer.

Dimensions 8cm x 33cm x 22cm



ROASTING POT | A9KLLC0

ONE POT PERFECTION

Perfectly preserved flavour in one pot.



The multi-layer material will heat the roasting pot quickly and evenly, bringing out the best of any ingredient.

The size and shape of the Roasting Pot is designed to perfectly fit both your hob and oven. Cook everything from casseroles to roasts, vegetables and poultry. Sear and simmer on the hob, then finish off your dish in the oven in one convenient process.

Fits perfectly with your induction hob and can be used on all other hob types too.

Dishwasher and oven safe up to 250°C.

Dimensions 28cm x 39cm x 8cm

STOCK POT 9L | A9ALSP01

9 LITRE STOCK POT

Boil large pieces of meat or seafood in this generously sized stock pan.



Our 9 litre Stock Pot holds enough liquid to give perfect non-stick results when cooking pasta of any kind.

The unique multi-layer material is specially developed for optimal induction-hob performance, but works well on other hob types too.

The volume markings inside the pan guarantee exact and precise measurement. Dishwasher safe.

Diameter 24cm

PASTA STRAINER | A9ALPS01

HASSLE-FREE PASTA

The Pasta Strainer makes cooking pasta completely hassle-free, allowing you to drain and transfer large amounts of pasta easily.



The large handles are designed to protect your hands when lifting the strainer in and out of hot water. Designed to be used with the AEG 9 litre Stock Pot. Dishwasher safe.

CASSEROLE 3L | A9ALSA11

FLEXIBLE AND DIVERSE

A single pan ideal for a wide range of diverse dishes.



This flexible 3 litre pan allows you to simmer soups, create hearty casseroles or simply boil vegetables.

The volume markings inside the pan guarantee exact and precise measurement.

Suitable for all hob types. Dishwasher and oven safe up to 250 °C.

Diameter 22cm

SAUCEPAN 1.7L | A9ALSA21

SMALL BUT VERSATILE

Designed to optimise space and maximise functionality, this smaller saucepan is extremely versatile.



Ideal for boiling or blanching vegetables.

Volume markings on the inside enable precise measurement and make this the perfect tool for simmering creamy sauces or gravies.

Suitable for all hob types. Dishwasher and oven safe up to 250 °C.

Diameter 16cm

CONICAL SAUTÉ 2L | A9ALCS01

FLASH IN THE PAN

Optimal for sautéing and flash-frying small portions of meat and vegetables to achieve crisp yet tender results.



The wider cooking surface gives better sautéing results and makes it easier to stir and whisk food for perfect mixing.

Suitable for all hob types. Dishwasher and oven safe up to 250°C.

Diameter 22cm

LOW CASSEROLE 4.5L | A9ALLC01

MULTI-PURPOSE CASSEROLE PAN

The Low Casserole is a multi-purpose pan optimised for braising, poaching and simmering.



You can confidently create creamy risotto, casseroles and any other dishes that require extra space when cooking.

Includes a double handle for an easy, comfortable lift.

Suitable for all hob types. Dishwasher and oven safe up to 250°C.

Diameter 30cm

FUSION WOK | FUSION-WOK

STIR-FRY IN A FLASH

Get fresh flavours fast
with the Fusion Wok.



Simmer and stir-fry with all the advantages of wok cooking but with the speed, energy-efficiency and temperature control of modern induction technology.

The support ring enables the same ergonomic movements as with a rounded wok and is ideal for serving too.

Suitable for induction hobs only. Includes support ring.

Diameter 34cm

FRYING PAN | A9ALFP01

RAPID, UNIFORM HEATING

The short sides and base are designed to deliver rapid, uniform heating and gentle, consistent cooking.



Capsule bottom for faster, better heat distribution.

Suitable for all hob types. Dishwasher and oven safe up to 250°C.

Diameter 28cm

NON-STICK FRYING PAN SET | A9ALFPS1

EVERYDAY FUNCTIONALITY

Combine functionality and performance in everyday cooking.



This set of aluminium-coated, champagne coloured frying pans are ideal for everyday frying, searing and browning with little or no oil.

Each pan has a non-stick coating and delivers fast and even cooking whilst keeping food tender and moist.

DUPONT certified non-stick coating.
Suitable for all hob types. Oven safe up to 250°C.

Diameter 26cm and 30cm

COOKWARE SET | A3SS

COOKING MASTERED

Three-piece stainless steel cookware set to master everyday cooking.



Can be used on any heat source.

The non-stick coating on the frying pan makes it easy to cook and easy to clean.

Includes: 24 cm non-stick frying pan, 16 cm pot + lid, 20 cm pot + lid.

BAKERY TRAY | A9OZBT0M

BAKING MASTERED

Enjoy freshly baked goods
with a perfect golden crust.



Perforations in the tray helps the heat and steam
to circulate around the dough to create a crispy
texture while keeping the interior soft and tender.

The non-stick aluminium tray makes
it easy to clean. Designed to be
used with AEG steam ovens.

Dimensions 46.6cm × 38.5cm

STEAM SET | A9OZS10M

PROFESSIONAL PERFORMANCE

Take your steam cooking performance
to the next level with the same
tools used by professional chefs.



Small perforations in the containers allow
steam to circulate around the food, locking
in flavour and giving even cooking results.

This high quality set comes in a full range of
sizes to match all types of ingredients, from
fish and meat, to rice and vegetables.

Includes 8 pieces. Stainless steel. Designed to be
used with AEG steam ovens. Dishwasher safe.

LARGE STEAM TRAY SET | A90BGC23M

ENHANCED FLAVOUR

Designed for larger quantities
of food to enhance the flavour
of the ingredients.



Small perforations in the containers allow
steam to circulate around the food, locking
in flavour and giving even cooking results.

Suitable for fish, meat, rice and vegetables.

Includes 2 stainless steel trays. Designed to be
used with AEG steam ovens. Dishwasher safe.

Dimensions 32.5cm x 34.4cm

SOUSVIDE BAGS | A30S1M

RESTAURANT QUALITY RESULTS

Now you can use the SousVide
technique to get restaurant
quality results at home.



SousVide maximises all the flavours to
their fullest. Just vacuum seal your chosen
ingredients and the chemistry between
natural flavours and nutrients will expand
to create great tasting, succulent dishes.

Suitable for professional and home use. Can be
used up to 120°C for cooking or down to -40°C
for preservation. To be used together with AEG
steam ovens with the SousVide programme.

Contains 25 bags 30cm x 20cm and
25 bags 35cm x 25cm

PIZZA SET | A9OZPS1

PERFECTLY AUTHENTIC

Create the perfect pizza with this authentic baking technique.



The refractory brick heats up quickly and retains the temperature, giving you the same crispy touch only a professional pizza oven can provide.

Perfect baking results also for focaccia, pastries and other breads.

Can be used for all oven types. Includes 1 stone, 1 wooden sliding board & slicer.

**Dimensions: stone 33cm x 38cm
wooden slide 29cm**

CAKE BAKING TRAY | A4OZCT0M

HASSLE-FREE BAKING

Ideal for baking cookies and pastries without the need for baking paper.



With an extra baking tray you can be prepared for all cooking occasions with family and friends.

Easy to clean.

Dimensions 46.5cm x 38.5cm x 2.5cm

ROASTING AND BAKING TRAY | A4OZDT0M

PERFECTLY ROASTED

The deep design of this tray makes it a versatile tool.



Perfect for roasting, gratin, poaching or baking.

Works as an excellent drip tray when used with a grill. Easy to clean.

Dimensions 46.5cm x 38.5cm x 4cm

JOSEPH JOSEPH RICE AND GRAIN COOKER 2L | A9MBSTE2

JOSEPH JOSEPH RICE COOKER

With the microwave Rice and Grain cooker by AEG & Joseph Joseph you can easily achieve perfectly cooked results in minutes.



Prepare, cook and serve in one with this ergonomically designed set.

The multi-purpose rice paddle simultaneously locks the lid closed for cooking and also provides two convenient carrying handles.

Set contains a large 2 litre cooking pot with lid, colander, measuring cup and multi-purpose rice paddle.

Can be used for all types of grains including rice, oats, couscous and quinoa. Easy to clean and dishwasher safe.

Dimensions 22cm x 18cm x 13.5cm

JOSEPH JOSEPH OMELETTE MAKER | A9MBOML

JOSEPH JOSEPH OMELETTE MAKER

Make a perfect and tasty omelette in no time with this clever all-in-one microwave Omelette Maker by AEG & Joseph Joseph.



Simply crack the eggs in the bowl, add your preferred ingredients and seasoning, whisk everything together and put in the microwave.

Easy to clean and dishwasher safe.

Dimensions 19.3cm x 21cm x 14cm

JOSEPH JOSEPH COOKING SET 2L | A9MBSET

JOSEPH JOSEPH COOKING SET

Serve perfectly cooked meals directly from the microwave with this versatile stackable Cooking Set by AEG & Joseph Joseph.



Cook pasta or potatoes in the 2 litre cooking pot; steam vegetables or fish in the steamer basket and cook crispy bacon on the griddle.

Four stackable and inter-changeable pieces including 1 x cooking pot, 1 x steamer basket, 1 x griddle and 1 x reversible lid. Easy to clean and dishwasher safe.

Dimensions 24.5cm x 19.5cm x 15.5cm

SPINVIEW SHELF | A6RHSW31

REVOLUTIONARY STORAGE

The SpinView shelf puts everything from your refrigerator within immediate reach.



No searching. No rearranging. With a revolutionary design and flexible storage, the unique 360° shelf rotates in any direction making it easier to reach your ingredients, even from the top shelf.

Fits all AEG integrated fridge freezers and fridges.

Dimensions 5.2cm x 42.3cm x 29.5cm

EXTENDABLE SHELF | A6RHES31

DESIGN AND CUSTOMISE

The Extendable Shelf Tray makes it even easier to access your refrigerated ingredients.



The extendable shelf with removable tray can be transported for use outside the fridge, making it easier to load and unload ingredients from your refrigerator. Fits all AEG integrated fridge freezers and fridges.

Dimensions 8.5cm x 45.5cm x 30.5cm

SPECIFICATION TABLES



SENSECOOK



COMFORTLIFT®











MAXISENSE®







HOB²HOOD





REFRIGERATION

				
	SCE8186VTC	SCE8182VNC	SCE8182VTS	SCE8191VTS
Overview				
TwinTech®	•	•	•	•
NoFrost	•	•	•	•
LowFrost				
CustomFlex®	•	•	•	
LongFresh	•			
Soft Close Doors	•	•	•	
Multi Airflow Cooling				
DynamicAir Technology	•			•
LCD Touch Display/Electronic Controls/ Mechanical Temperature Control	Electronic Touch	Electronic Touch	Electronic Touch	Simple Touch
LED Lighting	•	•	•	•
Coolmatic	•	•	•	•
Frostmatic	•	•	•	•
Holiday Mode	•	•	•	•
High Temperature Alarm	•	•	•	•
Door Open Alarm		•	•	
Door Opening	Right & Reversible	Right & Reversible	Right & Reversible	Right & Reversible
Gross Capacity (ltr/cu.ft)	265	265	273	296
Net Capacity (ltr/cu.ft)	247	247	253	283
Fridge Features				
Gross Capacity Fridge (ltr/cu.ft)	189	189	197	223
Net Capacity Fridge (ltr/cu.ft)	186	186	192	219
Defrost – Fridge	Auto	Auto	Auto	Auto
Glass Shelves	3	3	3	3
Flexi Shelf (Half Depth)	•	•	•	•
Fresh Box				•
Bottle Rack				
Large Telescopic Pull Out Salad Drawer				
Large Salad Drawer				
2 Extra Deep 1/2 Width Salad Drawers	2 Half Width	2 Half Width	2 Half Width	
Full Width Recessed Salad Drawer with 2 Glass Lids				
Dairy Compartment with Lid	•	•	•	•
No. Full Width Door Shelves				
1/2 Width Sliding Door Shelf				•
Egg Tray	2 for 6 eggs	2 for 6 eggs	2 for 6 eggs	2 for 6 eggs
Freezer Features				
Gross Capacity Freezer (ltr/cu.ft)	76	76	76	73
Net Capacity Freezer (ltr/cu.ft)	61	61	61	64
Defrost – Freezer	Auto	Auto	Auto	Auto
No. Full Width Drawers	3 Full Width	3 Full Width	3 Full Width	3 Full Width
Telescopic Freezer Drawers				
Product Dimensions				
Height (mm)	1769	1769	1772	1842
Width (mm)	556	556	540	540
Depth (mm)	549	549	549	552
Built-in Dimensions				
Built-in Height (mm)	1769	1769	1772	1842
Built-in Width (mm)	556	556	540	540
Built-In Depth (mm)	549	549	549	552
Door Fixing	BI DoD	BI DoD	BI Slide Door	BI Slide Door
Performance				
Annual Energy Consumption	120	226	228	307
Energy Efficiency Class	A+++	A++	A++	A+
Climate Class	SN-N-ST-T	SN-N-ST-T	SN-N-ST-T	SN-N-ST-T
Noise	39	39	39	39
Freezing Capacity	10	10	10	8
Power Cut Safe Rising Time	23	23	21	21
Minimum Ambient Temperature	10	10	10	10





				
	SCE81928TS	SCE8182XNC	SCE8182XTS	SCE8181VNS
Overview				
TwinTech®	•	•	•	•
NoFrost	•	•	•	•
LowFrost				
CustomFlex®				
LongFresh				
Soft Close Doors			•	
Multi Airflow Cooling				
DynamicAir Technology	•			
LCD Touch Display/Electronic Controls/ Mechanical Temperature Control	Simple Touch	Electronic Touch	Electronic Touch	Electronic Touch
LED Lighting	•	•	•	•
Coolmatic	•	•	•	•
Frostmatic	•	•	•	•
Holiday Mode	•	•	•	•
High Temperature Alarm	•	•	•	•
Door Open Alarm		•	•	•
Door Opening	Right & Reversible	Right & Reversible	Right & Reversible	Right & Reversible
Gross Capacity (ltr/cu.ft)	287	265	264	264
Net Capacity (ltr/cu.ft)	267	247	239	239
Fridge Features				
Gross Capacity Fridge (ltr/cu.ft)	211	189	157	157
Net Capacity Fridge (ltr/cu.ft)	207	186	152	152
Defrost – Fridge	Auto	Auto	Auto	Auto
Glass Shelves	3	3	2	2
Flexi Shelf (Half Depth)	•	•	•	•
Fresh Box	•			
Bottle Rack				
Large Telescopic Pull Out Salad Drawer				
Large Salad Drawer				
2 Extra Deep 1/2 Width Salad Drawers		2 Half Width	2 Half Width	2 Half Width
Full Width Recessed Salad Drawer with 2 Glass Lids				
Dairy Compartment with Lid	•	•	•	•
No. Full Width Door Shelves				
1/2 Width Sliding Door Shelf	•	•	•	•
Egg Tray	1 for 10 eggs	2 for 6 eggs	2 for 6 eggs	2 for 6 eggs
Freezer Features				
Gross Capacity Freezer (ltr/cu.ft)	76	76	107	107
Net Capacity Freezer (ltr/cu.ft)	60	61	87	87
Defrost – Freezer	Auto	Auto	Auto	Auto
No. Full Width Drawers	3 Full Width	3 Full Width	4 Full Width	4 Full Width
Telescopic Freezer Drawers				
Product Dimensions				
Height (mm)	1884	1769	1772	1772
Width (mm)	540	556	540	540
Depth (mm)	549	549	549	549
Built-in Dimensions				
Built-in Height (mm)	1898	1769	1772	1772
Built-in Width (mm)	556	556	540	540
Built-In Depth (mm)	549	549	549	549
Door Fixing	BI Slide Door	BI DoD	BI Slide Door	BI Slide Door
Performance				
Annual Energy Consumption	233	226	238	303
Energy Efficiency Class	A++	A++	A++	A+
Climate Class	SN-N-ST-T	SN-N-ST-T	SN-N-ST-T	SN-N-ST-T
Noise	39	39	39	39
Freezing Capacity	10	10	10	10
Power Cut Safe Rising Time	21	23	25	24
Minimum Ambient Temperature	10	10	10	10





REFRIGERATION

				
	SCE8181VTS	SCB6181XLS	SCB6181VLS	SCB5142VLS
Overview				
TwinTech®	•			
NoFrost	•			
LowFrost		•	•	•
CustomFlex®				
LongFresh				
Soft Close Doors				
Multi Airflow Cooling				
DynamicAir Technology	•			
LCD Touch Display/Electronic Controls/ Mechanical Temperature Control	Electronic Touch	Simple Touch	Simple Touch	Mechanical Control
LED Lighting	•	•	•	•
Coolmatic	•			
Frostmatic	•	•	•	
Holiday Mode	•			
High Temperature Alarm	•			
Door Open Alarm	•			
Door Opening	Right & Reversible	Right & Reversible	Right & Reversible	Right & Reversible
Gross Capacity (ltr/cu.ft)	273	272	269	220
Net Capacity (ltr/cu.ft)	253	268	266	217
Fridge Features				
Gross Capacity Fridge (ltr/cu.ft)	197	199	163	163
Net Capacity Fridge (ltr/cu.ft)	192	196	160	160
Defrost – Fridge	Auto	Auto	Auto	Auto
Glass Shelves	3	4	3	3
Flexi Shelf (Half Depth)	•			
Fresh Box				
Bottle Rack				
Large Telescopic Pull Out Salad Drawer				
Large Salad Drawer				
2 Extra Deep 1/2 Width Salad Drawers	2 Half Width	2 Half Width	2 Half Width	2 Half Width
Full Width Recessed Salad Drawer with 2 Glass Lids				
Dairy Compartment with Lid	•	•	•	•
No. Full Width Door Shelves				
1/2 Width Sliding Door Shelf	•		•	•
Egg Tray	2 for 6 eggs	2 for 6 eggs	2 for 6 eggs	2 for 6 eggs
Freezer Features				
Gross Capacity Freezer (ltr/cu.ft)	76	73	106	57
Net Capacity Freezer (ltr/cu.ft)	61	72	106	57
Defrost – Freezer	Auto	Manual	Manual	Manual
No. Full Width Drawers	3 Full Width	3 Full Width	4 Full Width	2 Full Width
Telescopic Freezer Drawers				
Product Dimensions				
Height (mm)	1772	1772	1772	1441
Width (mm)	540	540	540	540
Depth (mm)	549	549	549	549
Built-in Dimensions				
Built-in Height (mm)	1772	1772	1772	1441
Built-in Width (mm)	540	540	540	540
Built-In Depth (mm)	549	549	549	549
Door Fixing	BI Slide Door	BI Slide Door	BI Slide Door	BI Slide Door
Performance				
Annual Energy Consumption	291	291	293	204
Energy Efficiency Class	A+	A+	A+	A++
Climate Class	SN-N-ST-T	SN-N-ST-T	SN-N-ST	SN-N-ST-T
Noise	40	36	36	35
Freezing Capacity	10	4	4	4
Power Cut Safe Rising Time	21	22	22	20
Minimum Ambient Temperature	10	10	10	10

				
	ABE6821VNF	ABE6822VAF	ABB6821VAF	SFB5821VAF
Overview				
TwinTech®		•		
NoFrost	•			
LowFrost				
CustomFlex®				
LongFresh				
Soft Close Doors				
Multi Airflow Cooling				
DynamicAir Technology				
LCD Touch Display/Electronic Controls/ Mechanical Temperature Control	Electronic	Electronic	Electronic	Mechanical
LED Lighting				•
Coolmatic				
Frostmatic	•	•	•	
Holiday Mode				
High Temperature Alarm	•	•	•	
Door Open Alarm	•	•	•	
Door Opening	Right & Reversible	Right & Reversible	Right & Reversible	Right & Reversible
Gross Capacity (ltr/cu.ft)	86	105	105	111
Net Capacity (ltr/cu.ft)	85	95	95	109
Fridge Features				
Gross Capacity Fridge (ltr/cu.ft)				111
Net Capacity Fridge (ltr/cu.ft)				109
Defrost – Fridge				Auto
Glass Shelves				2
Flexi Shelf (Half Depth)	•			
Fresh Box				
Bottle Rack				
Large Telescopic Pull Out Salad Drawer				
Large Salad Drawer				1 Full Width
2 Extra Deep 1/2 Width Salad Drawers				
Full Width Recessed Salad Drawer with 2 Glass Lids				
Dairy Compartment with Lid				•
No. Full Width Door Shelves				
1/2 Width Sliding Door Shelf				•
Egg Tray				1 for 6 eggs
Freezer Features				
Gross Capacity Freezer (ltr/cu.ft)	86	105	105	
Net Capacity Freezer (ltr/cu.ft)	85	95	95	
Defrost – Freezer	Auto	Manual	Manual	
No. Full Width Drawers	3 Full Width	3 Full Width	3 Full Width	
Telescopic Freezer Drawers	•			
Product Dimensions				
Height (mm)	815	815	815	815
Width (mm)	596	596	596	596
Depth (mm)	550	550	550	550
Built-in Dimensions				
Built-in Height (mm)	815	815	815	815
Built-in Width (mm)	596	596	596	596
Built-In Depth (mm)	550	550	550	550
Door Fixing	BI UC DoD	BI UC DoD	BI UC DoD	BI UC DoD
Performance				
Annual Energy Consumption	191	147	187	172
Energy Efficiency Class	A+	A++	A+	A+
Climate Class	SN-N-ST-T	SN-N-ST-T	SN-N-ST-T	SN-N-ST
Noise	42	40	38	38
Freezing Capacity	12	18	18	2.5
Power Cut Safe Rising Time	13	29	21	11
Minimum Ambient Temperature	10	10	10	10

REFRIGERATION

				
	SFE5822VAF	SKB5821VAF	SKE5822VAF	ABK8182VNC
Overview				
TwinTech®				•
NoFrost				•
LowFrost				
CustomFlex®				
LongFresh				
Soft Close Doors				•
Multi Airflow Cooling				
DynamicAir Technology				
LCD Touch Display/Electronic Controls/ Mechanical Temperature Control	Mechanical	Mechanical	Mechanical	Electronic Touch
LED Lighting	•	•	•	
Coolmatic				
Frostmatic				•
Holiday Mode				
High Temperature Alarm				•
Door Open Alarm				•
Door Opening	Right & Reversible	Right & Reversible	Right & Reversible	Right & Reversible
Gross Capacity (ltr/cu.ft)	111	136	136	216
Net Capacity (ltr/cu.ft)	109	133	133	204
Fridge Features				
Gross Capacity Fridge (ltr/cu.ft)	111	136	136	
Net Capacity Fridge (ltr/cu.ft)	109	133	133	
Defrost – Fridge	Auto	Auto	Auto	
Glass Shelves	2	3	3	
Flexi Shelf (Half Depth)				
Fresh Box				
Bottle Rack				
Large Telescopic Pull Out Salad Drawer				
Large Salad Drawer	1 Full Width	1 Full Width	1 Full Width	
2 Extra Deep 1/2 Width Salad Drawers				
Full Width Recessed Salad Drawer with 2 Glass Lids				
Dairy Compartment with Lid	•	•	•	
No. Full Width Door Shelves				
1/2 Width Sliding Door Shelf	•	•	•	
Egg Tray	1 for 6 eggs	1 for 6 eggs	1 for 6 eggs	
Freezer Features				
Gross Capacity Freezer (ltr/cu.ft)				216
Net Capacity Freezer (ltr/cu.ft)				204
Defrost – Freezer				Auto
No. Full Width Drawers				5 Full Width
Telescopic Freezer Drawers				
Product Dimensions				
Height (mm)	815	815	815	1769
Width (mm)	596	596	596	556
Depth (mm)	550	550	550	549
Built-in Dimensions				
Built-in Height (mm)	815	815	815	1769
Built-in Width (mm)	596	596	596	556
Built-In Depth (mm)	550	550	550	549
Door Fixing	BI UC DoD	BI UC DoD	BI UC DoD	BI DoD
Performance				
Annual Energy Consumption	139	118	91	238
Energy Efficiency Class	A++	A+	A++	A++
Climate Class	SN-N-ST-T	SN-N-ST-T	SN-N-ST-T	SN-N-ST-T
Noise	37	37	37	39
Freezing Capacity	2.5			20
Power Cut Safe Rising Time	13			24
Minimum Ambient Temperature	10	10	10	10

				
	ABE8122VNC	SKK8182VZC	SKK8182VDC	SKE8122VAC
Overview				
TwinTech®		•		
NoFrost	•			
LowFrost				
CustomFlex®				
LongFresh		•		
Soft Close Doors	•	•		•
Multi Airflow Cooling			•	
DynamicAir Technology				
LCD Touch Display/Electronic Controls/ Mechanical Temperature Control	Electronic Touch	Electronic Touch	Electronic Touch	
LED Lighting		•	•	•
Coolmatic		•	•	•
Frostmatic	•			
Holiday Mode			•	•
High Temperature Alarm	•			
Door Open Alarm	•	•	•	•
Door Opening	Right & Reversible	Right & Reversible	Right & Reversible	Right & Reversible
Gross Capacity (ltr/cu.ft)	130	298	314	205
Net Capacity (ltr/cu.ft)	120	275	310	202
Fridge Features				
Gross Capacity Fridge (ltr/cu.ft)		298	314	205
Net Capacity Fridge (ltr/cu.ft)		275	310	202
Defrost – Fridge		Auto	Auto	Auto
Glass Shelves		3	4	3
Flexi Shelf (Half Depth)		•	•	•
Fresh Box			•	
Bottle Rack				
Large Telescopic Pull Out Salad Drawer				
Large Salad Drawer				
2 Extra Deep 1/2 Width Salad Drawers				2 Half Width
Full Width Recessed Salad Drawer with 2 Glass Lids				
Dairy Compartment with Lid		•	•	•
No. Full Width Door Shelves				
1/2 Width Sliding Door Shelf		•	•	•
Egg Tray		2 for 6 eggs	2 for 6 eggs	2 for 6 eggs
Freezer Features				
Gross Capacity Freezer (ltr/cu.ft)	130			
Net Capacity Freezer (ltr/cu.ft)	120			
Defrost – Freezer	Auto			
No. Full Width Drawers	4 Full Width			
Telescopic Freezer Drawers		•	•	
Product Dimensions				
Height (mm)	1224	1769	1769	1219
Width (mm)	556	556	556	556
Depth (mm)	549	549	549	550
Built-in Dimensions				
Built-in Height (mm)	1224	1769	1769	1219
Built-in Width (mm)	556	556	556	556
Built-In Depth (mm)	549	549	549	550
Door Fixing	BI DoD	BI DoD	BI DoD	BI DoD
Performance				
Annual Energy Consumption	183	130	114	103
Energy Efficiency Class	A++	A++	A++	A++
Climate Class	SN-N-ST-T	SN-N-ST-T	SN-N-ST-T	SN-N-ST-T
Noise	39	37	35	35
Freezing Capacity	20			
Power Cut Safe Rising Time	22			
Minimum Ambient Temperature	10	10	10	10

REFRIGERATION



RMB96716CX



RMB76111NX



RMB76311NX

Overview			
TwinTech®	•		•
NoFrost		•	
LowFrost			
CustomFlex®			
LongFresh			
Soft Close Doors	•		
Multi Airflow Cooling		•	
DynamicAir Technology			•
LCD Touch Display/Electronic Controls/ Mechanical Temperature Control	Electronic Touch	LCD touch	Electronic Touch
LED Lighting	•	•	•
Coolmatic	•	•	•
Frostmatic	•	•	•
Holiday Mode		•	•
High Temperature Alarm	•	•	•
Door Open Alarm	•	•	
Door Opening	Left & Right	Side by side	Left & Right
Gross Capacity (ltr/cu.ft)	680	608	630
Net Capacity (ltr/cu.ft)	541	549	536
Fridge Features			
Gross Capacity Fridge (ltr/cu.ft)	413	380	436
Net Capacity Fridge (ltr/cu.ft)	363	370	417
Defrost – Fridge	Auto	Auto	Auto
Glass Shelves	1	4	2
Flexi Shelf (Half Depth)	1		
Fresh Box	•	•	
Bottle Rack			
Large Telescopic Pull Out Salad Drawer			
Large Salad Drawer		3 Full Width	
2 Extra Deep 1/2 Width Salad Drawers	•		2 Half Width
Full Width Recessed Salad Drawer with 2 Glass Lids			
Dairy Compartment with Lid	•	•	•
No. Full Width Door Shelves			
1/2 Width Sliding Door Shelf	•		
Egg Tray	1 for 12 eggs	1 for 6 eggs	1 for 14 eggs
Freezer Features			
Gross Capacity Freezer (ltr/cu.ft)	267	228	194
Net Capacity Freezer (ltr/cu.ft)	178	179	119
Defrost – Freezer	Auto	Auto	Auto
No. Full Width Drawers	2 Full width	2 Full width	2 slide trays + 1 slide drawer
Telescopic Freezer Drawers			•
Product Dimensions			
Height (mm)	1782	1860	1776
Width (mm)	913	1190	912
Depth (mm)	746	623	765
Built-in Dimensions			
Built-in Height (mm)	1782	1860	1776
Built-in Width (mm)	913	1190	912
Built-In Depth (mm)	746	623	765
Door Fixing	FS	FS	FS
Performance			
Annual Energy Consumption	448	467	410
Energy Efficiency Class	A+	A+	A+
Climate Class	SN-N-ST-T	SN-N-ST-T	SN-N-ST-T
Noise	42	43	43
Freezing Capacity	10	16	10
Power Cut Safe Rising Time	14	10	12
Minimum Ambient Temperature	10	10	10



SWE66001DG



SWE63001DG



SWE61501DG



KWK884520M



KBK994519M

Overview					
TwinTech®					
NoFrost					
LowFrost					
CustomFlex®					
LongFresh					
Soft Close Doors					
Multi Airflow Cooling					
DynamicAir Technology					
LCD Touch Display/Electronic Controls/ Mechanical Temperature Control	Electronic	Electronic	Electronic	Electronic	Electronic
LED Lighting	•	•	•	•	•
Coolmatic					
Frostmatic					
Holiday Mode					
High Temperature Alarm					
Door Open Alarm					
Door Opening	Right & Reversible	Right & Reversible	Right	Left	Drop down
Gross Capacity (ltr/cu.ft)					
Net Capacity (ltr/cu.ft)					
Capacity	46 Bottles	18 Bottles	7 Bottles	24 Bottles	
Fridge Features					
Gross Capacity Fridge (ltr/cu.ft)	145	58	22	52	31
Net Capacity Fridge (ltr/cu.ft)	138	56	22	49	28
Defrost – Fridge					
Glass Shelves	6	6	6	2	3
Flexi Shelf (Half Depth)					
Fresh Box					
Bottle Rack					
Large Telescopic Pull Out Salad Drawer					
Large Salad Drawer					
2 Extra Deep 1/2 Width Salad Drawers					
Full Width Recessed Salad Drawer with 2 Glass Lids					
Dairy Compartment with Lid					
No. Full Width Door Shelves					
1/2 Width Sliding Door Shelf					
Egg Tray					
Freezer Features					
Gross Capacity Freezer (ltr/cu.ft)					
Net Capacity Freezer (ltr/cu.ft)					
Defrost – Freezer					
No. Full Width Drawers					
Telescopic Freezer Drawers					
Product Dimensions					
Height (mm)	820	820	870	455	450
Width (mm)	595	294	148	595	520
Depth (mm)	565	571	526	566	542
Built-in Dimensions					
Built-in Height (mm)	820	820	870	450	450
Built-in Width (mm)	595	294	148	560	560
Built-In Depth (mm)	565	571	526	550	550
Door Fixing	BI Wide Door	BI Wide Door	BI Wide Door	BI Drop Down	BI Drop Down
Performance					
Annual Energy Consumption	149	140	137	83	
Energy Efficiency Class	A	A	A	A++	
Climate Class	N-ST	N-ST	N-ST	ST	
Noise	39	41	41	39	
Freezing Capacity					
Power Cut Safe Rising Time					
Minimum Ambient Temperature	16	16	16	16	

SINGLE OVENS



BSK892330M



BSK792320M



BSE792320B



BSK882320M

Oven Features				
Control Type	Command Wheel	Touch	Touch	Command Wheel
Illuminated Controls				
Menu Guided Cooking	Yes	Yes	Yes	Yes
Oven Capacity (Usable)	70	70	70	70
Number of Functions	21	24	24	18
Fast Heat Up	Yes	Yes	Yes	Yes
SoftMotion™ Soft Close Door	Yes	Yes	Yes	Yes
Fully Programmable Timer	Yes	Yes	Yes	Yes
Core Temperature Sensor	Yes	Yes	Yes	Yes
FloodLight™	Yes	Yes	Yes	Yes
SideLight	Yes	Yes	Yes	Yes
Cleaning	Steam	Steam	Steam	Steam
Oven Door Glazing	Four	Four	Four	Four
Cooling Fan	Yes	Yes	Yes	Yes
Steam	Yes	Yes	Yes	Yes
Accessories				
Number of Shelves	Two	Two	Two	Two
Telescopic Runners	Yes	Yes	Yes	Yes
MaxiTray™	Yes	Yes	Yes	Yes
Full Width Grill/Meat Pan (with Trivet)	Yes	Yes	Yes	Yes
Perforated Baking Trays	Yes	Yes	Yes	Yes
Patisserie Tray	Yes	Yes	Yes	
Dimensions				
Appliance Dimensions				
Height (mm)	594	594	594	594
Width (mm)	595	595	595	595
Depth (mm)	567	567	567	567
Aperture Dimensions				
Height (mm)	590	590	590	590
Width (mm)	560	560	560	560
Depth (mm)	550	550	550	550
Performance				
Oven Temperature Range (°C)	30°C–230°C	30°C–230°C	30°C–230°C	30°C–230°C
Energy Efficiency Class	A++	A+	A+	A+
Energy Efficiency Class in Mode Static/Fan	Fan	Fan	Fan	Fan
Energy Consumption Fan (kWh)	0.52	0.68	0.68	0.68
Energy Consumption Static (kWh)	0.99	0.89	0.89	0.99
Largest Baking Sheet Surface Area	1424	1424	1424	1424
Connected Load (W)	3200	3500	3500	3500
Fuse Rating (A)	16	16	16	16



BSK782320M



BSK774320M

Oven Features		
Control Type	Touch	Touch
Illuminated Controls		
Menu Guided Cooking	Yes	Yes
Oven Capacity (Usable)	70	71
Number of Functions	17	18
Fast Heat Up	Yes	Yes
SoftMotion™ Soft Close Door	Yes	Yes
Fully Programmable Timer	Yes	Yes
Core Temperature Sensor	Yes	Yes
FloodLight™	Yes	Yes
SideLight	Yes	Yes
Cleaning	Steam	Steam
Oven Door Glazing	Four	Four
Cooling Fan	Yes	Yes
Steam	Yes	Yes
Accessories		
Number of Shelves	Two	Two
Telescopic Runners		Yes
MaxiTray™	Yes	Yes
Full Width Grill/Meat Pan (with Trivet)	Yes	Yes
Perforated Baking Trays	Yes	
Patisserie Tray		
Dimensions		
Appliance Dimensions		
Height (mm)	594	594
Width (mm)	595	595
Depth (mm)	567	567
Aperture Dimensions		
Height (mm)	590	590
Width (mm)	560	560
Depth (mm)	550	550
Performance		
Oven Temperature Range (°C)	30°C–230°C	30°C–300°C
Energy Efficiency Class	A+	A+
Energy Efficiency Class in Mode Static/Fan	Fan	Fan
Energy Consumption Fan (kWh)	0.68	0.69
Energy Consumption Static (kWh)	0.99	0.99
Largest Baking Sheet Surface Area	1424	1424
Connected Load (W)	3500	3500
Fuse Rating (A)	16	16

SINGLE OVENS



BPK842720M



BPK742320M



BPK744L21M/R21M



BPK742320B

Oven Features				
Control Type	Command Wheel	Touch	Touch	Touch
Illuminated Controls		No		No
Menu Guided Cooking		Yes	Yes	Yes
Oven Capacity (Usable)	71	71	71	71
Number of Functions	13	17	21	17
Fast Heat Up	Yes	Yes	Yes	Yes
SoftMotion™ Soft Close Door	Yes	Yes		Yes
Fully Programmable Timer	Yes	Yes	Yes	Yes
Core Temperature Sensor	Yes	Yes	Yes	Yes
FloodLight™	Yes	Yes	Yes	Yes
SideLight	Yes	Yes	Yes	Yes
Cleaning	Pyrolytic	Pyrolytic	Pyrolytic	Pyrolytic
Oven Door Glazing	Four	Four	Four	Four
Cooling Fan	Yes	Yes	Yes	Yes
Steam				
Accessories				
Number of Shelves	Two	Two	Two	Two
Telescopic Runners		Yes		Yes
MaxiTray™	Yes	Yes	Yes	Yes
Full Width Grill/Meat Pan (with Trivet)	Yes	Yes	Yes	Yes
Perforated Baking Trays				
Patisserie Tray				
Dimensions				
Appliance Dimensions				
Height (mm)	594	594	594	594
Width (mm)	595	595	594	595
Depth (mm)	567	567	568	567
Aperture Dimensions				
Height (mm)	590	590	600	590
Width (mm)	560	560	560	560
Depth (mm)	550	550	550	550
Performance				
Oven Temperature Range (°C)	30°C–300°C	30°C–300°C	30°C–300°C	30°C–300°C
Energy Efficiency Class	A+	A+	A+	A+
Energy Efficiency Class in Mode Static/Fan	Fan	Fan	Fan	Fan
Energy Consumption Fan (kWh)	0.69	0.69	0.69	0.69
Energy Consumption Static (kWh)	0.99	0.99	0.93	0.99
Largest Baking Sheet Surface Area	1424	1424	1424	1424
Connected Load (W)	3500	3500	3480	3500
Fuse Rating (A)	16	16	16	16



BPK55632PM



BPK351020M



BCK45631PM

Oven Features			
Control Type	Retractable + Touch	Retractable	Retractable + Touch
Illuminated Controls			
Menu Guided Cooking			
Oven Capacity (Usable)	71	71	71
Number of Functions	10	10	9
Fast Heat Up	Yes	Yes	
SoftMotion™ Soft Close Door	Yes		Yes
Fully Programmable Timer	Yes	Yes	Yes
Core Temperature Sensor	Yes	Yes	Yes
FloodLight™	Yes		Yes
SideLight	Yes	Yes	Yes
Cleaning	Pyrolytic	Pyrolytic	Catalytic
Oven Door Glazing	Three	Four	Three
Cooling Fan	Yes	Yes	Yes
Steam			
Accessories			
Number of Shelves	Two	Two	Two
Telescopic Runners	Yes		Yes
MaxiTray™	Yes	Yes	Yes
Full Width Grill/Meat Pan (with Trivet)	Yes	Yes	Yes
Perforated Baking Trays			
Patisserie Tray			
Dimensions			
Appliance Dimensions			
Height (mm)	594	594	594
Width (mm)	594	595	595
Depth (mm)	567	567	567
Aperture Dimensions			
Height (mm)	590	590	590
Width (mm)	560	560	560
Depth (mm)	550	550	550
Performance			
Oven Temperature Range (°C)	30°C–300°C	30°C–300°C	50°C–275°C
Energy Efficiency Class	A+	A+	A
Energy Efficiency Class in Mode Static/Fan	Fan	Fan	Fan
Energy Consumption Fan (kWh)	0.69	0.69	0.88
Energy Consumption Static (kWh)	0.99	0.99	0.99
Largest Baking Sheet Surface Area	1418	1418	1418
Connected Load (W)	3200	3200	3200
Fuse Rating (A)	16	16	16

DOUBLE OVENS



DCK731110M



DCK431110M



DUK731110M

Oven Features			
T=Top/B=Bottom			
Control Type	Touch	Retractable	Touch
Oven Capacity (Usable)	39/61	43/68	39/46
Number of Cooking Functions	8/10	6/8	8/10
Fully Programmable Timer	Yes	Yes	Yes
Cleaning	Catalytic	Catalytic	Catalytic
Oven Doors Glazing	3/3	2/2	3/3
Lights	1/1	1/1	1/1
Cooling Fan	Yes	Yes	Yes
Accessories			
Number of Shelves	2/2	1/2	1/2
Full Width Grill/Meat Pan (with Trivet)	Yes/Yes	–/Yes	–/Yes
Dimensions			
Appliance Dimensions			
Height (mm)	888	888	715
Width (mm)	594	594	594
Depth (mm)	548	548	548
Aperture Dimensions			
Height (mm)	875	875	870
Width (mm)	560	560	600
Depth (mm)	550	550	550
Performance			
Energy Efficiency Class	A/A	A/A	A/A
Energy Efficiency Class in Mode Static/Fan	Fan/Fan	Static/Fan	Fan/Fan
Energy Consumption Fan (kWh)	0.79/0.82	N/A/0.86	0.79/0.79
Cook Time Standard Load Fan (Min)	49/49	NA/44	49/48
Energy Consumption Static (kWh)	0.89/0.89	0.78/0.86	0.85/0.75
Cook Time Standard Load Static (Min)	52/52	48/45	53/50
Largest Baking Sheet Surface Area (cm²)	1175	1175	1175
Connected Load (W)	5800	5100	5900
Fuse Rating (A)	30	30	30

COMBI OVENS



KMK861000M



KMK761000M



KME761000B



KMK565000M

Oven Features				
Combi Microwave, Fan Oven and Grill	Yes	Yes	Yes	Yes
Duo Microwave and Grill	Yes	Yes	Yes	Yes
Solo Microwave	Yes	Yes	Yes	Yes
Oven Volume (ltr)	43	43	43	43
Auto Defrost By Weight Programmes				
Auto Cook By Weight Programmes				
Control Type	Command Wheel	Touch	Touch	Retractable + Touch
Electronic Clock/Programmer	Yes	Yes	Yes	Yes
Quickstart	Yes	Yes	Yes	Yes
Powersave Mode	Yes	Yes	Yes	Yes
Programme End Signal	Yes	Yes	Yes	Yes
Drop Down Door	Yes	Yes	Yes	Yes
Dimensions				
Appliance Dimensions				
Height (mm)	455	455	455	455
Width (mm)	594	594	594	594
Depth (mm)	567	567	567	567
Built-in Dimensions				
Height (mm)	450	450	450	450
Width (mm)	560	560	560	560
Depth (mm)	550	550	550	550
Performance				
Microwave Output (W)	1000	1000	1000	1000
Grill Output (W)	1900	1900	1900	1900
Convection Oven Output (W)	1650			
Connected Load (W)	3000	2000	2000	2000
Fuse Rating (A)	13	13	13	13



KMK721000M

Oven Features	
Combi Microwave, Fan Oven and Grill	
Duo Microwave and Grill	Yes
Solo Microwave	Yes
Oven Volume (ltr)	43
Auto Defrost By Weight Programmes	
Auto Cook By Weight Programmes	
Control Type	Touch
Electronic Clock/Programmer	Yes
Quickstart	Yes
Powersave Mode	Yes
Programme End Signal	Yes
Drop Down Door	Yes
Dimensions	
Appliance Dimensions	
Height (mm)	455
Width (mm)	594
Depth (mm)	567
Built-in Dimensions	
Height (mm)	450
Width (mm)	560
Depth (mm)	550
Performance	
Microwave Output (W)	1000
Grill Output (W)	1900
Convection Oven Output (W)	
Connected Load (W)	2000
Fuse Rating (A)	13

COMPACT OVENS



KSK882220M

KSK782220M

KSK892220M

Oven Features			
Digital Touch Controls	Command Wheel	Touch	Command Wheel
Functions	22	22	25
Digital Temperature Control	Yes	Yes	Yes
Fully Programmable Electronic Timer	Yes	Yes	Yes
Oven Door Glazing	Four	Four	Four
Cleaning	Enamel	Enamel	Enamel
Cooling Fan	Yes	Yes	Yes
Steam	Yes	Yes	Yes
Volume (Usable)	43	43	43
Accessories			
Number of Shelves	Two	One	One
Grill/Meat Pan	Yes	Yes	Yes
Dimensions			
Appliance Dimensions			
Height (mm)	455	455	455
Width (mm)	594	594	594
Depth (mm)	567	567	567
Aperture Dimensions			
Height (mm)	450	450	450
Width (mm)	560	560	560
Depth (mm)	550	550	550
Performance			
Energy Efficiency Class	A+	A+	A+
Energy Consumption Fan (kWh)	0.69	0.69	0.59
Energy Efficiency Class in Mode Static/Fan	Fan	Fan	Fan
Oven Temperature Range (°C)	30°C–230°C	30°C–300°C	30°C–230°C
Connected Load (W)	3000	3000	3000
Fuse Rating (A)	13	13	16
Interior Lights	One Halogen	One Halogen	One Halogen




KPK742220M

KPK842220M

Oven Features		
Digital Touch Controls	Touch	Command Wheel
Functions	20	20
Digital Temperature Control	Yes	Yes
Fully Programmable Electronic Timer	Yes	Yes
Oven Door Glazing	Four	Four
Cleaning	Pyrolytic	Pyrolytic
Cooling Fan	Yes	Yes
Steam		
Volume (Usable)	43	43
Accessories		
Number of Shelves	One	One
Grill/Meat Pan	Yes	Yes
Dimensions		
Appliance Dimensions		
Height (mm)	455	455
Width (mm)	594	594
Depth (mm)	567	567
Aperture Dimensions		
Height (mm)	450	450
Width (mm)	560	560
Depth (mm)	550	550
Performance		
Energy Efficiency Class	A+	A+
Energy Consumption Fan (kWh)	0.69	0.59
Energy Efficiency Class in Mode Static/Fan	Fan	Fan
Oven Temperature Range (°C)	30°C–300°C	30°C–300°C
Connected Load (W)	3000	3000
Fuse Rating (A)	13	16
Interior Lights	One Halogen	One Halogen

COFFEE MACHINES



KKK994500M

KKK884500M

KKE884500B

Features			
Electronic Touch Controls	Command Wheel	Touch	Touch
LED Display	Yes	Yes	Yes
Automatic Cappuccino Function	Yes	Yes	Yes
Pre-Programmed Coffee Selection	Yes	Yes	Yes
Water Sensor with LED when Refill Required	Yes	Yes	Yes
Steam/Water Spout with LED Indicators	Yes	Yes	Yes
Height Adjustable Coffee Dispenser	Yes	Yes	Yes
Lamp	Yes	Yes	Yes
Dimensions			
Appliance Dimensions			
Height (mm)	455	455	455
Width (mm)	594	594	594
Depth (mm)	361	361	361
Built-in Dimensions			
Height (mm)	450	450	450
Width (mm)	560	560	560
Depth (mm)	550	550	550
Electrical Connection			
Connected Load (W)	1350	1350	1350
Fuse Rating (A)	13	13	13
Working Pressure (Bar)	15	15	15

VACUUM SEALERS



KDK911423M

KDE911423B

Features		
Place Settings	Touch	Touch
Cups and Glass Warming (40°C)	White	White
Plate Warming (60°C)	Yes	Yes
Variable Temperature Control	Yes	Yes
On/Off LED	Yes	Yes
Anti-slip Mat	Yes	Yes
Temperature Range	Yes	Yes
Dimensions		
Appliance Dimensions		
Height (mm)	131	131
Width (mm)	595	595
Depth (mm)	510	510
Built-in Dimensions		
Height (mm)	139	139
Width (mm)	560	560
Depth (mm)	550	550
Performance		
Connected Load (W)	400	400
Fuse Rating (A)	13	13


WARMING DRAWERS




KDK912924M



KDE912924M



KDK911424M



KDE911424M

Features				
Place Settings	12	12	6	6
Cups And Glass Warming (40°C)	Yes	Yes	Yes	Yes
Plate Warming (60°C)	Yes	Yes	Yes	Yes
Food Warming (80°C Max)	Yes	Yes	Yes	Yes
Defrosting (30°C Max)	Yes	Yes	Yes	Yes
Heating Element	Yes	Yes	Yes	Yes
Fan Air Circulation	Yes	Yes	Yes	Yes
Rotary Control Knob	Yes	Yes	Yes	Yes
Variable Temperature Control	Yes	Yes	Yes	Yes
On/Off LED	Yes	Yes	Yes	Yes
Anti-Slip Mat	Yes	Yes	Yes	Yes
Temperature Range	30°C–80°C	30°C–80°C	30°C–80°C	30°C–80°C
Dimensions				
Appliance Dimensions				
Height (mm)	295	295	131	131
Width (mm)	595	595	595	595
Depth (mm)	535	535	500	500
Built-in Dimensions				
Height (mm)	295	295	139	139
Width (mm)	560	560	560	560
Depth (mm)	550	550	550	550
Performance				
Connected Load (W)	550	550	430	430
Fuse Rating (A)	13	13	13	13



KDE911424B

Features	
Place Settings	6
Cups and Glass Warming (40°C)	Yes
Plate Warming (60°C)	Yes
Food Warming (80°C Max)	Yes
Defrosting (30°C Max)	Yes
Heating Element	Yes
Fan Air Circulation	Yes
Rotary Control Knob	Yes
Variable Temperature Control	Yes
On/Off LED	Yes
Anti-slip Mat	Yes
Temperature Range	30–80°C
Dimensions	
Appliance Dimensions	
Height (mm)	131
Width (mm)	595
Depth (mm)	500
Built-in Dimensions	
Height (mm)	139
Width (mm)	560
Depth (mm)	550
Performance	
Connected Load (W)	430
Fuse Rating (A)	13

MICROWAVES



MBE2658SEM



MBB1756SEM



MBB1755SEM

Features				
Microwave & Grill				
Solo Microwave	•	•	•	
Oven Volume (ltr)	26	17	17	
Auto Defrost By Weight Programmes	4	4	4	
Default Favourite Auto Menus	3	3	3	
Control Type	Command Wheel/ Touch on Glass	Command Wheel/ Touch on Glass	Command Wheel/ Touch on Glass	
Electronic Clock/Programmer	•	•	•	
Quickstart	•	•	•	
Powersave Mode	•	•	•	
Programme End Signal	•	•	•	
Dimensions				
Appliance Dimensions				
Height (mm)	459	371	371	
Width (mm)	596	594	494	
Depth (mm)	404	316	316	
Aperture Dimensions				
Height (mm)	450	360	360	
Width (mm)	562	562	462	
Depth (mm)	500	300	300	
Performance				
Microwave Output (W)	900	800	800	
Grill Output (W)				
Connected Load (W)	1400	1250	1250	
Fuse Rating (A)	10	10	10	

INDUCTION HOBS



IAE84881FB



IAE84851FB



IKE85651FB



IPE84571FB



IPE84531FB

Features					
Control Type	Touch	Touch	Touch	Touch	Touch
Display	TFT	TFT			
Control Position		Front Right	N/A	N/A	Front Middle
Bridge Function		Yes	Yes	Yes	
Automatic Heat Up (Automax)		Yes	Yes	Yes	Yes
Stop & Go	Yes	Yes	Yes	Yes	Yes
Residual Heat Indicator		Yes	Yes	Yes	Yes
Eco Timer		Yes	Yes	Yes	Yes
Minute Minder	Yes	Yes	Yes	Yes	Yes
Count Up Timer	Yes	Yes	Yes	Yes	Yes
Pan Sensor		Yes	Yes	Yes	Yes
Boosters	Yes	Yes	Yes	Yes	Yes
Child Lock		Yes	Yes	Yes	Yes
Hob*Hood		Yes	Yes	Yes	Yes
Zone Specification					
Front Left Spec		Induction	Induction	Induction	Induction
Front Left Rating (W)		2300/3200	2300/3200	2300/3200	2300/3200
Front Left Diameter (mm)		220	210	210	210
Rear Left Spec		Induction	Induction	Induction	Induction
Rear Left Rating (W)		2300/3200	2300/3200	2300/3200	2300/3200
Rear Left Diameter (mm)		220	210	210	210
Front Middle Spec			Induction	Induction	
Front Middle Rating (W)			2300/3200	2300/3200	
Front Middle Diameter (mm)			240	240	
Rear Middle Spec		Induction			
Rear Middle Rating (W)		2300/3200			Induction
Rear Middle Diameter (mm)		210			2300/3200
Front Right Spec		Induction	Induction	Induction	210
Front Right Rating (W)		1800/2800	2300/3200	2300/3200	2300/3200
Front Right Diameter (mm)		180	210	210	210
Rear Right Spec			Induction	Induction	
Rear Right Rating (W)			2300/3200	2300/3200	
Rear Right Diameter (mm)			210	210	
Dimensions					
Appliance Dimensions					
Width (mm)		780	810	810	780
Depth (mm)		520	520	520	520
Aperture Dimensions					
Height (mm)	44	44	44	44	44
Width (mm)	810	750	780	780	750
Depth (mm)	520	490	490	490	490
Electrical Connection					
Connected Load (W)		7350	7350	7350	7400
Fuse Rating (A)		30	30	30	30



IKE84471FB



IKE85431FB



IAE84411FB



IKB84401FB

Features				
Control Type	Touch	Touch	Touch	Touch
Display				
Control Position	Front Right	Front Middle	Front Middle	Front Right
Bridge Function	Yes			
Automatic Heat Up (Automax)	Yes	Yes	Yes	Yes
Stop & Go	Yes	Yes	Yes	Yes
Residual Heat Indicator	Yes	Yes	Yes	Yes
Eco Timer	Yes	Yes	Yes	Yes
Minute Minder	Yes	Yes	Yes	Yes
Count Up Timer	Yes	Yes	Yes	Yes
Pan Sensor	Yes	Yes	Yes	Yes
Boosters	Yes	Yes	Yes	Yes
Child Lock	Yes	Yes	Yes	Yes
Hob*Hood	Yes	Yes	Yes	Yes
Zone Specification				
Front Left Spec	Induction	Induction	Induction	Induction
Front Left Rating (W)	2300/3200	1400/2500	2300/3200	2300/3200
Front Left Diameter (mm)	220	145	210	210
Rear Left Spec	Induction	Induction	Induction	Induction
Rear Left Rating (W)	2300/3200	2300/3200	2300/3200	2300/3200
Rear Left Diameter (mm)	220	210	210	210
Front Middle Spec		Induction		Induction
Front Middle Rating (W)		2300/3200		2300/3200
Front Middle Diameter (mm)		210		210
Rear Middle Spec	Induction			
Rear Middle Rating (W)	2300/3200			
Rear Middle Diameter (mm)	210			
Front Right Spec	Induction	Induction	Induction	
Front Right Rating (W)	1800/2800	1400/2500	2300/3200	
Front Right Diameter (mm)	180	145	210	
Rear Right Spec		Induction	Induction	Induction
Rear Right Rating (W)		2300/3200	2300/3200	2300/3200
Rear Right Diameter (mm)		210	210	210
Dimensions				
Appliance Dimensions				
Width (mm)	780	780	780	780
Depth (mm)	520	520	520	520
Aperture Dimensions				
Height (mm)	44	44	44	44
Width (mm)	750	750	750	750
Depth (mm)	490	490	490	490
Electrical Connection				
Connected Load (W)	7350	7350	7350	7350
Fuse Rating (A)	30	30	30	30

INDUCTION HOBS



IKE74451FB



IAE64851FB



IKE64651FB



IPE64571FB

Features				
Control Type	Touch	Touch	Touch	Touch
Display		TFT		
Control Position	Left & Right	Front Right	N/A	Front Right
Bridge Function	Yes	Yes	Yes	Yes
Automatic Heat Up (Automax)	Yes	Yes	Yes	Yes
Stop & Go	Yes	Yes	Yes	Yes
Residual Heat Indicator	Yes	Yes	Yes	Yes
Eco Timer	Yes	Yes	Yes	Yes
Minute Minder	Yes	Yes	Yes	Yes
Count Up Timer	Yes	Yes	Yes	Yes
Pan Sensor	Yes	Yes	Yes	Yes
Boosters	Yes	Yes	Yes	Yes
Child Lock	Yes	Yes	Yes	Yes
Hob+Hood	Yes	Yes	Yes	Yes
Zone Specification				
Front Left Spec	Induction	Induction	Induction	Induction
Front Left Rating (W)	2300/3200	2300/3200	2300/3200	2300/3200
Front Left Diameter (mm)	210	220	210	220
Rear Left Spec	Induction	Induction	Induction	Induction
Rear Left Rating (W)	2300/3200	2300/3200	2300/3200	2300/3200
Rear Left Diameter (mm)	210	220	210	220
Front Middle Spec			Induction	
Front Middle Rating (W)			2300/3200	
Front Middle Diameter (mm)			240	
Rear Middle Spec				
Rear Middle Rating (W)				
Rear Middle Diameter (mm)				
Front Right Spec	Induction	Induction	Induction	Induction
Front Right Rating (W)	2300/3200	1800/2800	2300/3200	1400/2500
Front Right Diameter (mm)	210	145	210	145
Rear Right Spec	Induction	Induction	Induction	Induction
Rear Right Rating (W)	2300/3200	2300/3200	2300/3200	1800/2800
Rear Right Diameter (mm)	210	180	210	180
Dimensions				
Appliance Dimensions				
Width (mm)	710	590	810	620
Depth (mm)	520	520	520	520
Aperture Dimensions				
Height (mm)	44	44	44	44
Width (mm)	680	560	780	560
Depth (mm)	490	490	490	490
Electrical Connection				
Connected Load (W)	7350	7350	7350	7400
Fuse Rating (A)	30	30	30	30



IPE64551FB



IKE64471FB







IKE64450XB





IAE64411FB

Features				
Control Type	Touch	Touch	Touch	Touch
Display				
Control Position	Front Middle	Front Right	Front Middle	Front Right
Bridge Function	Yes	Yes	Yes	
Automatic Heat Up (Automax)	Yes	Yes	Yes	Yes
Stop & Go	Yes	Yes	Yes	Yes
Residual Heat Indicator	Yes	Yes	Yes	Yes
Eco Timer	Yes	Yes	Yes	Yes
Minute Minder	Yes	Yes	Yes	Yes
Count Up Timer	Yes	Yes	Yes	Yes
Pan Sensor	Yes	Yes	Yes	Yes
Boosters	Yes	Yes	Yes	Yes
Child Lock	Yes	Yes	Yes	Yes
Hob+Hood	Yes	Yes		Yes
Zone Specification				
Front Left Spec	Induction	Induction	Induction	Induction
Front Left Rating (W)	2300/3200	2300/3200	2300/3200	2300/3700
Front Left Diameter (mm)	210	220	210	210
Rear Left Spec	Induction	Induction	Induction	Induction
Rear Left Rating (W)	2300/3200	2300/3200	2300/3200	1800/2800
Rear Left Diameter (mm)	210	220	210	180
Front Middle Spec				
Front Middle Rating (W)				
Front Middle Diameter (mm)				
Rear Middle Spec				
Rear Middle Rating (W)				
Rear Middle Diameter (mm)				
Front Right Spec	Induction	Induction	Induction	Induction
Front Right Rating (W)	2300/3200	1400/2500	2300/3200	1400/2500
Front Right Diameter (mm)	210	145	210	145
Rear Right Spec	Induction	Induction	Induction	Induction
Rear Right Rating (W)	2300/3200	1800/2800	2300/3200	1800/2800
Rear Right Diameter (mm)	210	180	210	180
Dimensions				
Appliance Dimensions				
Width (mm)	590	590	590	590
Depth (mm)	520	520	520	520
Aperture Dimensions				
Height (mm)	44	44	44	44
Width (mm)	560	560	560	560
Depth (mm)	490	490	490	490
Electrical Connection				
Connected Load (W)	7400	7350	7350	7350
Fuse Rating (A)	30	30	30	30


INDUCTION HOBS

				
	IKB64401FB	HK604200IB	IKE95471FB	IKK93431FB
Features				
Control Type	Touch	Touch	Touch	Touch
Display				
Control Position	Front Right	Front Right	Front Middle	Front Middle
Bridge Function			Yes	
Automatic Heat Up (Automax)	Yes		Yes	Yes
Stop & Go	Yes		Yes	Yes
Residual Heat Indicator	Yes	Yes	Yes	Yes
Eco Timer	Yes		Yes	Yes
Minute Minder	Yes		Yes	Yes
Count Up Timer	Yes		Yes	Yes
Pan Sensor			Yes	Yes
Boosters	Yes	Yes	Yes	Yes
Child Lock	Yes	Yes	Yes	Yes
Hob Hood	Yes		Yes	
Zone Specification				
Front Left Spec	Induction	Induction	Induction	
Front Left Rating (W)	2300/3700	2300/2800	2300/3200	
Front Left Diameter (mm)	210	210	220	
Rear Left Spec	Induction	Induction	Induction	Induction
Rear Left Rating (W)	1800/2800	1200	2300/3200	2300/3200
Rear Left Diameter (mm)	180	145	220	210
Front Middle Spec			Induction	
Front Middle Rating (W)			1800/3700	
Front Middle Diameter (mm)			280	
Rear Middle Spec				Induction
Rear Middle Rating (W)				2300/3200
Rear Middle Diameter (mm)				210
Front Right Spec	Induction	Induction	Induction	
Front Right Rating (W)	1400/2500	1200/1800	1400/2500	
Front Right Diameter (mm)	145	145	145	
Rear Right Spec	Induction	Induction	Induction	Induction
Rear Right Rating (W)	1800/2800	1800	2300/3200	2300/3200
Rear Right Diameter (mm)	180	180	210	210
Dimensions				
Appliance Dimensions				
Width (mm)	590	590	910	910
Depth (mm)	520	520	520	410
Aperture Dimensions				
Height (mm)	44	60	44	44
Width (mm)	560	560	880	880
Depth (mm)	490	490	490	380
Electrical Connection				
Connected Load (W)	7350	3000	7200	6900
Fuse Rating (A)	30	13	30	30

COMBO HOBS



		
	IDK84451IB/IDK84452IB	IDE84241IB/IDE84242IB
Hob Features		
Control Type	DirekTouch Slider	Touch Control
Display	LED	LED
Bridge Function	• (2)	• (1)
Automatic Heat Up	•	
Stop & Go	•	
Residual Heat Indicator	•	•
Timer	•	•
Pan Sensor	•	•
Child Lock	•	•
Zone Specification		
Front Left Spec		
Front Left Rating (W)	2100/3700	1600/1850
Front Left Diameter (mm)	184x220	184x220
Rear Left Spec		
Rear Left Rating (W)	2100/3700	2100/3000
Rear Left Diameter (mm)	184x220	184x220
Front Right Spec		
Front Right Rating (W)	2100/3700	2100/1400
Front Right Diameter (mm)	184x220	184x220
Rear Right Spec		
Rear Right Rating (W)	2100/3700	2300/3000
Rear Right Diameter (mm)	184x220	184x220
Appliance Dimensions		
Aperture Dimensions		
Width (mm)	830	830
Depth (mm)	510	510
Electrical Connection		
Connected Load (W)	7400	7400
Fuse Rating (A)	16	16
Cooker Hood Features		
Control Type	Touch on Glass Slider	Touch Control
Fan Speed	9 + intensive	9 + intensive
Charcoal Filter Included	•	•
Grease Filter	Aluminium Mesh	Aluminium Mesh
Energy Class	A+	A+
Efficiency Max (m3/h)	400	400
Efficiency Intensive (m3/h)	420	420
Noise Max Setting dB(A)	71	71
Ducted Version		
Model Denomination	IDK84452IB	IDE84242IB
Charcoal Filter Included		
Efficiency Max (m3/h)	600	600
Efficiency Intensive (m3/h)	647	647
Noise Max Setting dB(A)	68	68

CERAMIC HOBS

	
	HK634060XB
Features	
Control Type	Touch
Control Position	Front Right
Automatic Heat Up (Automax)	Yes
Stop & Go	Yes
Residual Heat Indicator	Yes
Minute Minder	Yes
Count Up Timer	Yes
Child Lock	Yes
Zone Specification	
Front Left Spec	Dual Hilight
Front Left Rating (W)	750/2200
Front Left Diameter (mm)	120/210
Rear Left Spec	Hilight
Rear Left Rating (W)	1200
Rear Left Diameter (mm)	145
Front Middle Spec	
Front Middle Rating (W)	
Front Middle Diameter (mm)	
Rear Middle Spec	
Rear Middle Rating (W)	
Rear Middle Diameter (mm)	
Front Right Spec	Hilight
Front Right Rating (W)	1200
Front Right Diameter (mm)	145
Rear Right Spec	Dual Hilight
Rear Right Rating (W)	1500/2400
Rear Right Diameter (mm)	170/265
Dimensions	
Appliance Dimensions	
Width (mm)	576
Depth (mm)	516
Aperture Dimensions	
Height (mm)	38
Width (mm)	560
Depth (mm)	490
Electrical Connection	
Connected Load (W)	7000
Fuse Rating (A)	30

GAS HOBS

																			
HVB95450IB					HKB95540NB					HGB95520YM					HVB75450IB				
Features					Features					Features					Features				
Control Type					Control Type					Control Type					Control Type				
Ignition Type					Ignition Type					Ignition Type					Ignition Type				
Stop & Go					Stop & Go					Stop & Go					Stop & Go				
Minute Minder					Minute Minder					Minute Minder					Minute Minder				
Control Position					Control Position					Control Position					Control Position				
LED Display					LED Display					LED Display					LED Display				
Pan Supports					Pan Supports					Pan Supports					Pan Supports				
Residual Heat Indicator					Residual Heat Indicator					Residual Heat Indicator					Residual Heat Indicator				
Hob*Hood					Hob*Hood					Hob*Hood					Hob*Hood				
Safety Thermocouples					Safety Thermocouples					Safety Thermocouples					Safety Thermocouples				
Zone Specification					Zone Specification					Zone Specification					Zone Specification				
Front Left Spec					Front Left Spec					Front Left Spec					Front Left Spec				
Front Left Rating (wh)					Front Left Rating (wh)					Front Left Rating (wh)					Front Left Rating (wh)				
Front Left Diameter (mm)					Front Left Diameter (mm)					Front Left Diameter (mm)					Front Left Diameter (mm)				
Rear Left Spec					Rear Left Spec					Rear Left Spec					Rear Left Spec				
Rear Left Rating (wh)					Rear Left Rating (wh)					Rear Left Rating (wh)					Rear Left Rating (wh)				
Rear Left Diameter (mm)					Rear Left Diameter (mm)					Rear Left Diameter (mm)					Rear Left Diameter (mm)				
Front Middle Spec					Front Middle Spec					Front Middle Spec					Front Middle Spec				
Front Middle Rating (wh)					Front Middle Rating (wh)					Front Middle Rating (wh)					Front Middle Rating (wh)				
Front Middle Diameter (mm)					Front Middle Diameter (mm)					Front Middle Diameter (mm)					Front Middle Diameter (mm)				
Rear Middle Spec					Rear Middle Spec					Rear Middle Spec					Rear Middle Spec				
Rear Middle Rating (wh)					Rear Middle Rating (wh)					Rear Middle Rating (wh)					Rear Middle Rating (wh)				
Rear Middle Diameter (mm)					Rear Middle Diameter (mm)					Rear Middle Diameter (mm)					Rear Middle Diameter (mm)				
Front Right Spec					Front Right Spec					Front Right Spec					Front Right Spec				
Front Right Rating (wh)					Front Right Rating (wh)					Front Right Rating (wh)					Front Right Rating (wh)				
Front Right Diameter (mm)					Front Right Diameter (mm)					Front Right Diameter (mm)					Front Right Diameter (mm)				
Rear Right Spec					Rear Right Spec					Rear Right Spec					Rear Right Spec				
Rear Right Rating (wh)					Rear Right Rating (wh)					Rear Right Rating (wh)					Rear Right Rating (wh)				
Rear Right Diameter (mm)					Rear Right Diameter (mm)					Rear Right Diameter (mm)					Rear Right Diameter (mm)				
Max Gas Power (W)					Max Gas Power (W)					Max Gas Power (W)					Max Gas Power (W)				
Dimensions					Dimensions					Dimensions					Dimensions				
Appliance Dimensions					Appliance Dimensions					Appliance Dimensions					Appliance Dimensions				
Width (mm)					Width (mm)					Width (mm)					Width (mm)				
Depth (mm)					Depth (mm)					Depth (mm)					Depth (mm)				
Aperture Dimensions					Aperture Dimensions					Aperture Dimensions					Aperture Dimensions				
Height (mm)					Height (mm)					Height (mm)					Height (mm)				
Width (mm)					Width (mm)					Width (mm)					Width (mm)				
Depth (mm)					Depth (mm)					Depth (mm)					Depth (mm)				
Electrical Connection					Electrical Connection					Electrical Connection					Electrical Connection				
Fuse Rating (A)					Fuse Rating (A)					Fuse Rating (A)					Fuse Rating (A)				

																								
HKB75540NB					HGB75301UM					HG755450SY					HG694840NB									
Features																								
Control Type					Rotary					Step					Rotary					Rotary				
Ignition Type					Integral					Integral					Integral					Integral				
Stop & Go																								
Minute Minder					Yes																			
Control Position					Front Middle					Front Left & Right					Front Middle					Front Middle				
LED Display					Red																			
Pan Supports					Cast Iron					Cast Iron					Cast Iron					Cast Iron				
Residual Heat Indicator					Yes																			
Hob*Hood					Yes																			
Safety Thermocouples					Yes					Yes					Yes					Yes				
Zone Specification																								
Front Left Spec					Semi Rapid Burner										Semi Rapid Burner					Auxiliary Burner				
Front Left Rating (wh)					1900										2000					1000				
Front Left Diameter (mm)					70										70					85.5				
Rear Left Spec					Semi Rapid Burner					Wok Burner					Semi Rapid Burner					Rapid Burner				
Rear Left Rating (wh)					1900					4000					2000					2900				
Rear Left Diameter (mm)					70					122					70					128.5				
Front Middle Spec										Semi Rapid Burner														
Front Middle Rating (wh)										2000														
Front Middle Diameter (mm)										70														
Rear Middle Spec					Wok Burner					Semi Rapid Burner					Wok Burner									
Rear Middle Rating (wh)					3800					2000					4000									
Rear Middle Diameter (mm)					122					70					122									
Front Right Spec					Auxiliary Burner					Auxiliary Burner					Auxiliary Burner					Semi Rapid Burner				
Front Right Rating (wh)					1000					1000					1000					2000				
Front Right Diameter (mm)					54					54					54					107.5				
Rear Right Spec					Semi Rapid Burner					Rapid Burner					Rapid Burner					Semi Rapid Burner				
Rear Right Rating (wh)					1900					3000					3000					2000				
Rear Right Diameter (mm)					70					100					100					107.5				
Max Gas Power (W)					10500					12000					12000					7900				
Dimensions																								
Appliance Dimensions																								
Width (mm)					740					745					744					590				
Depth (mm)					510					515					510					520				
Aperture Dimensions																								
Height (mm)					45					41					40					45				
Width (mm)					560					560					560					560				
Depth (mm)					480					480					480					490				
Electrical Connection																								
Fuse Rating (A)					13					13					13					13				

GAS HOBS



HKB64540NB



HGB64301UM



HG654550SY

Features			
Control Type	Rotary	Rotary	Rotary
Ignition Type	Integral	Integral	Integral
Stop & Go			
Minute Minder	Yes		
Control Position	Front Middle	Front Right	Front Right
LED Display	Red		
Pan Supports	Cast Iron	Cast Iron	Cast Iron
Residual Heat Indicator	Yes		
Hob Hood	Yes		
Safety Thermocouples	Yes	Yes	Yes
Zone Specification			
Front Left Spec	Auxiliary Burner	Wok Burner	Wok Burner
Front Left Rating (wh)	1000	4000	4000
Front Left Diameter (mm)	54	122	122
Rear Left Spec	Rapid Burner	Semi Rapid Burner	Semi Rapid Burner
Rear Left Rating (wh)	2900	2000	2000
Rear Left Diameter (mm)	100	70	70
Front Middle Spec			
Front Middle Rating (wh)			
Front Middle Diameter (mm)			
Rear Middle Spec			
Rear Middle Rating (wh)			
Rear Middle Diameter (mm)			
Front Right Spec	Semi Rapid Burner	Auxiliary Burner	Auxiliary Burner
Front Right Rating (wh)	1900	1000	1000
Front Right Diameter (mm)	70	54	54
Rear Right Spec	Semi Rapid Burner	Semi Rapid Burner	Semi Rapid Burner
Rear Right Rating (wh)	1900	2000	2000
Rear Right Diameter (mm)	70	70	70
Max Gas Power (W)	7700	9000	9000
Dimensions			
Appliance Dimensions			
Width (mm)	590	595	595
Depth (mm)	520	525	510
Aperture Dimensions			
Height (mm)	30	41	40
Width (mm)	560	560	560
Depth (mm)	480	480	480
Electrical Connection			
Fuse Rating (A)	13	13	13

MIXED FUEL HOBS



HD955100NB



HD634170NB

Features		
Control Type	Touch/Rotary	Touch/Rotary
Control Position	Front	Front
Automatic Heat Up (Automax)	Yes	Yes
Stop & Go	Yes	Yes
Residual Heat Indicator	Yes	Yes
OKO Timer	Yes	
Minute Minder	Yes	Yes
Count Up Timer	Yes	Yes
Pan Sensor	Yes	Yes
Boosters	Yes	Yes
Child Lock	Yes	Yes
Zone Specification		
Front Left Spec		Induction
Front Left Rating (W)		2300/2900
Front Left Diameter (mm)		210
Rear Left Spec	Dual Crown Burner	Induction
Rear Left Rating (W)	5000	1400/2500
Rear Left Diameter (mm)	134	140
Front Middle Spec	Induction	
Front Middle Rating (W)	2200/3600	
Front Middle Diameter (mm)	210	
Rear Middle Spec	Induction	
Rear Middle Rating (W)	1400/2500	
Rear Middle Diameter (mm)	145	
Front Right Spec	Induction	Semi Rapid
Front Right Rating (W)	1400/2500	1900
Front Right Diameter (mm)	145	70
Rear Right Spec	Induction	Rapid Burner
Rear Right Rating (W)	1800/2800	2900
Rear Right Diameter (mm)	180	100
Dimensions		
Appliance Dimensions		
Width (mm)	880	590
Depth (mm)	520	520
Aperture Dimensions		
Height (mm)	40	40
Width (mm)	830	560
Depth (mm)	490	490
Electrical Connection		
Connected Load (W)	6800	3700
Fuse Rating (A)	30	16

CRYSTALLINE HOBS



HC452401EB



HC452601EB



HC451501EB



HC412001GB

Features				
Hob Type	2 Zone MaxiSense	T Teppanyaki	Induction Wok	2 Burner Gas
Control Type	DirekTouch	DirekTouch	DirekTouch	Rotary
Fuel Type	Induction	Induction	Induction	Gas
Triple Zone				
Bridge Function	Yes			
Automatic Heat Up (Automax)	Yes	Yes	Yes	
Stop & Go	Yes		Yes	
Residual Heat Indicator	Yes	Yes	Yes	
Minute Minder	Yes	Yes	Yes	
Count Up Timer	Yes	Yes	Yes	
Pan Sensor	Yes		Yes	
Booster	Yes	Yes	Yes	
Child Lock	Yes	Yes	Yes	
Gas Safety Shut off				Yes
Zone Specification				
Front Spec	Induction	Induction	Induction	Auxiliary
Front Rating (kW)	2.3/3.2	14	2.3/3.2	1
Front Diameter (mm)	170x265	145	300	54
Rear Spec	Induction	Induction		Rapid
Rear Rating (kW)	2.3/3.2	14		2.4
Rear Diameter (mm)	170x265	145		100
Dimensions				
Appliance Dimensions				
Width (mm)	360	360	360	360
Depth (mm)	520	520	520	520
Aperture Dimensions				
Height (mm)	55	55	55	60
Width (mm)	340	340	340	340
Depth (mm)	490	490	490	490
Electrical Connection				
Connected Load (W)	3700	3200	3200	25
Fuse Rating (A)	16	13	16	13
Lpg Conversion Kit				Yes

CRYSTALLINE HOBS








HC411521GB



HC452021EB

Features		
Hob Type	Wok Burner	2 Zone Ceramic
Control Type	Rotary	DirekTouch
Fuel Type	Gas	Ceramic
Triple Zone		Yes
Bridge Function		
Automatic Heat Up (Automax)		Yes
Stop & Go		Yes
Residual Heat Indicator		Yes
Minute Minder		Yes
Count Up Timer		Yes
Pan Sensor		
Booster		
Child Lock		Yes
Gas Safety Shut off	Yes	
Zone Specification		
Front Spec	Double Crown	Single
Front Rating (kW)	5	1.2
Front Diameter (mm)	130	145
Rear Spec		Triple
Rear Rating (kW)		0.8/1.6/2.3
Rear Diameter (mm)		120/175/210
Dimensions		
Appliance Dimensions		
Width (mm)	360	360
Depth (mm)	520	520
Aperture Dimensions		
Height (mm)	60	38
Width (mm)	340	340
Depth (mm)	490	490
Electrical Connection		
Connected Load (W)	25	3500
Fuse Rating (A)	13	16
Lpg Conversion Kit	Yes	

HOODS

<div><div></div><div>DVB4850B</div></div> <div><div></div><div>DBE6980HM</div></div> <div><div></div><div>DBE6780HM</div></div> <div><div></div><div>DBE6680HM</div></div> <div><div></div><div>DKB4950M</div></div>					
Overview					
Control Type	Mechanical Push Buttons	Touch on Glass	Touch on Glass	Touch on Glass	Mechanical Push Buttons
Hob*Hood					
Fan Speed	3	3+2 boost	3+2 boost	3+2 boost	3
Breeze Function					
Lights	LED Spotlight	Dimmable Squared LED	Dimmable Squared LED	Dimmable Squared LED	LED Spotlight
No. of Lamp x W	2	2 x 2 W	2 x 2 W	2 x 2 W	2
Charcoal Filter	2; Included	1; Included	1; Included	1; Included	1; Included
Charcoal Filter Type	TYPE57	EFF72	EFF72	EFF72	TYPE15
Ultra Charcoal Filter		1 Accessory SUPCHARC-F	1 Accessory SUPCHARC-F	1 Accessory SUPCHARC-F	1 Accessory SUPCHARC-E
Ultra Charcoal Filter Type					
Grease Filter Type	Aluminium Cassette	Stainless Steel Design Filter	Stainless Steel Design Filter	Stainless Steel Design Filter	Aluminium Cassette
Ducted Maximum (ca. m3/h)	647	340	340	340	603
Ducted Boost (ca. m3/h)	–	710	710	710	–
Noise (Max. Setting) Ducted (dB(A))	67	54	54	54	69
Recirculation Maximum (ca. m3/h)	432	320	320	320	400
Recirculation Boost (ca. m3/h)		520	520	520	–
Noise (Max. Setting) Recirculation (dB(A))	74	67	67	67	75
Annual Energy Consumption, kWh/annum	54.6	44.6	44.6	44.6	81.9
Energy Efficiency Class	B	A+	A+	A+	B
Fluid Dynamic Efficiency Class	A	A	A	A	B
Lighting Efficiency Class	D	A	A	A	F
Grease Filter Efficiency	66	85.1	85.1	85.1	76
Grease Filter Efficiency Class	D	B	B	B	C
Off Mode Power (W)	0	0.85	0.85	0.85	
Stand-by Power (W)	0				
Installation Height (mm)					
Minimum Distance from Cooking Top – Electric	45	50	50	50	50
Minimum Distance from Cooking Top – Gas	45	65	65	65	65
Dimensions (mm)					
Width	800	898	720	598	898
Depth	335	470	470	470	500
Height Max		920	920	920	1090
Height of Body	477	60	60	60	40
Other					
Air Outlet	150	150	150	150	150

<div><div></div><div>DKB4650M</div></div> <div><div></div><div>DPB3631S</div></div> <div><div></div><div>DGB3850M</div></div> <div><div></div><div>DEB2631S</div></div>				
Overview				
Control Type	Mechanical Push Buttons	Mechanical Push Buttons	Electronic Push Buttons	Electronic Slider
Hob*Hood				
Fan Speed	3	3	4	Continuous + boost
Breeze Function				
Lights	LED Spotlight	LED	LED	LED
No. of Lamp x W	2	2	2	2
Charcoal Filter	1; Included	2; Included	2; Included	1; Included
Charcoal Filter Type	TYPE15	ECFB03	ECFB02	Type 57
Ultra Charcoal Filter	1 Accessory SUPCHARC-E		Accessory ECFBLL01	–
Ultra Charcoal Filter Type				
Grease Filter Type	Aluminium Cassette	Aluminium Cassette	Stainless Steel	Aluminium Cassette
Ducted Maximum (ca. m3/h)	603	370	600	352
Ducted Boost (ca. m3/h)				
Noise (Max. Setting) Ducted (dB(A))	69	68	63	62
Recirculation Maximum (ca. m3/h)	400	125	350	232
Recirculation Boost (ca. m3/h)				
Noise (Max. Setting) Recirculation (dB(A))	75	69	70	67
Annual Energy Consumption, kWh/annum	81.9	48.9	96.5	106.1
Energy Efficiency Class	B	C	C	D
Fluid Dynamic Efficiency Class	B	D	D	D
Lighting Efficiency Class	F	E	A	A
Grease Filter Efficiency	76	72.1	83.5	66
Grease Filter Efficiency Class	C	D	C	D
Off Mode Power (W)				
Stand-by Power (W)				
Installation Height (mm)				
Minimum Distance from Cooking Top – Electric	50	50	50	50
Minimum Distance from Cooking Top – Gas	65	65	65	70
Dimensions (mm)				
Width	598	598	700	598
Depth	500	280	285	270
Height Max	1090	180	245	400
Height of Body	40	40	245	400
Other				
Air Outlet	150	120	150	120

DISHWASHERS



FSK93807P



FSK63807P



FSK63737P



FSK5290PZ

Capacity (Number of IEC Place Settings)	13	13	15	14
XXL Tub (Large Interior)	•	•	•	
Control Type	Touch Control	Touch Control	Touch Control	Touch control
Number of Temperatures	4	4	4	3
Number of Programmes	7	7	7	7
Automatic 45°C–70°C Programme	•	•	•	•
Quickwash 60°C, 30 Min Programme	•	•	•	•
Eco Programme	•	•	•	•
160 min programme	•	•	•	•
90 min programme	•	•	•	•
60 min programme	•	•	•	•
Maintenance Cycle / Machine care	•	•	•	•
Extra silent Programme				
Glasscare Option	•	•	•	•
Xtra Power Option	•	•	•	•
AirDry Technology (Automatic door opening)	•	•	•	
Glass care, Soft Spikes	•	•	•	•
Glass care, Soft Grips	•	•	•	•
DelayStart	•	•	•	
Time Remaining	•	•	•	•
ComfortLift	•	•		
Satellite spray arm	•	•	•	•
Ceiling spray arm	•	•	•	•
Height adjustable upper basket	•	•	•	
Foldable plate racks - bottom basket	•	•	•	•
Foldable cup shelves - bottom basket	•	•	•	•
Removable cutlery drawer	•	•	•	•
Moveable cutlery basket				
Lower basket glass holder			•	•
SprayZone				
Time beam - spotlight	•			
Light beam - spotlight		•	•	•
Hinges	Sliding Hinges	Sliding Hinges	Sliding Hinges	Sliding Hinges
Dimensions				
Appliance Dimensions				
Height	818	818	818	818
Width	596	596	596	596
Depth	550	550	550	550
Aperture dimensions				
Built-in Height	820	820	820	820
Built-in Width	900	900	900	880
Built-in Depth	600	600	600	600
Furniture door dimensions				
Door Height (Min – Max)	670-820	670-820	670-820	645-776
Door Weight (Min – Max)	1.5-10	1.5-10	1.5-10	2.0-10
Performance				
Declared Programme	ECO 50	ECO 50	ECO 50	ECO 50
Energy Efficiency Class	A+++	A+++	A+++	A++
Energy Efficiency Index	49.8	49.8	49.8	55.8
Annual Energy Consumption	234	234	241	266
Annual Water Consumption	3080	3080	3080	2940
Energy Consumption	0.821	0.821	0.846	0.935
Water Consumption	11	11	11	10.5
Drying Performance	A	A	A	A
Maximum Noise Level	39	44	44	46
Cleaning Performance	A	A	A	A
Programme Time (Min)	240	240	225	240
Stand-by Power (W)	0.1	0.1	0.1	0.5
Off Mode Power (W)	0.5	0.5	0.5	0.5
Left-on Mode Power (W)	5	5	5	5
Left-on Mode Duration Min	1	1	1	1
Auto Switch Off (End of Programme)	•	•	•	•
Other				
Voltage	220-240	220-240	220-240	220–240
Frequency	50/60	50/60	50/60	50/60
Connected Load	1550-2200	1550-2200	1550-2200	1550-2200
Fuse Rating	10	10	10	10
Minimum Water Pressure 1 bar/15 psi	•	•	•	•
Inlet Hose with 3/4" BSP Thread Hose Connection	•	•	•	•
Water Softener	•	•	•	•
Water Supply (Max. 60°)	Cold or Hot	Cold or Hot	Cold or Hot	Cold or Hot
Salt Refill Indicator	•	•	•	•
Rinse Aid Refill Indicator	•	•	•	•
Water Hardness Setting	•	•	•	•
Top and side fixing brackets	•	•	•	•
Worktop steam protection	•	•	•	•



FSK52617Z







FSB42607Z





FSK73400P

Capacity (Number of IEC Place Settings)	13	13	9
XXL Tub (Large Interior)			
Control Type	Touch control	Touch control	Electronic
Number of Temperatures	3	2	4
Number of Programmes	7	5	7
Automatic 45°C–70°C Programme	•	•	•
Quickwash 60°C, 30 Min Programme	•	•	•
Eco Programme	•	•	•
160 min programme	•		•
90 min programme	•	•	
60 min programme	•		•
Maintenance Cycle / Machine care	•	•	•
Extra silent Option			•
Glasscare Option	•		•
Xtra Power Option	•	•	•
SprayZone Option			•
AirDry Technology (Automatic door opening)	•	•	
Glass care, Soft Spikes	•		•
Glass care, Soft Grips			
DelayStart	•	•	•
Time Remaining	•	•	•
Satellite spray arm			•
Ceiling spray arm			•
Height adjustable upper basket		•	•
Foldable plate racks - bottom basket	•		•
Foldable cup shelves - bottom basket	•		•
Removable cutlery drawer	•		
Moveable cutlery basket	•		•
Lower basket glass holder	•		
SprayZone			
Time beam - spotlight			•
Light beam - spotlight	•		
Hinges	Sliding Hinges	Sliding Hinges	Sliding Hinges
Dimensions			
Appliance Dimensions			
Height	818	818	818
Width	596	596	446
Depth	550	550	550
Aperture dimensions			
Built-in Height	820	820	820-900
Built-in Width	880	880	450
Built-in Depth	600	600	550
Furniture door dimensions			
Door Height (Min – Max)	645-776	645-776	645-776
Door Weight (Min – Max)	2.0-10	2.0-10	2.0-6.0KG
Performance			
Declared Programme	ECO 50	ECO 50	ECO 50
Energy Efficiency Class	A++	A++	A+++
Energy Efficiency Index	55.8	55.8	49.9
Annual Energy Consumption	262	262	176
Annual Water Consumption	2772	2772	2775
Energy Consumption	0.921	0.921	0.625
Water Consumption	9.9	9.9	9.9
Drying Performance	A	A	A
Maximum Noise Level	44	46	44
Cleaning Performance	A	A	A
Programme Time (Min)	240	240	240
Stand-by Power (W)	0.5	0.5	0.1
Off Mode Power (W)	0.5	0.5	0.1
Left-on Mode Power (W)	5	5	5
Left-on Mode Duration Min	1	1	5
Auto Switch Off (End of Programme)	•	•	•
Other			
Voltage	200-240	200-240	220-240
Frequency	50/60	50/60	50/60
Connected Load	1550-2200	1550-2200	1550-2200
Fuse Rating	10	10	10
Minimum Water Pressure 1 bar/15 psi	•	•	•
Inlet Hose with 3/4" BSP Thread Hose Connection	•	•	•
Water Softener	•	•	•
Water Supply (Max. 60°)	Cold or Hot	Cold or Hot	Cold or Hot
Salt Refill Indicator	•	•	•
Rinse Aid Refill Indicator	•	•	•
Water Hardness Setting	•	•	•
Top and side fixing brackets	•	•	•
Worktop steam protection	•	•	•

WASHING MACHINES

				
	L9FEC946R	L8FEC866R	L7FEE845R	L7FC8432BI
Overview				
Wash Capacity (kg)	9	8	8	8
Spin Speed (rpm)	1400	1600	1400	1400
Display	Large Display	Large Display	Medium Display	Medium Display
Controls	Dial and Touch Buttons	Dial and Touch Buttons	Dial and Touch Buttons	Dial and Touch Buttons
Fascia Panel	Stainless Steel	Stainless Steel	Matte Silver	Silver
Door Colour/Type	Premium Silver Door	Premium Silver Door	Premium Silver Door	Premium Silver Door
Technology				
9000 Series Technology	•			
8000 Series Technology	•	•		
7000 Series Technology	•	•	•	•
6000 Series Technology	•	•	•	•
Awards				
Product of the Year	•			
Woolmark	Green	Green	Blue	Blue
P&G	Premium	Premium	Standard	
Quiet Mark	•	•	•	
Programmes				
Cottons	•	•	•	•
Cotton Eco				•
Synthetics	•	•	•	•
Delicates	•	•	•	•
Wool	•	•	•	
Wool/Silk				•
ColourPro	•			
OKOPower	•	•		•
Steam	•	•	•	•
Quick 20min 3kg	•	•	•	•
Duvet		•	•	•
Jeans/Denim				•
Sports			•	•
Rinse				•
Anti-Allergy	•	•	•	•
Outdoor	•	•	•	
Spin/Drain				•
Options				
Delay Start	•	•	•	•
Soft Plus	•	•	•	•
Temperature Selection	•	•	•	•
Spin Selection	•	•	•	•
Start/Pause	•	•	•	•
Plus Steam	•	•	•	•
Stains/Prewash	•	•	•	•
Rinse	•	•	•	
Extra Rinse	•	•	•	•
Time Save	•	•	•	•
Economy	•	•	•	
Child Lock	•	•	•	•
Energy and Water Performance				
Energy Efficiency Class	A+++	A+++	A+++	A+++
Wash Performance	A	A	A	A
Spin Performance	B	A	B	B
Annual Energy Consumption (kWh)	65	97	137	156
Annual Water Consumption (L)	10499	10999	10999	10999
Washing Noise (dB)	47	47	51	46
Spinning Noise (dB)	73	75	75	68
Stand-by Power (W)	1	1	1	1
Programme Performance*				
Load (kg)	9	8	8	8
Energy (kWh)	0.29	0.46	0.68	0.82
Water (L)	55	55	54	54
Duration (Mins)	258	247	228	295
*Standard cotton cycle 60°C, full load.				
Dimensions				
Height (mm)	850	850	850	819
Width (mm)	600	600	600	596
Depth Max (mm)	660	600	600	553
Net Weight (kg)	78.5	73.5	70.5	76.5
Power Cord Length (mm)	1500	1500	1500	1500
Length of Waste Pipe (mm)	1450	1450	1450	

TUMBLE DRYERS

		
	T8DEC846R	T7DEE835R
Overview		
Dry Capacity (kg)	8	8
Display	Large Display	Medium Display
Controls	Dial and Touch Buttons	Dial and Touch Buttons
Fascia Panel	Stainless Steel	Matte Silver
Door Colour/Type	Premium Silver Door	Premium Silver Door
Technology		
8000 Series Technology	•	
7000 Series Technology	•	•
6000 Series Technology	•	•
Awards		
Woolmark	Blue	
Quiet Mark		
Programmes		
Cottons	•	•
Cotton Eco		
Synthetics	•	•
Refresh		
Delicates		
Wool	•	•
Wool Refresh		
Mixed	•	•
Silk	•	•
Bedlinen	•	•
Easy Iron	•	•
Outdoor	•	
Duvet	•	•
Sports	•	•
Active Wear		•
Jeans		
Freshen Up		
Time 30		
Cottons – Extra Dry		
Cottons – Strong Dry		
Cottons – Cupboard Dry		
Cottons – Iron Dry		
Synthetics – Extra Dry		
Synthetics – Cupboard Dry		
Synthetics – Iron Dry		
Options		
Delay Start	•	•
Delicate		
Drying Mode		
Anti-crease	•	•
Dryness Level	•	•
Time Drying	•	•
Start/Pause	•	•
Child Lock	•	•
Quiet	•	
Steam Level		
Sensitive		
Buzzer		
Refresh	•	•
Energy Performance		
Energy Efficiency Class	A++	A+
Annual Energy Consumption (kWh)	235	309
Drying Noise (dB)	66	66
Stand-by Power (W)	19	19
Dimensions		
Height (mm)	850	850
Width (mm)	600	600
Depth Max (mm)	665	665
Net Weight (kg)	48.26	48.46
Power Cord Length (mm)	1450	1450

WASHER DRYERS



L7WEE965R



L7WBG741R



L7WC8632BI

Overview			
Wash Capacity (kg)	9	7	8
Dry Capacity (kg)	6	4	4
Spin Speed (rpm)	1600	1400	1600
Display	Medium Display	Small Display	Medium Display
Controls	Dial and Touch Buttons	Dial and Touch Buttons	Dial and Touch Buttons
Fascia Panel	Matte Silver	White	Silver
Door Colour/Type	Premium Silver Door	Premium White Door	Premium White Door
Technology			
9000 Series Technology			
8000 Series Technology			
7000 Series Technology	•	•	•
Awards			
Woolmark (across wash and dry cycles)	Blue	Blue	
Programmes			
Cottons	•	•	•
Cotton Eco	•	•	•
Synthetics	•	•	•
Delicates	•	•	•
Sports	•		•
Steam	•	•	•
Wool/Handwash	•	•	•
Outdoor	•	•	•
NonStop 3h/3kg			
NonStop ÖKOPower			
Non Stop 60min	•	•	•
Rinse	•	•	•
Spin/Drain			•
Anti-Allergy			•
Denim			•
Machine Clean			•
Options			
Anti-Allergy	•		•
Temperature Selection	•	•	•
Spin Selection	•		•
Prewash	•	•	•
Stains			•
Delay Start	•	•	•
Anti-crease			•
Extra Rinse			
Quick Wash	•	•	•
Wash/Dry mode	•	•	•
Time Drying	•	•	•
Auto Drying			•
Start/Pause	•	•	•
Child Lock	•	•	•
Energy and Water Performance			
Energy Efficiency Class	A	A	A
Wash Performance	A	A	A
Annual Energy Consumption (kWh) Washing Only	170	118	194
Annual Water Consumption (L) Washing Only	11200	10400	11200
Annual Energy Consumption (kWh) Washing and Drying	1212	938	1060
Annual Water Consumption (L) Washing and Drying	19800	18400	23000
Washing Noise (dB)	51	51	46
Spinning Noise (dB)	77	76	70
Drying Noise (dB)	63	59	52
Stand-by Power (W)	1	1	1
Programme Performance*			
Load (kg)	9	7	8
Energy (kWh)	0.85	0.59	0.97
Water (L)	56	52	56
Duration (Mins)	295	262	285
*Standard cotton cycle 60°C, full load.			
Dimensions			
Height (mm)	850	850	819
Width (mm)	600	600	596
Depth Max (mm)	660	576	544
Net Weight (kg)	75.5	66.5	72.5
Power Cord Length (mm)	1800	1800	1500
Length of Waste Pipe (mm)	1400	1400	1400

INSTALLATION DIAGRAMS

AEG has always been committed to supporting its retail partners and professional installers by providing them with best in class installation solutions. AEG kitchens are simple to install and use only one Torx T20 screwdriver to install all of our appliances, allowing installers to save time. In 2018, AEG launched a first of its kind Installer App, giving professional installers access to installation information at their fingertips.

IN THIS SECTION

Refrigeration

Integrated Fridge Freezers	226
Integrated Fridges/Freezers	227
Side by Side Fridge Freezers	228
Wine Cooling	228
Compact Refrigeration	229

Cooking

Single Ovens	230
Double Ovens	230
Compact Ovens	230
Bean to Cup Coffee Machine	231
Warming Drawers	231
Vac Sealers	231
Microwave Ovens	232
Hobs	233–238
Hoods	239–241

Dishwashers

Fully Integrated	242
Slim Line Integrated	242

Laundry

Built-in	243
----------	-----



ONE TORX T20
SCREWDRIVER
TO INSTALL ALL
APPLIANCES



Only **one** Torx T20 screwdriver
to install **all** appliances



Not having to change tools
saves time




Electrolux is the first manufacturer
to design an **installation app***
specifically for professional installers


*The app is available for download
on Apple and Android mobile phones.

INTEGRATED FRIDGE FREEZERS


SCE8186VTC, SCE8182VNC, SCE8182XNC




SCE8191VTS, SCE81928TS




SCE8182VTS, SCE8181VTS, SCB6181XLS




SCE8182XTS, SCB6181VLS



SCE8181VNS, SCB6181VLS




SCB5142VLS




INTEGRATED FRIDGES/FREEZERS


**ABE6821VNF, ABE6822VAF, ABB6821VAF, SFE5822VAF,
SFB5821VAF, SKE5822VAF, SKB5821VAF**




ABE8122VNC, SKK8182VZC



ABK8182VNC, SKK8182VDC




SKE8122VAC




SIDE BY SIDE FRIDGE FREEZERS

RMB76111NX




RMB76311NX




WINE COOLING


SWE66001DG



SWE63001DG




SWE61501DG




COMPACT WINE COOLER

KWK884520M




COMPACT BLAST CHILLER

KBK994519M




SINGLE OVENS

BPK842720M, BPK742320M, BPK742320B, BPK55632PM, BPK351020M, BCK45631PM




BPK744L21M, BPK744R21M




DOUBLE OVENS

DCK73110M, DCK43110M
BUILT-IN




DUK73110M
BUILT UNDER




COMPACT OVENS

ALL MODELS
EXCLUDING COFFEE MACHINE




BEAN TO CUP COFFEE MACHINES

KKK994500M




KKK884500M, KKE884500B




WARMING DRAWERS

KDK912924M, KDE912924M




KDK911424M, KDE911424M, KDE911424B




VAC SEALERS

KDK911423M, KDE911423B




MICROWAVE OVENS

MBE2658SEM




MBB1756SEM, MBB1755SEM




INDUCTION HOBS


IAE844881FB, IAE844851FB




IKE85651FB




IPE84571FB, IPE84531FB, IKE84471FB, IKE85431FB, IAE84411FB, IKB84401FB



IKE74451FB




IAE64851FB, IKE64651FB, IKE64471FB, IKB64401FB




INDUCTION HOBS


IPE64571FB, IPE64551FB




IKE64450XB




IAE64411FB




HK604200IB



IKE95471FB




IKK93431FB




COMBO HOBS

IDK844511B, IDK844512B, IDE842411B, IDE842421B




CERAMIC HOB

HK634060XB




GAS HOBS


HVB95450IB




HKB95540NB




HG755450SY




HG694840NB




HGB95520YM




HVB75450IB




HKB64540NB




HGB64301UM




HKB75540NB



HGB75301UM




HG654550SY




MIXED FUEL HOBS

HD955100NB




HD634170NB




CRYSTALLINE HOBS


HC452401EB, HC452601EB




HC451501EB



HC411521GB, HC412001GB




HC452021EB




DESIGNER HOODS


DLE0970M



DLE0630B/W




DLE0431W/B/M




DISHWASHERS


FSK93807P, FSK63807P, FSK63737P
FULLY INTEGRATED



FSK5290PZ, FSK52617Z, FSB42607Z
FULLY INTEGRATED




FSK73400P
SLIMLINE INTEGRATED



LAUNDRY


L7FC8432BI, L7WC8632BI



ENERGY INFORMATION/ EU ENERGY EFFICIENCY INFORMATION

This scheme, which covers refrigerators, freezers, washing machines, tumble dryers, dishwashers and electric ovens is designed to offer consumers a standardised method of choosing the most energy efficient appliances.

For refrigerators and freezers, as well as stating the energy efficiency class (A+++ – most efficient, 'D' – least efficient) the label also gives the annual electricity consumption (i.e. running cost) freezing capacity, noise level and the usable storage capacity.



Example of refrigeration energy label.

For dishwashers, as well as stating the energy efficiency class (A+++ – most efficient, 'D' – least efficient) the label also states the annual water consumption (lts), drying efficiency, place settings and noise level.



Example of dishwasher energy label.

For washing machines, as well as stating the energy efficiency class (A+++ – most efficient, 'D' – least efficient) the label also states the annual water consumption (lts), load size (kg), spin speed efficiency and the washing & spinning noise levels.



Example of washing machine energy label.

For electric ovens, as well as stating the energy efficiency class ('A' – most efficient, 'G' – least efficient), the label also states the energy consumption (in kWh) and the usable volume of the oven. If the oven is a double oven it will carry this information for both ovens.



Premier Partner

AEG has been creating pioneering appliances for the home for over 125 years. While others are catching up, we're moving further on, always an idea ahead. So if you want to know about true state-of-the-art technology, take a look inside.

To find out more visit aeg.co.uk